

Safety data sheet
 according to Regulation (EC) No. 1907/2006 as amended from
 time to time

Printing date 29.06.2023

Version-No. 7 (replaces version 6)

Revision: 21.06.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1. Product identifier**
- **Trade name / Article-No: KLEIBERIT 265.0**
- **UFI: T0FF-60CH-7009-GDAS**
- **1.2. Relevant identified uses of the substance / mixture or uses advised against**
 For professional users only.
- **Application of the substance / the mixture** Adhesives
- **1.3. Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
 KLEIBERIT SE & Co. KG
 Max-Becker-Str. 4
 76356 Weingarten
 Germany
- **Further information obtainable from:**
 phone: +49 (0) 7244 62-0
 FAX: +49 (0) 7244 700-0
 E-Mail: hse@kleiberit.com
- **1.4. Emergency telephone number:**
+44 1235 239670 European regional number (European languages)
112 Emergency telephone number for Malta
543 22 22 Icelandic University Hospital

SECTION 2: Hazards identification

- **2.1. Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008 - GHS/CLP**
 - Skin Irrit. 2 H315 Causes skin irritation.
 - Eye Irrit. 2 H319 Causes serious eye irritation.
 - Carc. 2 H351 Suspected of causing cancer.
 - Repr. 1B H360Df May damage the unborn child. Suspected of damaging fertility.
 - STOT SE 3 H336 May cause drowsiness or dizziness.

· **2.2. Label elements**

· **Hazard pictograms**



GHS07 GHS08

- **Signal word** Danger
- **Hazard statements**
 - H315 Causes skin irritation.
 - H319 Causes serious eye irritation.
 - H351 Suspected of causing cancer.
 - H360Df May damage the unborn child. Suspected of damaging fertility.
 - H336 May cause drowsiness or dizziness.
- **Precautionary statements**
 - P271 Use only outdoors or in a well-ventilated area.
 - P280 Wear protective gloves / eye protection / face protection.

(Contd. on page 2)

EU

Safety data sheet
according to Regulation (EC) No. 1907/2006 as amended from
time to time

Printing date 29.06.2023

Version-No. 7 (replaces version 6)

Revision: 21.06.2023

Trade name / Article-No: KLEIBERIT 265.0

(Contd. of page 1)

P302+P352 IF ON SKIN: Wash with plenty of water.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308+P313 IF exposed or concerned: Get medical advice/attention.
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Additional information:

Contains rosin. May produce an allergic reaction.
 Can become highly flammable in use.
 Restricted to professional users.

2.3. Other hazards**Results of PBT and vPvB assessment**

PBT: Not applicable.
vPvB: Not applicable.

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

Registry-No's	Identification / Classification GHS-CLP	%
CAS: 75-09-2	dichloromethane	50-70%
Reg.nr.: 01-2119480404-41-XXXX	Carc. 2, H351; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H336	
CAS: 67-64-1	acetone	3-5%
Reg.nr.: 01-2119471330-49-XXXX	Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	
CAS: 2687-91-4	1-ethylpyrrolidin-2-one	≥0.3-<1%
Reg.nr.: 01-2119472138-36-XXXX	Repr. 1B, H360Df; Eye Dam. 1, H318	
CAS: 8050-09-7	rosin	≥0.1-<1%
	Skin Sens. 1, H317	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Treat affected skin with cotton wool or cellulose. Then wash and rinse thoroughly with water and a mild cleaning agent.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.**After swallowing:** Call for a doctor immediately.**4.2. Most important symptoms and effects, both acute and delayed**

Headache
 Drowsiness
 Dizziness
 Nausea

4.3. Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

EU

Safety data sheet
according to Regulation (EC) No. 1907/2006 as amended from
time to time

Printing date 29.06.2023

Version-No. 7 (replaces version 6)

Revision: 21.06.2023

Trade name / Article-No: KLEIBERIT 265.0

(Contd. of page 2)

*** SECTION 5: Firefighting measures**

- **5.1. Extinguishing media**
- **Suitable extinguishing agents:**
CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2. Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Phosgene gas
Hydrogen chloride (HCl)
Chlorine
- **5.3. Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information** Cool endangered receptacles with water spray.

*** SECTION 6: Accidental release measures**

- **6.1. Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Particular danger of slipping on leaked/spilled product.
- **6.2. Environmental precautions:**
Do not allow to enter surface or ground water.
Do not allow to penetrate the ground/soil.
- **6.3. Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **6.4. Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

*** SECTION 7: Handling and storage**

- **7.1. Precautions for safe handling**
Handle the substance preferably in closed system
Enclosure or extractor facilities are required.
Not less than 5 -15 air exchanges per hour
Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the vapour concentration below the workplace limit, wear an adequate respiratory protective device.
Appropriate regular employee training.
Wear protective gloves/protective clothing/eye protection/face protection.
Prevent formation of aerosols.
Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.
Avoid splashes or spray in enclosed areas.
regular check up, maintenance and cleaning of equipment and machines
Application temperature is not higher than 20°C above the surrounding temperature
Avoid contact with the skin.
Conduct spray applications in a ventilated booth or in an exhausted enclosure. Or as an alternative, ensure an adequate level of controlled ventilation (10 to 15 air changes per hour) and wear a respiratory protective device according to EN140 with filter type AX or better.
if possible use tools with long handles
Avoid taking samples by immersion
Wear suitable protective gloves and protective goggles /face protection during work.
have emergency plan in place, to minimize impact
Open and handle receptacle with care.

(Contd. on page 4)

EU

Safety data sheet
according to Regulation (EC) No. 1907/2006 as amended from
time to time

Printing date 29.06.2023

Version-No. 7 (replaces version 6)

Revision: 21.06.2023

Trade name / Article-No: KLEIBERIT 265.0

(Contd. of page 3)

Clean the pipe before decoupling

Close the container immediately after usage.

· **Information about fire - and explosion protection:**

Keep respiratory protective device available.

Dichloromethane is under most application conditions at normal temperatures not a flammable liquid. It has no measurable flash point, but with sufficient mass it will build a combustible air-vapour-mixture, if enough ignition energy will be available.

· **General protective and hygienic measures:**

Avoid contact with the eyes and skin.

Keep good industrial hygiene.

· **7.2. Conditions for safe storage, including any incompatibilities**· **Storage:**· **Requirements to be met by storerooms and receptacles:** Store outdoors.· **Information about storage in one common storage facility:** Observe the national regulations.· **Further information about storage conditions:** None.· **7.3. Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection**· **8.1. Control parameters**· **Ingredients with limit values that require monitoring at the workplace:**· **DNELs****75-09-2 dichloromethane**

Dermal DNEL long term 12 mg/kg (human being)

Inhalative DNEL short term 706 mg/m³ (human being)DNEL long term 353 mg/m³ (human being)**67-64-1 acetone**

Dermal DNEL long term 186 mg/kg (human being)

Inhalative DNEL short term 2,420 mg/m³ (human being)DNEL long term 1,210 mg/m³ (human being)**2687-91-4 1-ethylpyrrolidin-2-one**Dermal DNEL long term 4 mg/kg (human being)
systemische EffekteInhalative DNEL short term 20.1 mg/m³ (human being)
lokale EffekteDNEL long term 10.05 mg/m³ (human being)
lokale Effekte· **PNECs****75-09-2 dichloromethane**

PNEC- Freshwater	0.31 mg/l (not specified)
PNEC-seawater	0.031 mg/l (not specified)
PNEC-periodic release	0.27 mg/l (not specified)
PNEC-Freshwater sediment	2.57 mg/kg (not specified)
PNEC-Seawater sediment	0.26 mg/kg (not specified)
PNEC-soil	0.33 mg/kg (not specified)
PNEC-wastewater treatment plant	26 mg/l (not specified)

67-64-1 acetone

PNEC- Freshwater 10.6 mg/l (not specified)

(Contd. on page 5)

EU

Safety data sheet
according to Regulation (EC) No. 1907/2006 as amended from
time to time

Printing date 29.06.2023

Version-No. 7 (replaces version 6)

Revision: 21.06.2023

Trade name / Article-No: KLEIBERIT 265.0*(Contd. of page 4)*

PNEC-seawater	1.06 mg/l (not specified)
PNEC-Freshwater sediment	30.4 mg/kg (not specified)
PNEC-Seawater sediment	3.04 mg/kg (not specified)
PNEC-soil	29.5 mg/kg (not specified)
PNEC-wastewater treatment plant	100 mg/l (not specified)

2687-91-4 1-ethylpyrrolidin-2-one

PNEC- Freshwater	0.25 mg/l (not specified)
PNEC-seawater	0.025 mg/l (not specified)
PNEC-periodic release	1 mg/l (not specified)
PNEC-Freshwater sediment	1.91 mg/kg (not specified)
PNEC-Seawater sediment	0.191 mg/kg (not specified)
PNEC-soil	0.235 mg/kg (not specified)
PNEC-wastewater treatment plant	10 mg/l (not specified)

· Ingredients with biological limit values:**75-09-2 dichloromethane**

BGW (Germany)	500 µg/L
	Untersuchungsmaterial: Vollblut
	Probennahmezeitpunkt: unmittelbar nach Exposition

Parameter: Dichlormethan

67-64-1 acetone

BGW (Germany)	80 mg/l
	Untersuchungsmaterial: Urin
	Probennahmezeitpunkt: Expositionsende bzw. Schichtende

Parameter: Aceton

· CAS No. Designation of material % Type Value Unit**75-09-2 dichloromethane**

IOELV (INT)	Short-term value: 706 mg/m ³ , 200 ppm
	Long-term value: 353 mg/m ³ , 100 ppm
	Skin
AGW (Germany)	Long-term value: 180 mg/m ³ , 50 ppm

2(II);DFG, H, Z

67-64-1 acetone

IOELV (INT)	Long-term value: 1210 mg/m ³ , 500 ppm
AGW (Germany)	Long-term value: 1200 mg/m ³ , 500 ppm

2(I);AGS, DFG, EU, Y

2687-91-4 1-ethylpyrrolidin-2-one

AGW (Germany)	Long-term value: 23 mg/m ³ , 5 ppm
	2(I);DFG, Y, H, 11

8050-09-7 rosin

MAK (Germany) vgl.Abschn.IV

· 8.2. Exposure controls

limit the exposure to:

8 hours

· Appropriate engineering controls No further data; see section 7.**· Individual protection measures, such as personal protective equipment****· General protective and hygienic measures:** Do not inhale gases / fumes / aerosols.*(Contd. on page 6)*

EU

Safety data sheet
according to Regulation (EC) No. 1907/2006 as amended from
time to time

Printing date 29.06.2023

Version-No. 7 (replaces version 6)

Revision: 21.06.2023

Trade name / Article-No: KLEIBERIT 265.0

(Contd. of page 5)

· Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation:
 Filter A/P2 (EN 14387)

Organic gases/vapors (boiling point <'less than' 149 °F/65 °C): eg.

¹ (F)OV - (Full Facepiece) Organic Vapor Respirator

² Europe: EN 371 Filtertype AX, brown

· Hand protection

Protective gloves

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves D butyl rubber - BR: ChemTek™ (0,7 mm)**· Penetration time of glove material** D: 120 - 140 min**· Eye/face protection** Safety glasses**· Body protection:** Protective work clothing**· Environmental exposure controls**

Waste air is to be released into the atmosphere only via suitable separators.

SECTION 9: Physical and chemical properties**· 9.1. Information on basic physical and chemical properties****· General Information****· Physical state**

Fluid

· Colour:

Light yellow

· Odour:

Sweetish

· Odour threshold:

Not determined.

· Melting point/freezing point:

Undetermined.

· Boiling point or initial boiling point and boiling range

40 °C

· Flammability

Not applicable.

· Lower and upper explosion limit**· Lower:**

13 Vol %

· Upper:

22 Vol %

· Flash point:

Not applicable.

· Auto-ignition temperature:

465 °C

· Decomposition temperature:

Not determined.

· pH

Not determined.

· Viscosity:

Not determined.

· Kinematic viscosity

ca. 5.000 mPas

· Dynamic at 20 °C:**· Solubility**

Not miscible or difficult to mix.

· water:**· Partition coefficient n-octanol/water (log value)**

Not determined.

· Vapour pressure at 20 °C:

453 hPa

· Density and/or relative density**· Density at 20 °C:**

ca. 1.3 g/cm³

· Relative density

Not determined.

· Vapour density

Not determined.

· 9.2. Other information**· Appearance:**

Fluid

· Form:**· Important information on protection of health and environment, and on safety.****· Ignition temperature:**

Product is not selfigniting.

· Explosive properties:

Product does not present an explosion hazard.

· Change in condition

Not determined.

· Evaporation rate

(Contd. on page 7)

EU

Safety data sheet
according to Regulation (EC) No. 1907/2006 as amended from
time to time

Printing date 29.06.2023

Version-No. 7 (replaces version 6)

Revision: 21.06.2023

Trade name / Article-No: KLEIBERIT 265.0*(Contd. of page 6)*

· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1. Reactivity**
see item 10.3
No further relevant information available.
- **10.2. Chemical stability** Stable when stored and used properly.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3. Possibility of hazardous reactions**
Reacts with acids, alkalis and oxidising agents.
Reacts spontaneously with alkaline metals.
- **10.4. Conditions to avoid** No further relevant information available.
- **10.5. Incompatible materials:** No further relevant information available.
- **10.6. Hazardous decomposition products:** Hydrogen chloride (HCl)

SECTION 11: Toxicological information

- **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **LD/LC₅₀ values relevant for classification:**

75-09-2 dichloromethane

Oral LD₅₀ >2,000 mg/kg (rat)
 Dermal LD₅₀ >2,000 mg/kg (rat) (OECD-Prüfrichtlinie 402)
 Inhalative LC₅₀ /4 h 88 mg/l (rat)

67-64-1 acetone

Oral LD₅₀ 5,800 mg/kg (rat)
 Dermal LD₅₀ 20,000 mg/kg (rabbit)
 15,800 mg/kg (rat)
 Inhalative LC₅₀ /4 h 76 mg/l (rat)

2687-91-4 1-ethylpyrrolidin-2-one

Oral LD₅₀ 3,200 mg/kg (rat)
 BASF

(Contd. on page 8)

EU

Safety data sheet
according to Regulation (EC) No. 1907/2006 as amended from
time to time

Printing date 29.06.2023

Version-No. 7 (replaces version 6)

Revision: 21.06.2023

Trade name / Article-No: KLEIBERIT 265.0

(Contd. of page 7)

Dermal LD₅₀ >2,000 mg/kg (rat)
 OECD 402

8050-09-7 rosin

Oral LD₅₀ 2,800 mg/kg (rat)

Dermal LD₅₀ >2,000 mg/kg (rat)

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Suspected of causing cancer.
- **Reproductive toxicity** May damage the unborn child. Suspected of damaging fertility.
- **STOT-single exposure** May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information**12.1. Toxicity****Aquatic toxicity:****75-09-2 dichloromethane**

LC₅₀ 193 mg / l / 96h (Fathead minnow - Pimephales promelas)

97 mg / l / 96h (fish)

LC₅₀ 27 mg / l / 48h (water flea - daphnia)

97 mg / l / 48h (fish)

EC₅₀ 220 mg / l / 48h (water flea - daphnia)

IC₅₀ >662 mg / l / 72h (algae)

67-64-1 acetone

LC₅₀ 8,120 mg / l / 96h (fish)

LC₅₀ 12,600 mg / l / 48h (water flea - daphnia)

EC₅₀ 3,400 mg / l / 48h (algae)

12,100 mg / l / 48h (water flea - daphnia)

2687-91-4 1-ethylpyrrolidin-2-one

LC₅₀ 464-999 mg / l / 96h (Zebrafish - Danio rerio)

LC₅₀ >100 mg / l / 48h (water flea - daphnia)

8050-09-7 rosin

LC₅₀ <10 mg / l / 96h (Zebrafish - Danio rerio)

EC₅₀ 5.4 mg / l / 48h (water flea - daphnia)

EC₅₀ 400 mg / l / 72h (green algae-Ps.kirchneriella subcapitata)

- **12.2. Persistence and degradability** No further relevant information available.

- **12.3. Bioaccumulative potential** No further relevant information available.

- **12.4. Mobility in soil** No further relevant information available.

12.5. Results of PBT and vPvB assessment

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

(Contd. on page 9)

EU

Safety data sheet
according to Regulation (EC) No. 1907/2006 as amended from
time to time

Printing date 29.06.2023

Version-No. 7 (replaces version 6)

Revision: 21.06.2023

Trade name / Article-No: KLEIBERIT 265.0*(Contd. of page 8)***· 12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects**· Behaviour in sewage processing plants:****· Remark:**

At correct sewage disposal in small quantities to biological sewage plants failures of the activated sludge are not expected.

· Additional ecological information:**· General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Danger to drinking water if even small quantities leak into the ground.

Do not allow product to reach sewage system or any water course.

SECTION 13: Disposal considerations**· 13.1. Waste treatment methods****· Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Must be specially treated adhering to official regulations.

· European waste catalogue

07 02 03* organic halogenated solvents, washing liquids and mother liquors

· Uncleaned packaging:**· Recommendation:**

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. Disposal must be made according to official regulations.

SECTION 14: Transport information**· 14.1. UN number or ID number**

ADR, IMDG, IATA UN1593

· 14.2. UN proper shipping name

DICHLOROMETHANE mixture

· DOT, IMDG, IATA

1593 DICHLOROMETHANE mixture

· ADR**· 14.3. Transport hazard class(es)**

6.1 Toxic substances.

· Class

6.1

· Label**· 14.4. Packing group**

III

· ADR, IMDG, IATA

Not applicable.

· 14.5. Environmental hazards:

Warning: Toxic substances.

· 14.6. Special precautions for user

60

· Hazard identification number (Kemler code):

F-A,S-A

· EMS Number:

(SGG10) Liquid halogenated hydrocarbons

· Segregation groups

A

· Stowage Category**· 14.7. Maritime transport in bulk according to IMO**

Not applicable.

· instruments**· ADR****· Limited quantities (LQ)**

5L

· Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· Transport category

2

· Tunnel restriction code

E

(Contd. on page 10)

EU

Safety data sheet
according to Regulation (EC) No. 1907/2006 as amended from
time to time

Printing date 29.06.2023

Version-No. 7 (replaces version 6)

Revision: 21.06.2023

Trade name / Article-No: KLEIBERIT 265.0

(Contd. of page 9)

- **IMDG**
- **Limited quantities (LQ)**
- **Excepted quantities (EQ)**

5L
 Code: E1

Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml

SECTION 15: Regulatory information

- **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**
 See position no 2 - Hazards Identification

- **Directive 2012/18/EU - Seveso-III:**

- **Named dangerous substances - ANNEX I** None of the ingredients is included.
- **Regulation (EC) No 1907/2006 - REACH, ANNEX XVII** Conditions of restriction: 3, 30, 59
- **Regulation (EU) No 649/2012**

None of the ingredients is listed.

- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

- **REGULATION (EU) 2019/1148**

- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

67-64-1 acetone

- **Regulation (EC) No 273/2004 on drug precursors**

67-64-1 acetone: 3

- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

67-64-1 acetone: 3

- **National regulations:**

- **D: Waterhazard class** Water hazard class 2 (Self-assessment): hazardous for water.

- **Other regulations, limitations and prohibitive regulations:** For professional users only.

- **VOC - 2010/75/EU [g/L]:** 964.4 g/l

- **VOC - 2010/75/EU [%]:** 74.19 %

- **15.2. Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H351 Suspected of causing cancer.

H360Df May damage the unborn child. Suspected of damaging fertility.

(Contd. on page 11)

EU

Safety data sheet
according to Regulation (EC) No. 1907/2006 as amended from
time to time

Printing date 29.06.2023

Version-No. 7 (replaces version 6)

Revision: 21.06.2023

Trade name / Article-No: KLEIBERIT 265.0

(Contd. of page 10)

EUH066 Repeated exposure may cause skin dryness or cracking.

· **Department issuing SDS:** Safety & Environment

· **Version number of previous version:** 6

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Carc. 2: Carcinogenicity – Category 2

Repr. 1B: Reproductive toxicity – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

EU