

Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.07.2022

Version-No. 6 (replaces version 5)

Revision: 25.07.2022

SECTION 1: Identification of the substance/mixture and of the company	/undertaking
· 1.1. Product identifier	rundentaking
 Trade name / Article-No: KLEIBERIT 257.7 UFI: 8NS0-E0V0-X001-P1WN 1.2. Relevant identified uses of the substance / mixture or uses advised against For professionel use only Application of the substance / the mixture Adhesives 	
 1.3. Details of the supplier of the safety data sheet Manufacturer/Supplier: KLEIBERIT SE & Co. KG Max-Becker-Str. 4 D - 76356 Weingarten / Baden Germany Further information obtainable from: phone: +49 (0) 7244 62-0 FAX: +49 (0) 7244 700-0 E-Mail: hse@kleiberit.com 1.4. Emergency telephone number: +44 1235 239670 European regional number (European languages) 112 Emergency telephone number for Malta 543 22 22 Icelandic University Hospital 	
SECTION 2: Hazards identification • 2.1. Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 - GHS/CLP Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. Carc. 2 H351 Suspected of causing cancer. STOT SE 3 H336 May cause drowsiness or dizziness.	
· 2.2. Label elements · Hazard pictograms	
GHS07 GHS08	
· Signal word Warning	
 Hazard-determining components of labelling: dichloromethane Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H351 Suspected of causing cancer. H336 May cause drowsiness or dizziness. Precautionary statements P260 Do not breathe vapours. P271 Use only outdoore or in a well ventilated area 	
P271 Use only outdoors or in a well-ventilated area.	(Contd. on page 2)



Page 2/10

1)

		Page 2/10
	Safety data sheet	
	according to 1907/2006/EC, Article 31	
Printing date 25.07.2022	Version-No. 6 (replaces version 5)	Revision: 25.07.2022
Trade name / Article-No: KLEIE	BERIT 257.7	
		(Control of posts 1)
P280 Wear pro	ective gloves / eye protection.	(Contd. of page 1)
	IN: Wash with plenty of water and soap.	
	S: Rinse cautiously with water for several minutes. R	emove contact lenses, if
present a · 2.3. Other hazards	nd easy to do. Continue rinsing.	
• Results of PBT and vPvB a	ssessment	
• PBT: Not applicable.		
vPvB: Not applicable.		
SECTION 2: Composit	ion/information on ingredients	
•	ion/information on ingredients	
 3.2 Mixtures Description: Mixture of subs 	stances listed below with nonhazardous additions.	
 Dangerous components: 		
· Registry-No's	Identification / Classification GHS-CLP	%
CAS: 75-09-2	dichloromethane	50-70%
Reg.nr.: 01-2119480404-41-	XXXX Carc. 2, H351; Skin Irrit. 2, H315; Eye Irrit. 2, H H336	1319; STOT SE 3,
· Additional information: For	the wording of the listed hazard phrases refer to sec	tion 16.
SECTION 4: First aid n	neasures	
4.1. Description of first aid		
• After inhalation:		
Supply fresh air. If required, persist.	provide artificial respiration. Keep patient warm. Cons	ult doctor if symptoms
In case of unconsciousness	place patient stably in side position for transportation.	
Treat affected skin with cotto agent.	n wool or cellulose. Then wash and rinse thoroughly	with water and a mild cleaning
If skin irritation continues, co		
	ened eye for several minutes under running water. The	nen consult a doctor.
 After swallowing: Call for a 4.2 Most important sympt 	oms and effects, both acute and delayed	
Headache	sins and chects, both acate and delayed	
Drowsiness		
Dizziness Nausea		
	diate medical attention and special treatment nee	aded
No further relevant information		
SECTION 5: Firefightir		
• 5.1. Extinguishing media	19 110030163	
Suitable extinguishing age	nts:	
	Fight larger fires with water spray or alcohol resistan	t foam.

- 5.2. Special hazards arising from the substance or mixture In case of fire, the following can be released:



Page 3/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.07.2022

Version-No. 6 (replaces version 5)

Revision: 25.07.2022

(Contd. of page 2)

Trade name / Article-No: KLEIBERIT 257.7

Hydrogen chloride (HCI)

Chlorine

- 5.3. Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

- **6.1. Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away. Particular danger of slipping on leaked/spilled product.
- 6.2. Environmental precautions: Do not allow to enter surface or ground water.
- 6.3. Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4. Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1. Precautions for safe handling

Appropriate regular employee training.

Handle the substance preferably in closed system

Enclosure or extractor facilities are required.

Not less than 5 -15 air exchanges per hour

Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the vapour concentration below the workplace limit, wear an adequate respiratory protective device.

Wear protective gloves/protective clothing/eye protection/face protection.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities. Avoid splashes or spray in enclosed areas.

regular check up, maintenance and cleaning of equipment and machines

Application temperature is not higher than 20°C above the surrounding temperature

Avoid contact with the skin.

Conduct spray applications in a ventilated booth or in an exhausted enclosure. Or as an alternative, ensure an adequate level of controlled ventilation (10 to 15 air changes per hour) and wear a respiratory protective device according to EN140 with filter type AX or better.

if possible use tools with long handles

Clean the pipe before decoupling

Information about fire - and explosion protection:

Dichloromethane is under most application conditions at normal temperatures not a flammable liquid. It has no measurable flash point, but with sufficient mass it will build a combustible air-vapour-mixture, if enough ignition energy will be available.

• General protective and hygienic measures:

Avoid contact with the eyes and skin.

Keep good industrial hygiene.

(Contd. on page 4)



Page 4/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.07.2022

Version-No. 6 (replaces version 5)

Revision: 25.07.2022

Trade name / Article-No: KLEIBERIT 257.7

			(Contd. of page 3)
 7.2. Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Keep container tightly closed. Information about storage in one common storage facility: Observe the national regulations. Further information about storage conditions: None. 7.3. Specific end use(s) No further relevant information available. 			
SECTION 8: Exp	osure cont	rols/personal protection	
· 8.1. Control parame		· ·]
Ingredients with lim DNELs	nit values that	require monitoring at the workplace:	
Inhalative DNEL sho	g term 12 mg/k rt term 706 mg	kg (human being) /m3 (human being) /m3 (human being)	
75-09-2 dichlorome	thane		
PNEC- Freshwater	(0.31 mg/l (not specified)	
PNEC-seawater	(0.031 mg/l (not specified)	
PNEC-periodic release	se (0.27 mg/l (not specified)	
PNEC-Freshwater se	PNEC-Freshwater sediment 2.57 mg/kg (not specified)		
PNEC-Seawater sed	PNEC-Seawater sediment 0.26 mg/kg (not specified)		
PNEC-soil	(0.33 mg/kg (not specified)	
PNEC-wastewater tre	eatment plant 2	26 mg/l (not specified)	
· Ingredients with bi	ological limit	values:	
75-09-2 dichlorome	thane		
Pro	tersuchungsma bennahmezeit	punkt: unmittelbar nach Exposition	
	rameter: Dichlo		
• CAS No. Designa	tion of materi	al % Type Value Unit	
75-09-2 dichlorome	thane		
	ng-term value:	706 mg/m³, 200 ppm 353 mg/m³, 100 ppm	
AGW (Germany) Lor 2(II	ng-term value: I);DFG, H, Z	180 mg/m³, 50 ppm	
 8.2. Exposure contr limit the exposure to: 8 hours Appropriate engine 	:	s No further data; see item 7.	



Page 5/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.07.2022

Version-No. 6 (replaces version 5)

Revision: 25.07.2022

Trade name / Article-No: KLEIBERIT 257.7

		(Contd. of page 4)
Individual protection measures, such as persona	I protective equipment	
• General protective and hygienic measures: Do not	t inhale gases / fumes / aerosols.	
Respiratory protection:		
Use suitable respiratory protective device in case of i		
Organic gases/vapors (boiling point <'less than' 149		
¹ (F)OV - (Full Facepiece) Organic Vapor Respirator		
² Europe: EN 371 Filtertype AX, brown		
Hand protection Protective gloves	<i></i>	
Material of gloves C Polyvinylalkohol - PVA: PVA®	(Lamination strength not applicable)	
• Penetration time of glove material \underline{C} : \geq 480 min		
Eye/face protection Safety glasses		
Body protection: Protective work clothing		
• Environmental exposure controls	via quitable concretere	
Waste air is to be released into the atmosphere only	via suitable separators.	
SECTION 9: Physical and chemical prope	erties	
• 9.1. Information on basic physical and chemical p	properties	
General Information		
· Physical state	Fluid	
· Colour:	Whitish	
· Odour:	Sweetish	
· Odour threshold:	Not determined.	
 Melting point/freezing point: 	Undetermined.	
Boiling point or initial boiling point and boiling		
range	40 °C	
· Flammability	Not applicable.	
[.] Lower and upper explosion limit		
· Lower:	13 Vol %	
· Upper:	22 Vol %	
· Flash point:	Not applicable.	
Ignition temperature:	605 °C	
Decomposition temperature:	Not determined.	
· pH	Not determined.	
Viscosity:		
Kinematic viscosity	Not determined.	
· Dynamic at 20 °C:	ca. 2.000 mPas	
Solubility		
· water:	Not miscible or difficult to mix.	
Partition coefficient n-octanol/water (log value)	Not determined.	
· Vapour pressure at 20 °C:	453 hPa	
· Density and/or relative density	a_2 1.2 g/om ³	
· Density at 20 °C: · Relative density	ca. 1.3 g/cm³ Not determined.	
· Vapour density	Not determined.	
• 9.2. Other information		
· Appearance:		
· Form:	Fluid	(Control or research)
		(Contd. on page 6)
		EU —



Page 6/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.07.2022

Version-No. 6 (replaces version 5)

Revision: 25.07.2022

Trade name / Article-No: KLEIBERIT 257.7

	(Contd. of page
Important information on protection of health	and
environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard cla	asses
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamma	able
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1. Reactivity

see item 10.3

No further relevant information available.

· 10.2. Chemical stability Stable when stored and used properly.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3. Possibility of hazardous reactions

Reacts with acids, alkalis and oxidising agents.

Reacts spontaneously with alkaline metals.

- 10.4. Conditions to avoid Humidity and UV radiation
- **10.5. Incompatible materials:** No further relevant information available.
- **10.6. Hazardous decomposition products:** Hydrogen chloride (HCl)

SECTION 11: Toxicological information

· 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC₅₀ values relevant for classification:

75-09-2 dichloromethane



Page 7/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.07.2022

Version-No. 6 (replaces version 5)

Revision: 25.07.2022

(Contd. of page 6)

Trade name / Article-No: KLEIBERIT 257.7

· Skin corrosion/irritation Causes skin irritation.

- Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Suspected of causing cancer.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure May cause drowsiness or dizziness.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1. Toxicity

· Aquatic toxicity:

75-09-2 dichloromethane

- LC₅₀ 193 mg / I / 96h (Fathead minnow Pimephales promelas)
 - 97 mg / I / 96h (fish)
- LC_{50} 27 mg / I / 48h (water flea daphnia)
 - 97 mg / l / 48h (fish)
- EC₅₀ 220 mg / I / 48h (water flea daphnia)
- IC₅₀ >662 mg / I / 72h (algae)
- 12.2. Persistence and degradability No further relevant information available.
- · 12.3. Bioaccumulative potential No further relevant information available.
- **12.4. Mobility in soil** No further relevant information available.
- 12.5. Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- [•] 12.6. Other adverse effects
- · Behaviour in sewage processing plants:
- · Remark:

At correct sewage disposal in small quantities to biological sewage plants failures of the activated sludge are not expected.

- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Danger to drinking water if even small quantities leak into the ground. Do not allow product to reach sewage system or any water course.

SECTION 13: Disposal considerations

[•] 13.1. Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.



Page 8/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.07.2022

Version-No. 6 (replaces version 5)

Revision: 25.07.2022

(Contd. of page 7)

Trade name / Article-No: KLEIBERIT 257.7

Must be specially treated adhering to official regulations. · European waste catalogue

- 07 02 03* organic halogenated solvents, washing liquids and mother liquors
- · Uncleaned packaging:

· Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. Disposal must be made according to official regulations.

SECTION 14: Transport information	
 14.1. UN number or ID number 	
· ADR, IMDG, IATA	UN1593
¹ 14.2. UN proper shipping name	
· DOT, IMDG, IATA	DICHLOROMETHANE mixture
· ADR	1593 DICHLOROMETHANE mixture
 14.3. Transport hazard class(es) 	
· Class	6.1 Toxic substances.
· Label	6.1
· 14.4. Packing group	
· ADR, IMDG, IATA	III
14.5. Environmental hazards:	Not applicable.
¹ 14.6. Special precautions for user	Warning: Toxic substances.
 Hazard identification number (Kemler code): 	60
· EMS Number:	F-A,S-A
 Segregation groups 	(SGG10) Liquid halogenated hydrocarbons
Stowage Category	A
 14.7. Maritime transport in bulk according to IM 	
instruments	Not applicable.
 Limited quantities (LQ) 	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
 Transport category 	2
 Tunnel restriction code 	E
·IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture See position no 2 - Hazards Identification

· EU-Regulations

75-09-2 dichloromethane: REACH, Annex XVII, No. 59



Page 9/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.07.2022

Version-No. 6 (replaces version 5)

Revision: 25.07.2022

(Contd. of page 8)

Trade name / Article-No: KLEIBERIT 257.7

· Directive 2012/18/EU - Seveso-III:

· Named dangerous substances - ANNEX I None of the ingredients is included.

- · Regulation (EC) No 1907/2006 REACH, ANNEX XVII Conditions of restriction: 3
- · Regulation (EU) No 649/2012

None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed. Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- · D: Waterhazard class Water hazard class 2 (Self-assessment): hazardous for water.
- Other regulations, limitations and prohibitive regulations: Restricted to professional users.
- · VOC 2010/75/EU [g/L]: 890.4 g/l
- · VOC 2010/75/EU [%]: 68.50 %
- · VOC carbon content [g C/kg]: 94 g C/kg

· 15.2. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H351 Suspected of causing cancer.

- · Department issuing SDS: Safety & Environment
- · Version number of previous version: 5
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals





Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.07.2022

Version-No. 6 (replaces version 5)

Revision: 25.07.2022

Trade name / Article-No: KLEIBERIT 257.7

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 (Contd. of page 9)

EU