

Page 1/9

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time

Printing date 24.01.2023 Version-No. 5 (replaces version 4) Revision: 24.01.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1. Product identifier
- · Trade name / Article-No: KLEIBERIT 304.5
- · UFI: AWDS-80SU-700V-HNYW
- 1.2. Relevant identified uses of the substance / mixture or uses advised against

For professional users only.

- · Application of the substance / the mixture Adhesives
- 1.3. Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

KLEIBERIT SE & Co. KG

Max-Becker-Str. 4

D - 76356 Weingarten / Baden

Germanv

Further information obtainable from:

phone: +49 (0) 7244 62-0 FAX: +49 (0) 7244 700-0 E-Mail: hse@kleiberit.com

- 1.4. Emergency telephone number:
- +44 1235 239670 European regional number (European languages)

112 Emergency telephone number for Malta

543 22 22 Icelandic University Hospital

SECTION 2: Hazards identification

- · 2.1. Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008 GHS/CLP

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2. Label elements
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labelling:

a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)

1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

· Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing vapours.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

(Contd. on page 2)



Page 2/9

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time

Version-No. 5 (replaces version 4) Printing date 24.01.2023 Revision: 24.01.2023

Trade name / Article-No: KLEIBERIT 304.5

(Contd. of page 1)

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

- · 2.3. Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

Identification / Classification GHS-CLP Registry-No's

%

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

<0.05%

Reg.nr.: 05-2114263215-55-XXXX Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic

Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315;

Skin Sens. 1, H317

Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05

CAS: 55965-84-9

a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC ≥0.0015-<0.01%

No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No

220-239-6] (3:1)

Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100);

Skin Sens. 1A, H317, ÉUH071

Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6

Skin Irrit. 2; H315: 0.06 % ≤

C < 0.6 %

Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C

< 0.6 %

Skin Sens. 1A; H317: C ≥

0.0015 %

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1. Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Treat affected skin with cotton wool or cellulose. Then wash and rinse thoroughly with water and a mild cleaning agent.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: Call for a doctor immediately.

(Contd. on page 3)



Page 3/9

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time

Printing date 24.01.2023 Version-No. 5 (replaces version 4) Revision: 24.01.2023

Trade name / Article-No: KLEIBERIT 304.5

(Contd. of page 2)

· 4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3. Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1. Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2. Special hazards arising from the substance or mixture No further relevant information available.
- 5.3. Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

· 6.1. Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Particular danger of slipping on leaked/spilled product.

6.2. Environmental precautions:

Do not allow to enter surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

6.3. Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

6.4. Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1. Precautions for safe handling No special precautions are necessary if used correctly.
- · 7.2. Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Keep container tightly closed.
- Information about storage in one common storage facility: Observe the national regulations.
- · Further information about storage conditions: None.
- · 7.3. Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1. Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- PNECs

2634-33-5 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

PNEC- Freshwater

0.00403 mg/l (not specified)

(Contd. on page 4)



Page 4/9

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time

Printing date 24.01.2023 Version-No. 5 (replaces version 4) Revision: 24.01.2023

Trade name / Article-No: KLEIBERIT 304.5

(Contd. of page 3)

PNEC-seawater 0.000403 mg/l (not specified)
PNEC-Freshwater sediment 0.0499 mg/kg (not specified)
PNEC-Seawater sediment 0.00499 mg/kg (not specified)
PNEC-soil 3 mg/kg (not specified)
PNEC-wastewater treatment plant 1.03 mg/l (not specified)

55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)

PNEC- Freshwater 0.00339 mg/l (not specified)
PNEC-seawater 0.00339 mg/l (not specified)
PNEC-Freshwater sediment 0.027 mg/kg (not specified)
PNEC-soil 0.01 mg/kg (not specified)
PNEC-wastewater treatment plant 0.027 mg/l (not specified)

CAS No. Designation of material % Type Value Unit

2634-33-5 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

MAK (Germany) vgl.Abschn.IIb und Xc

55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)

MAK (Germany) Long-term value: 0.2E mg/m³ vql.Abschn.Xc

· 8.2. Exposure controls

limit the exposure to:

8 hours

- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection Protective gloves
- · Material of gloves A Nitrile rubber NBR: AlphaTec® (> 0,4 mm)
- · Eye/face protection Safety glasses
- · Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

- · 9.1. Information on basic physical and chemical properties
- · General Information

· Physical state Fluid

· Colour: Cream coloured

· Odour: Acidic

• Odour threshold: Not determined. • Melting point/freezing point: Undetermined.

(Contd. on page 5)



Page 5/9

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time

Printing date 24.01.2023 Version-No. 5 (replaces version 4) Revision: 24.01.2023

1 Tilling date 24.01.2020 Version 140. 0 (10)	11000 101011 4)
Trade name / Article-No: KLEIBERIT 304.5	
	(Contd. of page 4)
 Boiling point or initial boiling point and boiling 	
range	Undetermined.
· Flammability	Not applicable.
Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
Ignition temperature:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20 °C	7
· Viscosity:	
Kinematic viscosity	Not determined.
· Dynamic at 20 °C:	ca. 8.000 mPas
Dynamic at 20 °C.	Brookfield (6 / 20 rpm)
· Solubility	2.00 milion (<u>0.7.20 (p.m.)</u>
· water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
Density and/or relative density	Not determined.
Density at 20 °C:	ca. 1.3 g/cm³
Relative density	Not determined.
· Vapour density	Not determined.
•	Not determined.
· 9.2. Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health and	
environment, and on safety.	
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
	Void
Pyrophoric liquids	
Pyrophoric solids	Void Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	Void
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
· Organic peroxides	Void (Contd. on page 6)



Page 6/9

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time

Printing date 24.01.2023 Version-No. 5 (replaces version 4) Revision: 24.01.2023

Trade name / Article-No: KLEIBERIT 304.5

(Contd. of page 5)

· Corrosive to metals Void · Desensitised explosives Void

SECTION 10: Stability and reactivity

· 10.1. Reactivity

see item 10.3

No further relevant information available.

- · 10.2. Chemical stability Stable when stored and used properly.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3. Possibility of hazardous reactions No dangerous reactions known.
- 10.4. Conditions to avoid No further relevant information available.
- 10.5. Incompatible materials: No further relevant information available.
- · 10.6. Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC₅₀ values relevant for classification:

2634-33-5 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

Oral LD_{50} >1,150 mg/kg (mouse)

1,020 mg/kg (rat)

Dermal LD₅₀ >2,000 mg/kg (mouse)

4,115 mg/kg (rat)

55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H - isothiazol-3-one [EC No 220-239-6] (3:1)

Oral LD_{50} 457 mg/kg (rat) Dermal LD_{50} 141 mg/kg (rabbit) Inhalative LC_{50} /4 h 0.33 mg/l (rat)

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

(Contd. on page 7)



Page 7/9

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time

Printing date 24.01.2023 Version-No. 5 (replaces version 4) Revision: 24.01.2023

Trade name / Article-No: KLEIBERIT 304.5

(Contd. of page 6)

SECTION 12: Ecological information

- · 12.1. Toxicity
- · Aquatic toxicity:

2634-33-5 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

LC₅₀ 1.3 mg / I / 96h (Fathead minnow - Pimephales promelas)

LC₅₀ 2.94 mg / I / 48h (water flea - daphnia)

EC₅₀ 3.7 mg / I / 48h (water flea - daphnia)

EC₅₀ 0.37 mg / I / 72h (green algae-Ps.kirchneriella subcapitata)

55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)

LC₅₀ 0.19 mg / I / 96h (Fathead minnow - Pimephales promelas)

0.19 mg / I / 96h (fish)

EC₅₀ 0.16 mg / I / 48h (water flea - daphnia)

EC₅₀ 0.018 mg / I / 72h (green algae-Ps.kirchneriella subcapitata)

- · 12.2. Persistence and degradability No further relevant information available.
- · 12.3. Bioaccumulative potential No further relevant information available.
- 12.4. Mobility in soil No further relevant information available.
- 12.5. Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.6. Other adverse effects
- · Behaviour in sewage processing plants:
- · Remark:

At correct sewage disposal in small quantities to biological sewage plants failures of the activated sludge are not expected.

- Additional ecological information:
- General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Danger to drinking water if even small quantities leak into the ground.

Do not allow product to reach sewage system or any water course.

SECTION 13: Disposal considerations

- · 13.1. Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

- · Uncleaned packaging:
- Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. Disposal must be made according to official regulations.

(Contd. on page 8)



Page 8/9

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time

Printing date 24.01.2023 Version-No. 5 (replaces version 4) Revision: 24.01.2023

Trade name / Article-No: KLEIBERIT 304.5

(Contd. of page 7)

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1. UN number or ID number

· ADR, IMDG, IATA Void

· 14.2. UN proper shipping name

· DOT, ADR, IMDG, IATA Void

· 14.3. Transport hazard class(es)

· Class Void

· 14.4. Packing group

· ADR, IMDG, IATA Void

• 14.5. Environmental hazards:
• 14.6. Special precautions for user

Not applicable.

· 14.7. Maritime transport in bulk according to IMO

instruments Not applicable.

SECTION 15: Regulatory information

- · 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture See position no 2 Hazards Identification
- · Directive 2012/18/EU Seveso-III:
- · Named dangerous substances ANNEX I None of the ingredients is included.
- · Regulation (EC) No 1907/2006 REACH, ANNEX XVII Conditions of restriction: 3
- Regulation (EU) No 649/2012

None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- D: Waterhazard class Water hazard class 2 (Self-assessment): hazardous for water.
- · Other regulations, limitations and prohibitive regulations: Restricted to professional users.
- · VOC 2010/75/EU [g/L]: <4.0 g/l

(Contd. on page 9)



Page 9/9

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time

Version-No. 5 (replaces version 4) Printing date 24.01.2023 Revision: 24.01.2023

Trade name / Article-No: KLEIBERIT 304.5

(Contd. of page 8)

· VOC - 2010/75/EU [%]: <0.50 %

· 15.2. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

	•
H301	Toxic if swallowed.

- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- Causes severe skin burns and eye damage. H314
- Causes skin irritation. H315
- May cause an allergic skin reaction. H317
- Causes serious eye damage. H318
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

- · Department issuing SDS: Safety & Environment
- Version number of previous version: 4
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity - Category 2

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3