

Page 1/10

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time

Printing date 07.03.2023 Version-No. 5 (replaces version 4) Revision: 07.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1. Product identifier
- · Trade name / Article-No: KLEIBERIT 316.0
- · UFI: D25G-80RH-X00G-G43C
- 1.2. Relevant identified uses of the substance / mixture or uses advised against

For professional users only.

- · Application of the substance / the mixture Adhesives
- · 1.3. Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

KLEIBERIT SE & Co. KG

Max-Becker-Str. 4

76356 Weingarten

Germany

· Further information obtainable from:

phone: +49 (0) 7244 62-0 FAX: +49 (0) 7244 700-0

E-Mail: hse@kleiberit.com

- · 1.4. Emergency telephone number:
- +44 1235 239670 European regional number (European languages)
- 112 Emergency telephone number for Malta

543 22 22 Icelandic University Hospital

SECTION 2: Hazards identification

- · 2.1. Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008 GHS/CLP

Eye Dam. 1 H318 Causes serious eye damage.

Repr. 2 H361 Suspected of damaging fertility or the unborn child. Route of exposure: Oral.

Aguatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2. Label elements
- · Hazard pictograms





GHS05 GHS08

- · Signal word Danger
- · Hazard-determining components of labelling:

butyl glycollate

· Hazard statements

H318 Causes serious eye damage.

H361 Suspected of damaging fertility or the unborn child. Route of exposure: Oral.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

(Contd. on page 2)

according to Regulation (EC) No. 1907/2006 as amended from time to time

Printing date 07.03.2023 Version-No. 5 (replaces version 4) Revision: 07.03.2023

Trade name / Article-No: KLEIBERIT 316.0

· Additional information:

(Contd. of page 1)

Contains 1,2-Benzisothiazol-3(2H)-on. May produce an allergic reaction.

Contains 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4isothiazolin-3-one (mixture in a ratio 3:1). May produce an allergic reaction.

- 2.3. Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Synthetic polymer emulsion of polyvinylacetate in water
- Dangerous components:

Registry-No's	Identification / Classification GHS-CLP	

%

CAS: 7397-62-8 butyl glycollate

Reg.nr.: 01-2119514685-36-XXXX Repr. 2, H361; Eye Dam. 1, H318

CAS: 108-05-4 vinyl acetate ≥0.1-<0.5%

Flam. Liq. 2, H225; Carc. 2, H351; Acute Tox. 4, H332; STOT SE 3, H335

CAS: 52-51-7 bronopol ≥0.025-<0.25%

> Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; STOT SE 3, H335

CAS: 110-25-8 oleoylsarcosine ≥0.025-<0.25%

Reg.nr.: 01-2119488991-20-XXXX Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic

Chronic 1, H410; Acute Tox. 4, H332; Skin Irrit. 2,

H315

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-

<0.05%

3-5%

Reg.nr.: 05-2114263215-55-XXXX one

Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2,

H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥0.05 %

CAS: 55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one ≥0.00025-<0.0015%

[EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one

[EC No 220-239-6] (3:1)

Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410

(M=100); Skin Sens. 1A, H317, EUH071

Specific concentration limits: Skin Corr. 1C; H314: C ≥0.6 % Skin Irrit. 2; H315: $0.06 \% \le C < 0.6 \%$ Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: $0.06 \% \le C < 0.6 \%$

Skin Sens. 1A; H317: C ≥ 0.0015 %

· Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 3)

according to Regulation (EC) No. 1907/2006 as amended from time to time

Printing date 07.03.2023 Version-No. 5 (replaces version 4) Revision: 07.03.2023

Trade name / Article-No: KLEIBERIT 316.0

(Contd. of page 2)

SECTION 4: First aid measures

- · 4.1. Description of first aid measures
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Call for a doctor immediately.
- 4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3. Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1. Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2. Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3. Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

· 6.1. Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Particular danger of slipping on leaked/spilled product.

· 6.2. Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

6.3. Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4. Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1. Precautions for safe handling

Enclosure or extractor facilities are required.

Wear protective gloves/protective clothing/eye protection/face protection.

- · 7.2. Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Keep container tightly closed.
- Information about storage in one common storage facility: Observe the national regulations.
- · Further information about storage conditions: None.
- · 7.3. Specific end use(s) No further relevant information available.

(Contd. on page 4)

according to Regulation (EC) No. 1907/2006 as amended from time to time

Printing date 07.03.2023 Version-No. 5 (replaces version 4) Revision: 07.03.2023

Trade name / Article-No: KLEIBERIT 316.0

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· 8.1. Control parameters

- Ingredients with limit values that require monitoring at the workplace:
- · DNELs

7397-62-8 butyl glycollate

Dermal DNEL long term 34.7 mg/kg (human being) Inhalative DNEL long term 21.2 mg/m3 (human being)

108-05-4 vinyl acetate

Dermal DNEL long term 0.42 mg/kg (human being)
Inhalative DNEL short term 35.2 mg/m3 (human being)
DNEL long term 17.6 mg/m3 (human being)

110-25-8 oleoylsarcosine

Dermal DNEL long term 96 mg/kg (human being)

· PNECs

7397-62-8 butyl glycollate

PNEC- Freshwater 0.05 mg/l (not specified)
PNEC-Freshwater sediment 0.203 mg/kg (not specified)
PNEC-soil 0.0112 mg/kg (not specified)
PNEC-wastewater treatment plant 232 mg/l (not specified)

108-05-4 vinyl acetate

 $\begin{array}{lll} \text{PNEC- Freshwater} & 0.016 \text{ mg/l } (\text{x}00) \\ \text{PNEC-seawater} & 0.0016 \text{ mg/l } (\text{x}00) \\ \text{PNEC-Freshwater sediment} & 0.067 \text{ mg/kg } (\text{x}00) \\ \text{PNEC-soil} & 0.0035 \text{ mg/kg } (\text{x}00) \end{array}$

PNEC-wastewater treatment plant 6 mg/l (x00)

52-51-7 bronopol

PNEC- Freshwater 0.01 mg/l (not specified)
PNEC-seawater 0.001 mg/l (not specified)
PNEC-Freshwater sediment 0.041 mg/kg (not specified)
PNEC-Seawater sediment 0.003 mg/kg (not specified)
PNEC-soil 0.5 mg/kg (not specified)
PNEC-wastewater treatment plant 0.43 mg/l (not specified)

2634-33-5 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

PNEC- Freshwater

PNEC-seawater

O.00403 mg/l (not specified)

O.00403 mg/l (not specified)

O.00403 mg/l (not specified)

O.0499 mg/kg (not specified)

PNEC-Seawater sediment

O.00499 mg/kg (not specified)

PNEC-soil

3 mg/kg (not specified)

PNEC-wastewater treatment plant 1.03 mg/l (not specified)

55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H - isothiazol-3-one [EC No 220-239-6] (3:1)

PNEC- Freshwater 0.00339 mg/l (not specified)

(Contd. on page 5)

according to Regulation (EC) No. 1907/2006 as amended from time to time

Printing date 07.03.2023 Version-No. 5 (replaces version 4) Revision: 07.03.2023

Trade name / Article-No: KLEIBERIT 316.0

(Contd. of page 4)

PNEC-seawater 0.00339 mg/l (not specified)
PNEC-Freshwater sediment 0.027 mg/kg (not specified)
PNEC-Seawater sediment 0.027 mg/kg (not specified)
PNEC-soil 0.01 mg/kg (not specified)
PNEC-wastewater treatment plant 0.027 mg/l (not specified)

CAS No. Designation of material % Type Value Unit

7397-62-8 butyl glycollate

MAK (Germany) vgl.Abschn.IIb

108-05-4 vinyl acetate

IOELV (INT) Short-term value: 35.2 mg/m³, 10 ppm

Long-term value: 17.6 mg/m³, 5 ppm

AGW (Germany) Long-term value: 36 mg/m³, 10 ppm

1; =2=(I);DFG, EU, H, Y

52-51-7 bronopol

MAK (Germany) vgl.Abschn.Ilb und Xc

2634-33-5 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

MAK (Germany) vgl.Abschn.IIb und Xc

55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)

MAK (Germany) Long-term value: 0.2E mg/m³ vgl.Abschn.Xc

· 8.2. Exposure controls

limit the exposure to:

8 hours

- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- Respiratory protection: Filter A (DIN EN 14 387)
- · Hand protection Protective gloves
- · Material of gloves A Nitrile rubber NBR: AlphaTec® (> 0,4 mm)
- · Eye/face protection Tightly sealed goggles
- · Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1. Information on basic physical and chemical properties

· General Information

Physical stateColour:Odour:Acidic

Odour threshold: Not determined.Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

range 100 °C

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.Upper: Not determined.

(Contd. on page 6)

according to Regulation (EC) No. 1907/2006 as amended from time to time

Printing date 07.03.2023 Version-No. 5 (replaces version 4) Revision: 07.03.2023

Trade name / Article-No: KLEIBERIT 316.0

(Contd. of page 5)

· Flash point: Not applicable. Ignition temperature: Not applicable. · Decomposition temperature: Not determined.

pH at 20 °C ca. 5

· Viscosity:

· Kinematic viscosity Not determined. · Dynamic at 20 °C: ca. 470 mPas

Brookfield (2/20 rpm)

· Solubility

· water: Fully miscible. · Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C: 23 hPa (7732-18-5 water)

· Density and/or relative density

Density at 20 °C: ca. 1.05 g/cm3 · Relative density Not determined. · Vapour density Not determined.

· 9.2. Other information

· Appearance:

· Form: Fluid

· Important information on protection of health and

environment, and on safety.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

Change in condition

 Evaporation rate Not determined.

Information with regard to physical hazard classes

· Explosives Void Flammable gases Void · Aerosols Void Oxidising gases Void Gases under pressure Void · Flammable liquids Void · Flammable solids Void Self-reactive substances and mixtures Void Pyrophoric liquids Void · Pyrophoric solids Void

· Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void Organic peroxides Void · Corrosive to metals Void Desensitised explosives Void

SECTION 10: Stability and reactivity

· 10.1. Reactivity

see item 10.3

No further relevant information available.

- · 10.2. Chemical stability Stable when stored and used properly.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3. Possibility of hazardous reactions No dangerous reactions known.
- · 10.4. Conditions to avoid No further relevant information available.
- · 10.5. Incompatible materials: No further relevant information available.

(Contd. on page 7)

according to Regulation (EC) No. 1907/2006 as amended from time to time

Printing date 07.03.2023 Version-No. 5 (replaces version 4) Revision: 07.03.2023

Trade name / Article-No: KLEIBERIT 316.0

(Contd. of page 6)

· 10.6. Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC₅₀ values relevant for classification:

7397-62-8 butyl glycollate

Oral LD_{50} 4,595 mg/kg (rat)

108-05-4 vinyl acetate

 $\begin{array}{lll} \text{Oral} & \text{LD}_{50} & 3,500 \text{ mg/kg (rat)} \\ \text{Dermal} & \text{LD}_{50} & 7,440 \text{ mg/kg (rabbit)} \\ \text{Inhalative LC}_{50} & 15,810 \text{ mg/l (rat)} \\ \end{array}$

52-51-7 bronopol

Oral LD_{50} 305 mg/kg (rat) Dermal LD_{50} >2,000 mg/kg (rat)

110-25-8 oleoylsarcosine

Oral LD_{50} >5,000 mg/kg (rat) Inhalative LC_{50} /4 h 11 mg/l (ATE)

2634-33-5 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

Oral LD₅₀ >1,150 mg/kg (mouse)

1,020 mg/kg (rat)

Dermal LD₅₀ >2,000 mg/kg (mouse)

4,115 mg/kg (rat)

55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)

Oral LD_{50} 457 mg/kg (rat) Dermal LD_{50} 141 mg/kg (rabbit) Inhalative LC_{50} /4 h 0.33 mg/l (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation

The use of preservatives in this product is necessary.

There are known cases of existing sensitisation to these substances and allergic reactions may be possible in case of skin contact.

Based on available data, the classification criteria are not met.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Suspected of damaging fertility or the unborn child. Route of exposure: Oral.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Reproduction toxic Cat. 2; H 361 (CLP)

Reproductive toxicity

7397-62-8 butyl glycollate

Oral NOAEL - No Observed Adverse Effect Level 250 mg/kg bw/day (rat) (OECD 414)

(Contd. on page 8)

according to Regulation (EC) No. 1907/2006 as amended from time to time

Printing date 07.03.2023 Version-No. 5 (replaces version 4) Revision: 07.03.2023

Trade name / Article-No: KLEIBERIT 316.0

(Contd. of page 7)

- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1. Toxicity
- · Aquatic toxicity:

7397-62-8 butyl glycollate

LC0 50 g/l (48 h) (gold orfw - Leuciscus idus)

EC₅₀ 280 mg / I / 24h (water flea - daphnia)

110-25-8 oleoylsarcosine

EC₅₀ 0.43 mg / I / 48h (water flea - daphnia)

EC₅₀ 6.3 mg / I / 72h (algae)

2634-33-5 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

LC₅₀ 1.3 mg / I / 96h (Fathead minnow - Pimephales promelas)

LC₅₀ 2.94 mg / I / 48h (water flea - daphnia)

EC₅₀ 3.7 mg / I / 48h (water flea - daphnia)

EC₅₀ 0.37 mg / I / 72h (green algae-Ps.kirchneriella subcapitata)

55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)

LC₅₀ 0.19 mg / I / 96h (Fathead minnow - Pimephales promelas)

0.19 mg / I / 96h (fish)

EC₅₀ 0.16 mg / I / 48h (water flea - daphnia)

EC₅₀ 0.018 mg / I / 72h (green algae-Ps.kirchneriella subcapitata)

- 12.2. Persistence and degradability No further relevant information available.
- 12.3. Bioaccumulative potential No further relevant information available.
- · 12.4. Mobility in soil No further relevant information available.
- · 12.5. Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.6. Other adverse effects
- · Behaviour in sewage processing plants:
- · Remark:

At correct sewage disposal in small quantities to biological sewage plants failures of the activated sludge are not expected.

- Additional ecological information:
- · General notes:

Not known to be hazardous to water.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

- · 13.1. Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances

(Contd. on page 9)

according to Regulation (EC) No. 1907/2006 as amended from time to time

Printing date 07.03.2023 Version-No. 5 (replaces version 4) Revision: 07.03.2023

Trade name / Article-No: KLEIBERIT 316.0

(Contd. of page 8)

- · Uncleaned packaging:
- Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1. UN number or ID number

· ADR. IMDG. IATA Void

· 14.2. UN proper shipping name

· DOT, ADR, IMDG, IATA Void

· 14.3. Transport hazard class(es)

Class Void

· 14.4. Packing group

· ADR, IMDG, IATA Void

• 14.5. Environmental hazards:
• 14.6. Special precautions for user

Not applicable.

Not applicable.

14.7. Maritime transport in bulk according to IMO

instruments Not applicable.

SECTION 15: Regulatory information

- · 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture See position no 2 Hazards Identification
- · Directive 2012/18/EU Seveso-III:
- · Named dangerous substances ANNEX I None of the ingredients is included.
- · Regulation (EC) No 1907/2006 REACH, ANNEX XVII Conditions of restriction: 3
- Regulation (EU) No 649/2012

None of the ingredients is listed.

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- D: Waterhazard class Water hazard class 1 (Self-assessment): slightly hazardous for water.
- Other regulations, limitations and prohibitive regulations: Restricted to professional users.
- · VOC 2010/75/EU [g/L]: <40.0 g/l
- · VOC 2010/75/EU [%]: <4.00 %

(Contd. on page 10)

according to Regulation (EC) No. 1907/2006 as amended from time to time

Printing date 07.03.2023 Version-No. 5 (replaces version 4) Revision: 07.03.2023

Trade name / Article-No: KLEIBERIT 316.0

(Contd. of page 9)

· 15.2. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eve damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H361 Suspected of damaging fertility or the unborn child.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.
- · Department issuing SDS: Safety & Environment
- · Version number of previous version: 4
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 2: Acute toxicity – Category 2

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1C: Skin corrosion/irritation - Category 1C Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Carc. 2: Carcinogenicity – Category 2 Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3