

Page 1/9

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time

Printing date 28.02.2024

Version-No. 1

Revision: 28.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking
· 1.1. Product identifier
Trade name / Article-No: KLEIBERIT 438.7
 1.2. Relevant identified uses of the substance / mixture or uses advised against No further relevant information available. Application of the substance / the mixture Adhesives
 1.3. Details of the supplier of the safety data sheet Manufacturer/Supplier: KLEIBERIT SE & Co. KG Max-Becker-Str. 4 76356 Weingarten Germany Further information obtainable from: phone: +49 (0) 7244 62-0 FAX: +49 (0) 7244 700-0 E-Mail: hse@kleiberit.com
· 1.4. Emergency telephone number: +44 1235 239670 European regional number (European languages)
SECTION 2: Hazards identification • 2.1. Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 - GHS/CLP The product is not classified as hazardous to health or environment according to the CLP regulation.
 2.2. Label elements Hazard pictograms Void Signal word Void Hazard statements Void Additional information: Contains 1,2-Benzisothiazol-3(2H)-on. May produce an allergic reaction. Contains 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4isothiazolin-3-one (mixture in a ratio 3:1). May produce an allergic reaction. Safety data sheet available on request. 2.3. Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.
SECTION 3: Composition/information on ingredients
• 3.2 Mixtures • Description: Mixture of substances listed below with nonhazardous additions. (Contd. on page 2) Eu





Page 2/9

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 28.02.2024

Version-No. 1

Revision: 28.02.2024

(Contd. of page 1)

Trade name / Article-No: KLEIBERIT **438.7**

Registry-No's	Identification / Classification GHS-CLP	%
CAS: 2634-33-5 Reg.nr.: 01-2120761540-6	1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3- 60-XXXX one Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥0.05 %	<0.05%
CAS: 55965-84-9	[EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C; H314: C ≥0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	00025-<0.0015%
• Additional information: I	For the wording of the listed hazard phrases refer to section 16.	
SECTION 4: First aid	l measures	
 After inhalation: Supply f After skin contact: Rinse After eye contact: Rinse opened eye for seve After swallowing: Rinse out mouth with plen Seek medical treatment. 4.2. Most important sym No further relevant information 	special measures required. resh air; consult doctor in case of complaints. with warm water. eral minutes under running water. If symptoms persist, consult a doct ty of water. ptoms and effects, both acute and delayed ation available. mediate medical attention and special treatment needed	'or.
SECTION 5: Firefigh	ting measures	
• 5.1. Extinguishing media • Suitable extinguishing a CO2, powder or water spr Use fire extinguishing met		availabla

• 5.2. Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

⁻ EU -



Page 3/9

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 28.02.2024

Version-No. 1

Revision: 28.02.2024

(Contd. of page 2)

Trade name / Article-No: KLEIBERIT **438.7**

5.3. Advice for firefighters

• Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

· 6.1. Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

- **6.2. Environmental precautions:** Dilute with plenty of water.
- 6.3. Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4. Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1. Precautions for safe handling No special precautions are necessary if used correctly.

· 7.2. Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Keep container tightly closed.
- · Information about storage in one common storage facility: Observe the national regulations.
- · Further information about storage conditions: None.
- 7.3. Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1. Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- · PNECs

55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H - isothiazol-3-one [EC No 220-239-6] (3:1)

-	,
PNEC- Freshwater	0.00339 mg/l (not specified)
PNEC-seawater	0.00339 mg/l (not specified)
PNEC-Freshwater sediment	0.027 mg/kg (not specified)
PNEC-Seawater sediment	0.027 mg/kg (not specified)
PNEC-soil	0.01 mg/kg (not specified)

PNEC-wastewater treatment plant 0.027 mg/l (not specified)

CAS No. Designation of material % Type Value Unit

2634-33-5 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

MAK (Germany) vgl.Abschn.IIb und Xc

Printing date 28.02.2024



Page 4/9

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from

time to time Version-No. 1

Revision: 28.02.2024

Trade name / Article-No: KLEIBERIT 438.7

	(Contd. of page			
55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -is isothiazol-3-one [EC No 220-239-6] (3:	othiazol-3-one [EC No 247-500-7] and 2-methyl-2 H - 1)			
MAK (Germany) Long-term value: 0.2E mg/m³ vgl.Abschn.Xc				
8.2. Exposure controls 8 hours				
Appropriate engineering controls No further data;	see section 7.			
Individual protection measures, such as persona General protective and hygienic measures: The usual precautionary measures are to be adhered Respiratory protection: Not necessary if room is we Hand protection Protective gloves Material of gloves Synthetic rubber gloves Eye/face protection Safety glasses Body protection: Protective work clothing	d to when handling chemicals.			
Body protection. Protective work clothing				
SECTION 9: Physical and chemical prope	erties			
9.1. Information on basic physical and chemical p	properties			
General Information				
Physical state	Fluid			
Colour:	White			
Odour:	Weak, characteristic			
Odour threshold:	Not determined.			
Melting point/freezing point:	Undetermined.			
Boiling point or initial boiling point and boiling				
range	100 °C			
Flammability	Not applicable.			
Lower and upper explosion limit				
Lower:	Not determined.			
Upper:	Not determined.			
	Not applicable.			
Flash point:				
Flash point: Auto-ignition temperature:	Not applicable.			
Flash point: Auto-ignition temperature: Decomposition temperature:	Not applicable. Not determined.			
Flash point: Auto-ignition temperature: Decomposition temperature: pH at 20 °C	Not applicable.			
Flash point: Auto-ignition temperature: Decomposition temperature: pH at 20 °C Viscosity:	Not applicable. Not determined. ca. 7			
Flash point: Auto-ignition temperature: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity	Not applicable. Not determined. ca. 7 Not determined.			
Flash point: Auto-ignition temperature: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity Dynamic at 20 °C:	Not applicable. Not determined. ca. 7			
Flash point: Auto-ignition temperature: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity Dynamic at 20 °C: Solubility	Not applicable. Not determined. ca. 7 Not determined. ca. 2.200 mPas			
Flash point: Auto-ignition temperature: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity Dynamic at 20 °C: Solubility water:	Not applicable. Not determined. ca. 7 Not determined. ca. 2.200 mPas Fully miscible.			
Flash point: Auto-ignition temperature: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity Dynamic at 20 °C: Solubility water: Partition coefficient n-octanol/water (log value)	Not applicable. Not determined. ca. 7 Not determined. ca. 2.200 mPas Fully miscible. Not determined.			
Flash point: Auto-ignition temperature: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity Dynamic at 20 °C: Solubility water: Partition coefficient n-octanol/water (log value) Vapour pressure at 20 °C:	Not applicable. Not determined. ca. 7 Not determined. ca. 2.200 mPas Fully miscible.			
Flash point: Auto-ignition temperature: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity Dynamic at 20 °C: Solubility water: Partition coefficient n-octanol/water (log value) Vapour pressure at 20 °C: Density and/or relative density	Not applicable. Not determined. ca. 7 Not determined. ca. 2.200 mPas Fully miscible. Not determined. 23 hPa (7732-18-5 water)			
Flash point: Auto-ignition temperature: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity Dynamic at 20 °C: Solubility water: Partition coefficient n-octanol/water (log value) Vapour pressure at 20 °C: Density and/or relative density Density at 20 °C:	Not applicable. Not determined. ca. 7 Not determined. ca. 2.200 mPas Fully miscible. Not determined. 23 hPa (7732-18-5 water) ca. 1.06 g/cm ³			
Flash point: Auto-ignition temperature: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity Dynamic at 20 °C: Solubility water: Partition coefficient n-octanol/water (log value) Vapour pressure at 20 °C: Density and/or relative density	Not applicable. Not determined. ca. 7 Not determined. ca. 2.200 mPas Fully miscible. Not determined. 23 hPa (7732-18-5 water)			

— EU -



Page 5/9

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 28.02.2024

Version-No. 1

Revision: 28.02.2024

Trade name / Article-No: KLEIBERIT 438.7

	(Contd. of page 4)	
• 9.2. Other information		
Appearance:		
· Form:	Fluid	
· Important information on protection of health and		
environment, and on safety.		
Ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Change in condition		
· Evaporation rate	Not determined.	
Information with regard to physical hazard classes	6	
Explosives	Void	
· Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
[·] Flammable liquids	Void	
[·] Flammable solids	Void	
Self-reactive substances and mixtures	Void	
[•] Pyrophoric liquids	Void	
[•] Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammable		
gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
Corrosive to metals	Void	
[·] Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1. Reactivity

see item 10.3

No further relevant information available.

- · 10.2. Chemical stability Stable when stored and used properly.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3. Possibility of hazardous reactions No dangerous reactions known.
- · 10.4. Conditions to avoid No further relevant information available.
- 10.5. Incompatible materials: No further relevant information available.
- 10.6. Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)



Page 6/9

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 28.02.2024

Version-No. 1

Revision: 28.02.2024

(Contd. of page 5)

Trade name / Article-No: KLEIBERIT 438.7

 \cdot LD/LC $_{\scriptscriptstyle 50}$ values relevant for classification:

55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H isothiazol-3-one [EC No 220-239-6] (3:1)

Oral LD₅₀ 457 mg/kg (rat)

Dermal LD_{50} 141 mg/kg (rabbit)

Inhalative LC₅₀ /4 h 0.33 mg/l (rat)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1. Toxicity

· Aquatic toxicity:

55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H isothiazol-3-one [EC No 220-239-6] (3:1)

LC₅₀ 0.19 mg / I / 96h (Fathead minnow - Pimephales promelas)

0.19 mg / I / 96h (fish)

EC₅₀ 0.16 mg / I / 48h (water flea - daphnia)

EC₅₀ 0.018 mg / I / 72h (green algae-Ps.kirchneriella subcapitata)

12.2. Persistence and degradability No further relevant information available.

• **12.3. Bioaccumulative potential** No further relevant information available.

12.4. Mobility in soil No further relevant information available.

12.5. Results of PBT and vPvB assessment

· **PBT:** Not applicable.

vPvB: Not applicable.

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

· Behaviour in sewage processing plants:

· Remark:

At correct sewage disposal in small quantities to biological sewage plants failures of the activated sludge are not expected.

· Additional ecological information:

• General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 7)



Page 7/9

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 28.02.2024

Version-No. 1

Revision: 28.02.2024

Trade name / Article-No: KLEIBERIT 438.7

(Contd. of page 6)

SECTION 13: Disposal considerations

- · 13.1. Waste treatment methods
- **Recommendation** Can be disposed of together with household waste in small guantities after solidification.

Void

Void

Void

Void

Not applicable.

Not applicable.

· European waste catalogue

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

- · Uncleaned packaging:
- · Recommendation:

Non contaminated packagings may be recycled.

- Empty contaminated packagings thoroughly. Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14:	Transport	information
-------------	-----------	-------------

- · 14.1. UN number or ID number
- · ADR, IMDG, IATA
- · 14.2. UN proper shipping name
- · DOT, ADR, IMDG, IATA
- · 14.3. Transport hazard class(es)
- · Class
- 14.4. Packing group
- · ADR, IMDG, IATA
- · 14.5. Environmental hazards:
- · 14.6. Special precautions for user
- 14.7. Maritime transport in bulk according to IMO instruments
 - Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture See position no 2 - Hazards Identification

· Directive 2012/18/EU - Seveso-III:

- · Named dangerous substances ANNEX I None of the ingredients is included.
- · Regulation (EU) No 649/2012
- None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II
- None of the ingredients is listed.
- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed. Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 8)



Page 8/9

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 28.02.2024

Version-No. 1

Revision: 28.02.2024

(Contd. of page 7)

Trade name / Article-No: KLEIBERIT **438.7**

· Regulation (EC) No 273/2004 on drug precursors

67-64-1 acetone: 3

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

67-64-1 acetone: 3

· National regulations:

· D: Waterhazard class Water hazard class 1 (Self-assessment): slightly hazardous for water.

· VOC - 2010/75/EU [g/L]: <10.0 g/l

· VOC - 2010/75/EU [%]: <1.00 %

· 15.2. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

· Department issuing SDS: Safety & Environment

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PNEC: Predicted No-Effect Concentration (REACH)

- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

- Acute Tox. 3: Acute toxicity Category 3 Acute Tox. 4: Acute toxicity – Category 4
- Acute Tox. 2: Acute toxicity Category 2

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1



Page 9/9

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 28.02.2024

Version-No. 1

Revision: 28.02.2024

(Contd. of page 8)

EU

Trade name / Article-No: KLEIBERIT 438.7

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2