

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.06.2022 Version-No. 3 (replaces version 2) Revision: 20.06.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1. Product identifier
- · Trade name / Article-No: KLEIBERIT 457.7
- \cdot 1.2. Relevant identified uses of the substance / mixture \underline{or} uses advised against For professionel use only
- · Application of the substance / the mixture Adhesives
- · 1.3. Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

KLEIBERIT SE & Co. KG

Max-Becker-Str. 4

D - 76356 Weingarten / Baden

Germany

· Further information obtainable from:

phone: +49 (0) 7244 62-0 FAX: +49 (0) 7244 700-0 E-Mail: hse@kleiberit.com

· 1.4. Emergency telephone number: +44 1235 239670 European regional number (European languages)

SECTION 2: Hazards identification

- · 2.1. Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008 GHS/CLP

The product is not classified as hazardous to health or environment according to the CLP regulation.

- · 2.2. Label elements
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Contains 1,2-Benzisothiazol-3(2H)-on. May produce an allergic reaction.

Contains 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4isothiazolin-3-one (mixture in a ratio 3:1). May produce an allergic reaction.

Safety data sheet available on request.

- · 2.3. Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- · **Description**: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.06.2022 Version-No. 3 (replaces version 2) Revision: 20.06.2022

Trade name / Article-No: KLEIBERIT 457.7

(Contd. of page 1)

· Dangerous components:

Registry-No's Identification / Classification GHS-CLP

%

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-

<0.05%

Reg.nr.: 05-2114263215-55-XXXX one

Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2,

H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥0.05 %

CAS: 55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one ≥0.00025-<0.0015%

[EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one

[EC No 220-239-6] (3:1)

Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410

(M=100); Skin Sens. 1A, H317, EUH071

Specific concentration limits: Skin Corr. 1C; H314: C ≥0.6 %

Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %

Eye Dam. 1; H318: C ≥ 0.6 %

Eye Irrit. 2; H319: $0.06 \% \le C < 0.6 \%$ Skin Sens. 1A; H317: $C \ge 0.0015 \%$

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1. Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Rinse with warm water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth with plenty of water.

Seek medical treatment.

· 4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

 \cdot 4.3. Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1. Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

· 5.2. Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.06.2022 Version-No. 3 (replaces version 2) Revision: 20.06.2022

Trade name / Article-No: KLEIBERIT 457.7

(Contd. of page 2)

- 5.3. Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

- 6.2. Environmental precautions: Dilute with plenty of water.
- · 6.3. Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4. Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1. Precautions for safe handling No special precautions are necessary if used correctly.
- · 7.2. Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: Keep container tightly closed.
- Information about storage in one common storage facility: Observe the national regulations.
- · Further information about storage conditions: None.
- · 7.3. Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1. Control parameters
- Ingredients with limit values that require monitoring at the workplace:
- · PNECs

2634-33-5 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

PNEC- Freshwater 0.00403 mg/l (not specified)
PNEC-seawater 0.000403 mg/l (not specified)
PNEC-Freshwater sediment 0.0499 mg/kg (not specified)
PNEC-Seawater sediment 0.00499 mg/kg (not specified)
PNEC-soil 3 mg/kg (not specified)

PNEC-wastewater treatment plant 1.03 mg/l (not specified)

55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)

PNEC- Freshwater 0.00339 mg/l (not specified)
PNEC-seawater 0.00339 mg/l (not specified)
PNEC-Freshwater sediment 0.027 mg/kg (not specified)
PNEC-soil 0.01 mg/kg (not specified)
PNEC-wastewater treatment plant 0.027 mg/l (not specified)

(Contd. on page 4)



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.06.2022 Version-No. 3 (replaces version 2) Revision: 20.06.2022

Trade name / Article-No: KLEIBERIT 457.7

(Contd. of page 3)

CAS No. Designation of material Type Value Unit

2634-33-5 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

MAK (Germany) vgl.Abschn.IIb und Xc

55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H isothiazol-3-one [EC No 220-239-6] (3:1)

MAK (Germany) Long-term value: 0.2E mg/m³ vgl.Abschn.Xc

- · 8.2. Exposure controls 8 hours
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection Protective gloves
- · Material of gloves Synthetic rubber gloves
- · Eye/face protection Safety glasses
- · Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

· General Information

· Physical state · Colour: White

· Odour: Weak, characteristic · Odour threshold: Not determined. · Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

100 °C range

· Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. · Flash point: Not applicable. · Ignition temperature: Not applicable. · Decomposition temperature: Not determined.

· pH at 20 °C ca. 7

· Viscosity:

· Kinematic viscosity Not determined. Dynamic at 20 °C: ca. 2.200 mPas

· Solubility

Fully miscible. · water: · Partition coefficient n-octanol/water (log value) Not determined. Not determined.

· Vapour pressure:

· Density and/or relative density

Density at 20 °C: ca. 1.1 g/cm³ Relative density Not determined.

(Contd. on page 5)



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.06.2022 Version-No. 3 (replaces version 2) Revision: 20.06.2022

Trade name / Article-No: KLEIBERIT 457.7

(Contd. of page 4)

· Vapour density Not determined.

· 9.2. Other information

· Appearance:

· Form: Fluid

Important information on protection of health and

environment, and on safety.

· **Auto-ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

· Explosives Void · Flammable gases Void · Aerosols Void Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void **Pyrophoric solids** Void Self-heating substances and mixtures Void

Substances and mixtures, which emit flammable

gases in contact with water Void
Oxidising liquids Void
Oxidising solids Void
Organic peroxides Void
Corrosive to metals

• Desensitised explosives Void

SECTION 10: Stability and reactivity

· 10.1. Reactivity

see item 10.3

No further relevant information available.

- · 10.2. Chemical stability Stable when stored and used properly.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3. Possibility of hazardous reactions No dangerous reactions known.
- · 10.4. Conditions to avoid No further relevant information available.
- · 10.5. Incompatible materials: No further relevant information available.
- 10.6. Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC₅₀ values relevant for classification:

2634-33-5 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

Oral LD_{50} >1,150 mg/kg (mouse)

(Contd. on page 6)



Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.06.2022 Version-No. 3 (replaces version 2) Revision: 20.06.2022

Trade name / Article-No: KLEIBERIT 457.7

(Contd. of page 5)

1,020 mg/kg (rat)

Dermal LD₅₀ >2,000 mg/kg (mouse)

4,115 mg/kg (rat)

55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H - isothiazol-3-one [EC No 220-239-6] (3:1)

Oral LD_{50} 457 mg/kg (rat) Dermal LD_{50} 141 mg/kg (rabbit) Inhalative LC_{50} /4 h 0.33 mg/l (rat)

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1. Toxicity
- · Aquatic toxicity:

2634-33-5 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

LC₅₀ 1.3 mg / I / 96h (Fathead minnow - Pimephales promelas)

LC₅₀ 2.94 mg / I / 48h (water flea - daphnia)

EC₅₀ 3.7 mg / I / 48h (water flea - daphnia)

EC₅₀ 0.37 mg / I / 72h (green algae-Ps.kirchneriella subcapitata)

55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)

LC₅₀ 0.19 mg / I / 96h (Fathead minnow - Pimephales promelas)

0.19 mg / I / 96h (fish)

EC₅₀ 0.16 mg / I / 48h (water flea - daphnia)

EC₅₀ 0.018 mg / I / 72h (green algae-Ps.kirchneriella subcapitata)

- · 12.2. Persistence and degradability No further relevant information available.
- · 12.3. Bioaccumulative potential No further relevant information available.
- **12.4. Mobility in soil** No further relevant information available.
- · 12.5. Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 7)



Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.06.2022 Version-No. 3 (replaces version 2) Revision: 20.06.2022

Trade name / Article-No: KLEIBERIT 457.7

(Contd. of page 6)

- · 12.6. Other adverse effects
- · Behaviour in sewage processing plants:
- · Remark:

At correct sewage disposal in small quantities to biological sewage plants failures of the activated sludge are not expected.

- · Additional ecological information:
- · General notes:

Not known to be hazardous to water.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

- · 13.1. Waste treatment methods
- · Recommendation Can be disposed of with household garbage in small quantities after curing.
- · European waste catalogue

08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances

- Uncleaned packaging:
- · Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1. UN number or ID number

· ADR, IMDG, IATA Void

14.2. UN proper shipping name

· DOT, ADR, IMDG, IATA Void

· 14.3. Transport hazard class(es)

· Class Void

14.4. Packing group

· ADR, IMDG, IATA Void

• 14.5. Environmental hazards: Not applicable. • 14.6. Special precautions for user Not applicable.

· 14.7. Maritime transport in bulk according to IMO

instruments Not applicable.

SECTION 15: Regulatory information

- · **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**See position no 2 Hazards Identification
- · EU-Regulations

67-64-1 acetone: REACH, Annex XVII, No. 40

- · Directive 2012/18/EU Seveso-III:
- · Named dangerous substances ANNEX I None of the ingredients is included.
- Regulation (EC) No 1907/2006 REACH, ANNEX XVII Conditions of restriction: 3

(Contd. on page 8)



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.06.2022 Version-No. 3 (replaces version 2) Revision: 20.06.2022

Trade name / Article-No: KLEIBERIT 457.7

(Contd. of page 7)

· Regulation (EU) No 649/2012

None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

67-64-1 acetone

· Regulation (EC) No 273/2004 on drug precursors

67-64-1 acetone: 3

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

67-64-1 acetone: 3

- National regulations:
- D: Waterhazard class Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · VOC 2010/75/EU [g/L]: <10.0 g/l
- · VOC 2010/75/EU [%]: <1.00 %
- · 15.2. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.
- · Department issuing SDS: Safety & Environment
- Version number of previous version: 2
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

(Contd. on page 9)



Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.06.2022 Version-No. 3 (replaces version 2) Revision: 20.06.2022

Trade name / Article-No: KLEIBERIT 457.7

(Contd. of page 8)

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 2: Acute toxicity – Category 2
Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2