

Page 1/12

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 23.02.2023

Version-No. 14 (replaces version 13)

Revision: 21.02.2023

	1: Identification of the substance/mixture and of the company/undertakin
1.1. Product	
[.] Trade name	/ Article-No: KLEIBERIT 501.6
• 1.2. Relevan For professio	06U-C00Q-5DAC t identified uses of the substance / mixture <u>or</u> uses advised against onal users only. of the substance / the mixture Adhesives
Manufacture KLEIBERIT S Max-Becker- 76356 Weing Germany Further infor phone: +49 (0) E-Mail: hse@ 1.4. Emerger +44 1235 239 112 Emerger	SE & Co. KG Str. 4 garten rmation obtainable from: 0) 7244 62-0
343 ZZ ZZ 108	
SECTION	2: Hazards identification
· Classificatio	cation of the substance or mixture on according to Regulation (EC) No 1272/2008 - GHS/CLP
Acute Tox. 4	H332 Harmful if inhaled.
Acute Tox. 4 Skin Irrit. 2	
Skin Irrit. 2	H332 Harmful if inhaled. H315 Causes skin irritation.
Skin Irrit. 2 Eye Irrit. 2	H332 Harmful if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation.
Skin Irrit. 2 Eye Irrit. 2	 H332 Harmful if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin Irrit. 2 Eye Irrit. 2 Resp. Sens.	 H332 Harmful if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction.
Skin Irrit. 2 Eye Irrit. 2 Resp. Sens. Skin Sens. 1	 H332 Harmful if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. H351 Suspected of causing cancer.
Skin Irrit. 2 Eye Irrit. 2 Resp. Sens. Skin Sens. 1 Carc. 2	 H332 Harmful if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction.
Skin Irrit. 2 Eye Irrit. 2 Resp. Sens. Skin Sens. 1 Carc. 2 STOT SE 3	 H332 Harmful if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. H335 May cause respiratory irritation. H373 May cause damage to the respiratory system through prolonged or repeated exposure Route of exposure: Inhalation.
Skin Irrit. 2 Eye Irrit. 2 Resp. Sens. Skin Sens. 1 Carc. 2 STOT SE 3 STOT RE 2 • 2.2. Label ele Hazard picto	H332 Harmful if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. H335 May cause respiratory irritation. H373 May cause damage to the respiratory system through prolonged or repeated exposure <u>Route of exposure:</u> Inhalation.
Skin Irrit. 2 Eye Irrit. 2 Resp. Sens. Skin Sens. 1 Carc. 2 STOT SE 3 STOT RE 2 • 2.2. Label ele Hazard pictor GHS07 GHS • Signal word • Hazard-dete diphenylmeth	H332 Harmful if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. H335 May cause respiratory irritation. H373 May cause damage to the respiratory system through prolonged or repeated exposure Route of exposure: Inhalation. ements ograms Danger rmining components of labelling: nane-diisocyanate, isomers and homologous ements
Skin Irrit. 2 Eye Irrit. 2 Resp. Sens. Skin Sens. 1 Carc. 2 STOT SE 3 STOT RE 2 • 2.2. Label ele Hazard picto GHS07 GHS • Signal word • Hazard-dete diphenylmeth	H332 Harmful if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. H335 May cause respiratory irritation. H373 May cause damage to the respiratory system through prolonged or repeated exposure Route of exposure: Inhalation. ements ograms Danger rmining components of labelling: nane-diisocyanate, isomers and homologous ements



Page 2/12

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 23.02.2023

Version-No. 14 (replaces version 13)

Revision: 21.02.2023

Trade name / Article-No: KLEIBERIT 501.6

(Contd. of page 1)
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317 May cause an allergic skin reaction.
H351 Suspected of causing cancer.
H335 May cause respiratory irritation.
H373 May cause damage to the respiratory system through prolonged or repeated exposure. <u>Route of</u>
exposure: Inhalation.
· Precautionary statements
P260 Do not breathe vapours.
P280 Wear protective gloves / eye protection.
P302+P352 IF ON SKIN: Wash with plenty of water and soap.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
present and easy to do. Continue rinsing.
P314 Get medical advice/attention if you feel unwell.
· Additional information:
Contains isocyanates. May produce an allergic reaction.
As from 24 August 2023 adequate training is required before industrial or professional use.
Information concerning particular hazards for human and environment:
 Devene elvezh evenitiezh te diizzevenetez mev develen ellevnie vezetiene
- Persons already sensitised to diisocyanates may develop allergic reactions
when using this product.
- Persons suffering from asthma, eczema or skin problems should avoid
contact, including dermal contact, with this product.
- This product should not be used under conditions of poor ventilation
unless a protective mask with an appropriate gas filter (i.e. type A1
according to standard EN 14387) is used.
2.3. Other hazards
Results of PBT and vPvB assessment
• PBT: Not applicable.
· vPvB: Not applicable.
SECTION 3: Composition/information on ingredients

3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)

- FU





Page 3/12

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 23.02.2023

Version-No. 14 (replaces version 13)

Revision: 21.02.2023

Trade name / Article-No: KLEIBERIT 501.6

	(Con	td. of page 2)
Dangerous components:		
Registry-No's	Identification / Classification GHS-CLP	%
	Prepolymer consisting of (p) MDI and polyether polyol Resp. Sens. 1, H334; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204	50-70%
CAS: 9016-87-9	diphenylmethane-diisocyanate, isomers and homologous Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Skin Irrit. 2; H315: $C \ge 5$ % Eye Irrit. 2; H319: $C \ge 5$ % Resp. Sens. 1; H334: $C \ge 0.1$ % STOT SE 3; $C \ge 5$ %	10-20%
CAS: 101-68-8 Reg.nr.: 01-2119457014-47-X	diphenylmethane-4,4'-diisocyanate $(XXX Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Skin Irrit. 2; H315: C \geq 5 %Eye Irrit. 2; H319: C \geq 5 %Resp. Sens. 1; H334: C \geq 0.1 %STOT SE 3; C \geq 5 %$	10-20%
CAS: 5873-54-1 Reg.nr.: 01-2119480143-45-X	diphenylmethane-2,4'-diisocyanate (XXX Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Skin Irrit. 2; H315: $C \ge 5$ % Eye Irrit. 2; H319: $C \ge 5$ % Resp. Sens. 1; H334: $C \ge 0.1$ % STOT SE 3; $C \ge 5$ %	≥5-<10%
Additional information: For	the wording of the listed hazard phrases refer to section 16.	
SECTION 4: First aid m 4.1. Description of first aid i		

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

After skin contact:

Treat affected skin with cotton wool or cellulose. Then wash and rinse thoroughly with water and a mild cleaning agent.

Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 4)



Page 4/12

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 23.02.2023

Version-No. 14 (replaces version 13)

Revision: 21.02.2023

(Contd. of page 3)

Trade name / Article-No: KLEIBERIT 501.6

If skin irritation continues, consult a doctor.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Call for a doctor immediately.
- 4.2. Most important symptoms and effects, both acute and delayed Asthma attacks

Allergic reactions

- 4.3. Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

· 5.1. Extinguishing media

- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2. Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Isocvanates

Nitrogen oxides (NOx) Traces: Hydrogen cyanide (HCN)

5.3. Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Particular danger of slipping on leaked/spilled product.

Use respiratory protective device against the effects of fumes/dust/aerosol.

- · 6.2. Environmental precautions: Dilute with plenty of water.
- · 6.3. Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Take up mechanically; cover residues with wet, liquidbinding material (saw dust, universal binder - diatomite, sand). Take up after 1 hour in receptacles, don't close tight (development of CO2 !). Be aware that sufficient moisture is present and keep outdoors for several days.

- 6.4. Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Appropriate regular employee training.

Handle the substance preferably in closed system

Enclosure or extractor facilities are required.

Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the vapour concentration below the workplace limit, wear an adequate respiratory protective device.



Page 5/12

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 23.02.2023

Version-No. 14 (replaces version 13)

Revision: 21.02.2023

(Contd. of page 4)

Trade name / Article-No: KLEIBERIT 501.6

Not less than 3-5 air exchanges per hour

Contact with skin and inhalation of aerosols/ vapours of the preparation should be avoided.

Spraying: in vented cabin with laminar air flow

Wear protective gloves/protective clothing/eye protection/face protection.

Use only in well ventilated areas.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities. Avoid contact with skin and eyes.

It is advised against using the product if there is a sensitivity of the airways or skin (asthma, chronic bronchitis, chronic skin disease)

additional to professional application with multiple and/or significant contact limit the exposure to 4 hours

General protective and hygienic measures: Immediately remove all soiled and contaminated clothing

· 7.2. Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Keep container tightly closed.

· Information about storage in one common storage facility: Observe the national regulations.

• Further information about storage conditions: Protect from humidity and water.

• 7.3. Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1. Control parameters

- Ingredients with limit values that require monitoring at the workplace:
- · DNELs

101-68-8 diphenylmethane-4,4'-diisocyanate

Dermal DNEL short term 50 mg/kg (human being) Inhalative DNEL short term 0.1 mg/m3 (human being) DNEL long term 0.05 mg/m3 (human being)

5873-54-1 diphenylmethane-2,4'-diisocyanate

Dermal DNEL short term 50 mg/kg (human being)

Inhalative DNEL short term 0.1 mg/m3 (human being)

DNEL long term 0.05 mg/m3 (human being)

9016-87-9 diphenylmethane-diisocyanate, isomers and homologous

Dermal DNEL short term 50 mg/kg (human being)

DNEL long term 0.05 mg/kg (human being)

- Inhalative DNEL short term 0.1 mg/m3 (human being)
- **PNECs**

101-68-8 di	phenylmethane-4,4'-diisocyanate	Э
101-00-0 ui	prienymiethane- 4 , 4 -unsocyanate	5

PNEC- Freshwater	1 mg/l (not specified)
PNEC-seawater	0.1 mg/l (not specified)
PNEC-periodic release	10 mg/l (not specified)
PNEC-Freshwater sediment	1 mg/kg (not specified)
PNEC-soil	1 mg/kg (not specified)



Page 6/12

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 23.02.2023

Version-No. 14 (replaces version 13)

Revision: 21.02.2023

Trade name / Article-No: KLEIBERIT 501.6

PNFC-wastewater treatme	nt plant 1 mg/l (not specified)	(Contd. of pag
5873-54-1 diphenylmetha PNEC- Freshwater		
	1 mg/l (not specified)	
PNEC-seawater	0.1 mg/l (not specified)	
PNEC-soil	1 mg/kg (not specified)	
	nt plant 1 mg/l (not specified)	
	ne-diisocyanate, isomers and homologous	
PNEC- Freshwater	>1 mg/l (not specified)	
PNEC-seawater	>0.1 mg/l (not specified)	
PNEC-soil	>1 mg/kg (not specified)	
PNEC-wastewater treatme	nt plant >1 mg/l (not specified)	
Ingredients with biologic	cal limit values:	
101-68-8 diphenylmethan	e-4,4'-diisocyanate	
BGW (Germany) 10 µg/g K		
	hungsmaterial: Urin	
	ahmezeitpunkt: Expositionsende bzw. Schichtende er: 4.4'-Diaminodiphenylmethan	
CAS No. Designation o		
-		
101-68-8 diphenylmethan		
AGW (Germany) Long-term	n value: 0.05 E mg/m³ DFG, 11, 12, H, Sah, Y	
1,-2-(1),L		
5873-54-1 diphenylmetha		
AGW (Germany) Long-tern	n value: 0.05 mg/m³	
AGW (Germany) Long-tern		
AGW (Germany) Long-term 1;=2=(I);A	n value: 0.05 mg/m³	
AGW (Germany) Long-term 1;=2=(I);A 9016-87-9 diphenylmetha AGW (Germany) Long-term	n value: 0.05 mg/m³ AGS, 11, 12 ne-diisocyanate, isomers and homologous n value: 0.05 E mg/m³	
AGW (Germany) Long-term 1;=2=(I);A 9016-87-9 diphenylmetha AGW (Germany) Long-term	n value: 0.05 mg/m³ AGS, 11, 12 ne-diisocyanate, isomers and homologous	
AGW (Germany) Long-term 1;=2=(I);A 9016-87-9 diphenylmetha AGW (Germany) Long-term 1;=2=(I);E 8.2. Exposure controls	n value: 0.05 mg/m³ AGS, 11, 12 ne-diisocyanate, isomers and homologous n value: 0.05 E mg/m³	
AGW (Germany) Long-term 1;=2=(I);A 9016-87-9 diphenylmetha AGW (Germany) Long-term 1;=2=(I);C 8.2. Exposure controls limit the exposure to:	n value: 0.05 mg/m³ AGS, 11, 12 ne-diisocyanate, isomers and homologous n value: 0.05 E mg/m³	
AGW (Germany) Long-term 1;=2=(I);A 9016-87-9 diphenylmetha AGW (Germany) Long-term 1;=2=(I);E 8.2. Exposure controls limit the exposure to: 8 hours	n value: 0.05 mg/m³ AGS, 11, 12 ne-diisocyanate, isomers and homologous n value: 0.05 E mg/m³ DFG, H, Sah, Y, 12	
AGW (Germany) Long-term 1;=2=(I);A 9016-87-9 diphenylmetha AGW (Germany) Long-term 1;=2=(I);C 8.2. Exposure controls limit the exposure to: 8 hours additional to professional a	n value: 0.05 mg/m³ AGS, 11, 12 ne-diisocyanate, isomers and homologous n value: 0.05 E mg/m³ DFG, H, Sah, Y, 12 pplication with multiple and/or significant contact	
AGW (Germany) Long-term 1;=2=(1);A 9016-87-9 diphenylmetha AGW (Germany) Long-term 1;=2=(1);C 8.2. Exposure controls limit the exposure to: 8 hours additional to professional a limit the exposure to 4 hour	n value: 0.05 mg/m³ AGS, 11, 12 ne-diisocyanate, isomers and homologous n value: 0.05 E mg/m³ DFG, H, Sah, Y, 12 pplication with multiple and/or significant contact	
AGW (Germany) Long-term 1;=2=(1);A 9016-87-9 diphenylmetha AGW (Germany) Long-term 1;=2=(1);C 8.2. Exposure controls limit the exposure to: 8 hours additional to professional a limit the exposure to 4 hour Appropriate engineering	n value: 0.05 mg/m ³ AGS, 11, 12 ne-diisocyanate, isomers and homologous n value: 0.05 E mg/m ³ DFG, H, Sah, Y, 12 pplication with multiple and/or significant contact	
AGW (Germany) Long-term 1;=2=(1);A 9016-87-9 diphenylmetha AGW (Germany) Long-term 1;=2=(1);C 8.2. Exposure controls limit the exposure to: 8 hours additional to professional a limit the exposure to 4 hours Appropriate engineering Individual protection mea General protective and hyperbalance	n value: 0.05 mg/m³ AGS, 11, 12 ne-diisocyanate, isomers and homologous n value: 0.05 E mg/m³ DFG, H, Sah, Y, 12 pplication with multiple and/or significant contact	
AGW (Germany) Long-term 1;=2=(1);A 9016-87-9 diphenylmetha AGW (Germany) Long-term 1;=2=(1);C 8.2. Exposure controls limit the exposure to: 8 hours additional to professional a limit the exposure to 4 hours Appropriate engineering Individual protection mea General protective and hy Respiratory protection:	n value: 0.05 mg/m ³ AGS, 11, 12 ne-diisocyanate, isomers and homologous n value: 0.05 E mg/m ³ DFG, H, Sah, Y, 12 pplication with multiple and/or significant contact rs controls No further data; see item 7. asures, such as personal protective equipment ygienic measures: Do not inhale gases / fumes / aerosols.	
AGW (Germany) Long-term 1;=2=(1);A 9016-87-9 diphenylmetha AGW (Germany) Long-term 1;=2=(1);C 8.2. Exposure controls limit the exposure to: 8 hours additional to professional a limit the exposure to 4 hours Appropriate engineering Individual protection mea General protective and hy Respiratory protection: Use suitable respiratory protection	n value: 0.05 mg/m ³ AGS, 11, 12 ne-diisocyanate, isomers and homologous n value: 0.05 E mg/m ³ DFG, H, Sah, Y, 12 pplication with multiple and/or significant contact rs controls No further data; see item 7. asures, such as personal protective equipment	
AGW (Germany) Long-term 1;=2=(1);A 9016-87-9 diphenylmetha AGW (Germany) Long-term 1;=2=(1);C 8.2. Exposure controls limit the exposure to: 8 hours additional to professional a limit the exposure to 4 hours Appropriate engineering Individual protection mea General protective and hy Respiratory protection: Use suitable respiratory pro- Filter A (DIN EN 14 387)	n value: 0.05 mg/m ³ AGS, 11, 12 ne-diisocyanate, isomers and homologous n value: 0.05 E mg/m ³ DFG, H, Sah, Y, 12 pplication with multiple and/or significant contact rs controls No further data; see item 7. asures, such as personal protective equipment ygienic measures: Do not inhale gases / fumes / aerosols.	
AGW (Germany) Long-term 1;=2=(1);A 9016-87-9 diphenylmetha AGW (Germany) Long-term 1;=2=(1);C 8.2. Exposure controls limit the exposure to: 8 hours additional to professional a limit the exposure to 4 hour Appropriate engineering Individual protection mea General protective and hy Respiratory protection: Use suitable respiratory pro- Filter A (DIN EN 14 387) At spray application respiratory	n value: 0.05 mg/m ³ AGS, 11, 12 ne-diisocyanate, isomers and homologous n value: 0.05 E mg/m ³ DFG, H, Sah, Y, 12 pplication with multiple and/or significant contact rs controls No further data; see item 7. asures, such as personal protective equipment ygienic measures: Do not inhale gases / fumes / aerosols. otective device in case of insufficient ventilation: tory protection must be worn.	
AGW (Germany) Long-term 1;=2=(1);A 9016-87-9 diphenylmetha AGW (Germany) Long-term 1;=2=(1);E 8.2. Exposure controls limit the exposure to: 8 hours additional to professional a limit the exposure to 4 hour Appropriate engineering Individual protection mea General protective and hy Respiratory protection: Use suitable respiratory pro- Filter A (DIN EN 14 387) At spray application respirate Hand protection Protective	n value: 0.05 mg/m ³ AGS, 11, 12 ne-diisocyanate, isomers and homologous n value: 0.05 E mg/m ³ DFG, H, Sah, Y, 12 pplication with multiple and/or significant contact rs controls No further data; see item 7. asures, such as personal protective equipment ygienic measures: Do not inhale gases / fumes / aerosols. otective device in case of insufficient ventilation: tory protection must be worn.	



Page 7/12

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 23.02.2023

Version-No. 14 (replaces version 13)

Revision: 21.02.2023

(Contd. of page 6)

Trade name / Article-No: KLEIBERIT 501.6

Eye/face protection Safety glasses
 Body protection: Protective work clothing

SECTION 9: Physical and chemical proper	
9.1. Information on basic physical and chemical pr General Information	operties
Physical state	Fluid
Colour:	Brown
Odour:	Weak, characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	Undetermined.
range	190 °C (9016-87-9 diphenylmethane-diisocyanate,
lange	isomers and homologous)
Flammability	Not applicable.
Flammability Lower and upper explosion limit	Not applicable.
Lower:	Not determined.
Upper:	Not determined.
Flash point:	>200 °C (Prepolymer consisting of (p) MDI and
anition tomporature.	polyether polyol) >400 °C
Ignition temperature:	
Decomposition temperature:	Not determined.
pH at 20 °C	7
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic at 20 °C:	ca. 7.000 mPas
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	ca. 1.13 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
9.2. Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and	
environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
•	
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void



Page 8/12

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 23.02.2023

Version-No. 14 (replaces version 13)

Revision: 21.02.2023

Trade name / Article-No: KLEIBERIT 501.6

		(Contd. of page 7)
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

10.1. Reactivity

see item 10.3

No further relevant information available.

• 10.2. Chemical stability Stable when stored and used properly.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3. Possibility of hazardous reactions No dangerous reactions known.

• **10.4. Conditions to avoid** No further relevant information available.

• **10.5. Incompatible materials:** No further relevant information available.

• 10.6. Hazardous decomposition products: Isocyanates

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Harmful if inhaled.

· LD/LC₅₀ values relevant for classification:

Prepolymer consisting of (p) MDI and polyether polyol

 $Oral \qquad LD_{\scriptscriptstyle 50} \qquad >2,000 \text{ mg/kg (rat) (Calculation (ATE))}$

Dermal LD_{50} >9,400 mg/kg (rat) (Calculation (ATE))

Inhalative LC_{50} /4 h 11 mg/l (rat) (Calculation (ATE))

101-68-8 diphenylmethane-4,4'-diisocyanate

5873-54-1 diphenylmethane-2,4'-diisocyanate

Oral LD₅₀ >2,000 mg/kg (rat) (84/449/EWG, B.1)

Dermal LD_{50} >9,400 mg/kg (rabbit) (OECD 402)

Inhalative LC₅₀ /4 h 11 mg/l (Ratte) (Calculation (ATE))

(Contd. on page 9)



Page 9/12

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 23.02.2023

Version-No. 14 (replaces version 13)

Revision: 21.02.2023

Trade name / Article-No: KLEIBERIT 501.6

		(Contd. of page &
9016-87	-9 diphe	enylmethane-diisocyanate, isomers and homologous
Oral	LD_{50}	>10,000 mg/kg (rat)
Dermal	LD_{50}	>9,400 mg/kg (rabbit)
	e LC ₅₀ /4	1 h 11 mg/l (x00) (Calculation (ATE))
Note:	noroono	picting of (n) MDL and polyother polyoly investigation of a comparable product
		sisting of (p) MDI and polyether polyol: Investigation of a comparable product e-diisocyanate:
substance result ca weight of Skin con Serious Respirat May cau May cau Germ ce Carcino Reprodu STOT-si STOT-re	ce is place innot be f the evice rrosion/i eye dar tory or s se allerg se an all ell mutag genicity uctive to ingle ex epeated se dama	here generated in the animal study is not representative of workplace environments, how the ced on the market, and how it can reasonably be expected to be used. Therefore the test directly applied for the purpose of assessing hazard. Based on expert judgment and the dence, a modified classification for acute inhalation toxicity is justified. Tirritation Causes skin irritation. mage/irritation Causes serious eye irritation. skin sensitisation gy or asthma symptoms or breathing difficulties if inhaled. lergic skin reaction. genicity Based on available data, the classification criteria are not met. y Suspected of causing cancer. oxicity Based on available data, the classification criteria are not met. posure May cause respiratory irritation. exposure age to the respiratory system through prolonged or repeated exposure. <u>Route of exposure:</u>
Aspirati	on haza	ard Based on available data, the classification criteria are not met.
		n on other hazards upting properties
None of	the ingre	edients is listed.
SECTI	ON 12:	: Ecological information
12.1. To Aquatic		<i>r</i> :
		nsisting of (p) MDI and polyether polyol
	-	/ I / 96h (fish)
EC ₅₀ >1,0	000 mg /	/ I / 24h (water flea - daphnia)
101-68-8	3 diphen	nylmethane-4,4'-diisocyanate
LC ₅₀ >1,0	000 mg /	/ I / 96h (fish)
EC ₅₀ >1,0	000 mg /	/ I / 24h (water flea - daphnia)
IC ₅₀ >1,0	640 mg /	/ I / 72h (algae)
5873-54	-1 diphe	enylmethane-2,4'-diisocyanate
	-	/ I / 96h (Zebrafish - Danio rerio)
FO . 4	~~~	

EC₅₀ >1,000 mg / I / 24h (water flea - daphnia)

IC₅₀ >1,640 mg / I / 72h (Chlorophyceae - Scenedesmus subspicatus)

(Contd. on page 10)

⁻ EU



Page 10/12

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 23.02.2023

Version-No. 14 (replaces version 13)

Revision: 21.02.2023

Trade name / Article-No: KLEIBERIT 501.6

	(Contd. of page 9)
9016-87-9 diphenylmethane-diisocyanate, isome $LC_{50} > 1,000 \text{ mg} / I / 96h \text{ (fish)}$ $EC_{50} > 1,000 \text{ mg} / I / 24h \text{ (water flea - daphnia)}$ $EC_{50} > 1,640 \text{ mg} / I / 72h \text{ (algae)}$ · 12.2. Persistence and degradability No further rel	
 12.3. Bioaccumulative potential No further relevation in the second se	n available. ocrine disrupting properties. ological sewage plants failures of the activated sludge are yol: Investigation of a comparable product
SECTION 13: Disposal considerations	
• 13.1. Waste treatment methods • Recommendation Must not be disposed together with household garb • European waste catalogue	age. Do not allow product to reach sewage system.
08 04 09* waste adhesives and sealants containing	organic solvents or other hazardous substances
 08 05 01* waste isocyanates Uncleaned packaging: Recommendation: Non contaminated packagings may be recycled. Empty contaminated packagings thoroughly. Dispos Recommended cleansing agents: Water, if necessing agents: Water, if necessing agents 	
SECTION 14: Transport information	
14.1. UN number or ID number ADR, IMDG, IATA 14.2. UN proper shipping name	Void
 DOT, ADR, IMDG, IATA 14.3. Transport hazard class(es) Class 14.4. Packing group 	Void Void
· ADR, IMDG, IATA · 14.5. Environmental hazards:	Void Not applicable.



Page 11/12

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 23.02.2023

Version-No. 14 (replaces version 13)

Revision: 21.02.2023

(Contd. of page 10)

Trade name / Article-No: KLEIBERIT 501.6

14.6. Special precautions for user

 14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

Not applicable.

SECTION 15: Regulatory information

• **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture** See position no 2 - Hazards Identification

· Directive 2012/18/EU - Seveso-III:

- · Named dangerous substances ANNEX I None of the ingredients is included.
- · Regulation (EC) No 1907/2006 REACH, ANNEX XVII Conditions of restriction: 3, 56, 74
- Regulation (EU) No 649/2012

None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

• Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

- · Information about limitation of use: For professionel use only
- · D: Waterhazard class Water hazard class 1 (Self-assessment): slightly hazardous for water.
- Other regulations, limitations and prohibitive regulations: Restricted to professional users.
- VOC 2010/75/EU [g/L]: <5.0 g/l
- · VOC 2010/75/EU [%]: <0.50 %
- · National Regulations (others than Germany or EU)
- French Regulation (Decree No. 2011-321): class A+

• 15.2. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.



Page 12/12

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 23.02.2023

Version-No. 14 (replaces version 13)

Revision: 21.02.2023

Trade name / Article-No: KLEIBERIT 501.6

		ontd. of page 1
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
H335	May cause respiratory irritation.	
H351	Suspected of causing cancer.	
	Suspected of causing cancer.	
H373	May cause damage to organs through prolonged or repeated exposure.	
EUH204	Contains isocyanates. May produce an allergic reaction.	
· Departn	nent issuing SDS: Safety & Environment	
· Version	number of previous version: 13	
	ations and acronyms:	
	ord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning	the
	al Carriage of Dangerous Goods by Road)	
	ernational Maritime Code for Dangerous Goods	
DOT: US [Department of Transportation	
IATA: Inter	rnational Air Transport Association	
	oally Harmonised System of Classification and Labelling of Chemicals	
	European Inventory of Existing Commercial Chemical Substances	
	European List of Notified Chemical Substances	
	mical Abstracts Service (division of the American Chemical Society)	
	rived No-Effect Level (REACH)	
	edicted No-Effect Concentration (REACH) hal concentration, 50 percent	
	hal dose, 50 percent	
	istent, Bioaccumulative and Toxic	
	/ Persistent and very Bioaccumulative	
	4: Acute toxicity – Category 4	
	2: Skin corrosion/irritation – Category 2	
	: Serious eye damage/eye irritation – Category 2	
	is. 1: Respiratory sensitisation – Category 1	
Skin Sens	. 1: Skin sensitisation – Category 1	
	arcinogenicity – Category 2	
STOT SE	3: Specific target organ toxicity (single exposure) – Category 3	
	2: Specific target organ toxicity (repeated exposure) – Category 2	