



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.05.2021

Version-No. 5 (replaces version 4)

Revision: 25.05.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1. Product identifier**
- **Trade name / Article-No: KLEIBERIT 525.8**
- **1.2. Relevant identified uses of the substance / mixture or uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Adhesives
- **1.3. Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
KLEBCHEMIE
M.G. Becker GmbH & Co. KG
Max-Becker-Str. 4
D - 76356 Weingarten / Baden
Germany
- **Further information obtainable from:**
phone: +49 (0) 7244 62-0
FAX: +49 (0) 7244 700-0
E-Mail: hse@kleiberit.com
- **1.4. Emergency telephone number:**
+44 1235 239670
European regional number (European languages)
+44 1235 239671
Middle Eastern/African regional number (Middle Eastern/African languages)
+1 215 207 0061
Americas regional number (English, Spanish, Portuguese)
+65 3158 1412
Asia Pacific regional number (English, Bahasa, Malaysia, Hindi, Japanese, Korean, Mandarin, Tagalog)

SECTION 2: Hazards identification

- **2.1. Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008 - GHS/CLP**
The product is not classified as hazardous to health or environment according to the CLP regulation.
- **2.2. Label elements**
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Additional information:**
Safety data sheet available on request.
- **2.3. Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

INT

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.05.2021

Version-No. 5 (replaces version 4)

Revision: 25.05.2021

Trade name / Article-No: **KLEIBERIT 525.8**

(Contd. of page 1)

- **Dangerous components:**

Registry-No's	Identification / Classification GHS-CLP	%
	ethylene diaminethers (aminopolyols) Eye Irrit. 2, H319	3-5%
7727-43-7	barium sulfate substance with a Community workplace exposure limit	20-30%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1. Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Call for a doctor immediately.
- **4.2. Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3. Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1. Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2. Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3. Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- **6.1. Personal precautions, protective equipment and emergency procedures**
Particular danger of slipping on leaked/spilled product.
- **6.2. Environmental precautions:** No special measures required.
- **6.3. Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4. Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1. Precautions for safe handling** No special precautions are necessary if used correctly.
- **7.2. Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Keep container tightly closed.
- **Information about storage in one common storage facility:** Observe the national regulations.
- **Further information about storage conditions:** None.
- **7.3. Specific end use(s)** No further relevant information available.

(Contd. on page 3)

INT

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.05.2021

Version-No. 5 (replaces version 4)

Revision: 25.05.2021

Trade name / Article-No: **KLEIBERIT 525.8**

(Contd. of page 2)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs

7727-43-7 barium sulfate

Inhalative DNEL long term 10 mg/m³ (human being)

PNECs

7727-43-7 barium sulfate

PNEC- Freshwater	0.115 mg/l (x00)
PNEC-Freshwater sediment	600.4 mg/kg (x00)
PNEC-soil	207.7 mg/kg (x00)
PNEC-wastewater treatment plant	62.2 mg/l (x00)

CAS No.	Designation of material	%	Type	Value	Unit
7727-43-7 barium sulfate					
AGW (Germany)	Long-term value: 1.25* 10** mg/m ³ 2(II);*alveolengängig**einatembar; AGS, DFG				
WEL (Great Britain)	Long-term value: 10* 4** mg/m ³ *inhalable dust **respirable dust				
PEL (USA)	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction				
REL (USA)	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction				
TLV (USA)	Long-term value: 5* mg/m ³ *inhalable fraction; E				

7727-43-7 barium sulfate

AGW (Germany) Long-term value: 1.25* 10** mg/m³
2(II);*alveolengängig**einatembar; AGS, DFG

WEL (Great Britain) Long-term value: 10* 4** mg/m³
*inhalable dust **respirable dust

PEL (USA) Long-term value: 15* 5** mg/m³
*total dust **respirable fraction

REL (USA) Long-term value: 10* 5** mg/m³
*total dust **respirable fraction

TLV (USA) Long-term value: 5* mg/m³
*inhalable fraction; E

8.2. Exposure controls

limit the exposure to:

8 hours

• **Appropriate engineering controls** No further data; see item 7.

• **Individual protection measures, such as personal protective equipment**

• **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

• **Respiratory protection:** Not necessary if room is well-ventilated.

• **Hand protection**

Protective gloves

Wear suitable protective gloves and protective goggles /face protection during work.

• **Material of gloves** Synthetic rubber gloves

• **Eye/face protection** Safety glasses

• **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

General Information

• **Physical state**

Fluid

• **Colour:**

Beige

• **Odour:**

Weak, characteristic

• **Odour threshold:**

Not determined.

• **Melting point/freezing point:**

Undetermined.

• **Boiling point or initial boiling point and boiling range**

>100 °C

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.05.2021

Version-No. 5 (replaces version 4)

Revision: 25.05.2021

Trade name / Article-No: **KLEIBERIT 525.8***(Contd. of page 3)*

· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	>140 °C
· Auto-ignition temperature:	Product is not selfigniting.
· Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic at 20 °C:	ca. 16.000 mPas
· Solubility	
· water:	Not miscible or difficult to mix.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	ca. 1.76 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· 9.2. Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Not applicable.
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1. Reactivity**
see item 10.3
No further relevant information available.
- **10.2. Chemical stability** Stable when stored and used properly.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3. Possibility of hazardous reactions** No dangerous reactions known.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.05.2021

Version-No. 5 (replaces version 4)

Revision: 25.05.2021

Trade name / Article-No: **KLEIBERIT 525.8***(Contd. of page 4)*

- **10.4. Conditions to avoid** No further relevant information available.
- **10.5. Incompatible materials:** No further relevant information available.
- **10.6. Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **LD/LC₅₀ values relevant for classification:**
 - 7727-43-7 barium sulfate**
 - Oral LD₅₀ >5,000 mg/kg (rat)
 - 25214-63-5 ethylenediamine, propoxylated**
 - Oral LD₅₀ 2,001 mg/kg (rat)
 - Dermal LD₅₀ 2,001 mg/kg (rabbit)
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties**

541-02-6 2,2,4,4,6,6,8,8,10,10-decamethylcyclopentasiloxane: List II

SECTION 12: Ecological information

- **12.1. Toxicity**
- **Aquatic toxicity:**
 - 25214-63-5 ethylenediamine, propoxylated**
 - LC₅₀ >100 mg / l / 96h (Zebrafish - Danio rerio) (OECD 203)
 - LC₅₀ >100 mg / l / 48h (water flea - daphnia) (OECD 202)
- **12.2. Persistence and degradability** No further relevant information available.
- **12.3. Bioaccumulative potential** No further relevant information available.
- **12.4. Mobility in soil** No further relevant information available.
- **12.5. Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.
- **12.6. Other adverse effects**
- **Behaviour in sewage processing plants:**
- **Remark:**
At correct sewage disposal in small quantities to biological sewage plants failures of the activated sludge are not expected.
- **Additional ecological information:**
- **General notes:** Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 6)

INT

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.05.2021

Version-No. 5 (replaces version 4)

Revision: 25.05.2021

Trade name / Article-No: **KLEIBERIT 525.8**

(Contd. of page 5)

SECTION 13: Disposal considerations

- **13.1. Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **European waste catalogue**
08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
- **Uncleaned packaging:**
- **Recommendation:**
Non contaminated packagings may be recycled.
Empty contaminated packagings thoroughly. Disposal must be made according to official regulations.

SECTION 14: Transport information

- **14.1. UN number or ID number**
- **ADR, IMDG, IATA** Void
- **14.2. UN proper shipping name**
- **DOT, ADR, IMDG, IATA** Void
- **14.3. Transport hazard class(es)**
- **Class** Void
- **14.4. Packing group**
- **ADR, IMDG, IATA** Void
- **14.5. Environmental hazards:** Not applicable.
- **14.6. Special precautions for user** Not applicable.
- **14.7. Maritime transport in bulk according to IMO instruments** Not applicable.

SECTION 15: Regulatory information

- **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**
See position no 2 - Hazards Identification
- **Directive 2012/18/EU - Seveso-III:**
- **Named dangerous substances - ANNEX I** None of the ingredients is included.
- **Regulation (EC) No 1907/2006 - REACH, ANNEX XVII** Conditions of restriction: 3
- **Regulation (EU) No 649/2012**

None of the ingredients is listed.
- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.
- **REGULATION (EU) 2019/1148**
- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.
- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.
- **National regulations:**
- **D: Waterhazard class** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **15.2. Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)

-INT-

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.05.2021

Version-No. 5 (replaces version 4)

Revision: 25.05.2021

Trade name / Article-No: KLEIBERIT 525.8

(Contd. of page 6)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H319 Causes serious eye irritation.

- **Department issuing SDS: Safety & Environment**

- **Version number of previous version: 4**

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2