

Page 1/10

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 25.04.2025

*

Version-No. 7.0 (replaces version 6.0)

Revision: 24.04.2025

| · 1.1. Product ic | lantifiar |
|--|--|
| | |
| | Article-No: KLEIBERIT 535.0 A |
| · Component: A · UFI: 8UCX-S0 | |
| | dentified uses of the substance / mixture or uses advised against |
| For professiona | |
| | the substance / the mixture Adhesives |
| · 1.3. Details of | the supplier of the safety data sheet |
| · Manufacturer/ | |
| KLEIBERIT SE Max-Becker-St | |
| 76356 Weingal | |
| Germany | |
| | nation obtainable from: |
| phone: +49 (0) FAX: +49 (0) 7 | |
| E-Mail: hse@k | leiberit.com |
| · 1.4. Emergend | y telephone number: |
| | 70 European regional number (European languages) |
| | y telephone number for Malta andic University Hospital |
| | |
| 11010101010100 | ns information Centre Ireland: |
| +353 (0)1 809 | ns Information Centre Ireland: 2166 Members of the public Number (8am-10pm) |
| +353 (0)1 809 | |
| +353 (0)1 809 2 +353 (0)1 809 2 | 2166 Members of the public Number (8am-10pm) |
| +353 (0)1 809 +353 (0)1 809 SECTION 2: • 2.1. Classifica | 2166 Members of the public Number (8am-10pm) 2566 Healthcare professional telephone Number (24hrs) E Hazards identification tion of the substance or mixture |
| +353 (0)1 809 +353 (0)1 809 SECTION 2: 2.1. Classifica Classification | 2166 Members of the public Number (8am-10pm) 2566 Healthcare professional telephone Number (24hrs) Image: Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 - GHS/CLP |
| +353 (0)1 809 +353 (0)1 809 SECTION 2: 2.1. Classification Acute Tox. 4 | 2166 Members of the public Number (8am-10pm) 2566 Healthcare professional telephone Number (24hrs) at Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 - GHS/CLP H302 Harmful if swallowed. |
| +353 (0)1 809 +353 (0)1 809 SECTION 2: • 2.1. Classifica • Classification Acute Tox. 4 Skin Irrit. 2 | 2166 Members of the public Number (8am-10pm) 2566 Healthcare professional telephone Number (24hrs) Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 - GHS/CLP H302 Harmful if swallowed. H315 Causes skin irritation. |
| +353 (0)1 809 : +353 (0)1 809 : SECTION 2: • 2.1. Classifica • Classification Acute Tox. 4 Skin Irrit. 2 Eye Irrit. 2 | 2166 Members of the public Number (8am-10pm) 2566 Healthcare professional telephone Number (24hrs) Image: Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 - GHS/CLP H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. |
| +353 (0)1 809 +353 (0)1 809 SECTION 2: • 2.1. Classification Acute Tox. 4 Skin Irrit. 2 Eye Irrit. 2 Carc. 2 | 2166 Members of the public Number (8am-10pm) 2566 Healthcare professional telephone Number (24hrs) E Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 - GHS/CLP H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H351 Suspected of causing cancer. |
| +353 (0)1 809 : +353 (0)1 809 : SECTION 2: • 2.1. Classifica • Classification Acute Tox. 4 Skin Irrit. 2 Eye Irrit. 2 Carc. 2 | 2166 Members of the public Number (8am-10pm) 2566 Healthcare professional telephone Number (24hrs) Image: Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 - GHS/CLP H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. |
| +353 (0)1 809 : +353 (0)1 809 : SECTION 2: • 2.1. Classifica • Classification Acute Tox. 4 Skin Irrit. 2 Eye Irrit. 2 Carc. 2 Aquatic Chroni • 2.2. Label elem | 2166 Members of the public Number (8am-10pm) 2566 Healthcare professional telephone Number (24hrs) according to Regulation tion of the substance or mixture according to Regulation (EC) No 1272/2008 - GHS/CLP H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H351 Suspected of causing cancer. c 3 H412 Harmful to aquatic life with long lasting effects. |
| +353 (0)1 809 : +353 (0)1 809 : SECTION 2: • 2.1. Classifica • Classification Acute Tox. 4 Skin Irrit. 2 Eye Irrit. 2 Carc. 2 Aquatic Chroni | 2166 Members of the public Number (8am-10pm) 2566 Healthcare professional telephone Number (24hrs) according to Regulation tion of the substance or mixture according to Regulation (EC) No 1272/2008 - GHS/CLP H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H351 Suspected of causing cancer. c 3 H412 Harmful to aquatic life with long lasting effects. |
| +353 (0)1 809 : +353 (0)1 809 : SECTION 2: • 2.1. Classifica • Classification Acute Tox. 4 Skin Irrit. 2 Eye Irrit. 2 Carc. 2 Aquatic Chroni • 2.2. Label elem | 2166 Members of the public Number (8am-10pm) 2566 Healthcare professional telephone Number (24hrs) according to Regulation tion of the substance or mixture according to Regulation (EC) No 1272/2008 - GHS/CLP H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H351 Suspected of causing cancer. c 3 H412 Harmful to aquatic life with long lasting effects. |
| +353 (0)1 809 : +353 (0)1 809 : SECTION 2: • 2.1. Classifica • Classification Acute Tox. 4 Skin Irrit. 2 Eye Irrit. 2 Carc. 2 Aquatic Chroni • 2.2. Label elem | 2166 Members of the public Number (8am-10pm) 2566 Healthcare professional telephone Number (24hrs) at Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 - GHS/CLP H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H351 Suspected of causing cancer. c 3 H412 Harmful to aquatic life with long lasting effects. nents rams |
| +353 (0)1 809 +353 (0)1 809 SECTION 2: • 2.1. Classification Acute Tox. 4 Skin Irrit. 2 Eye Irrit. 2 Carc. 2 Aquatic Chroni • 2.2. Label elem • Hazard pictog | 2166 Members of the public Number (8am-10pm) 2566 Healthcare professional telephone Number (24hrs) Image: telephone Number (24hrs) |
| +353 (0)1 809 +353 (0)1 809 SECTION 2: 2.1. Classification Acute Tox. 4 Skin Irrit. 2 Eye Irrit. 2 Carc. 2 Aquatic Chroni • 2.2. Label eler • Hazard pictog GHS07 GHS08 | 2166 Members of the public Number (8am-10pm) 2566 Healthcare professional telephone Number (24hrs) Image: telephone Number (24hrs) |
| +353 (0)1 809 +353 (0)1 809 SECTION 2: 2.1. Classification Acute Tox. 4 Skin Irrit. 2 Eye Irrit. 2 Carc. 2 Aquatic Chroni • 2.2. Label eler • Hazard pictog GHS07 GHS08 • Signal word W • Hazard-detern Tris(2-chloro-1 | 2166 Members of the public Number (8am-10pm) 2566 Healthcare professional telephone Number (24hrs) T Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 - GHS/CLP H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H351 Suspected of causing cancer. c 3 H412 Harmful to aquatic life with long lasting effects. nents rams Arning nining components of labelling: -methylethyl) phosphate, reactionproducts |
| +353 (0)1 809 : +353 (0)1 809 : SECTION 2: • 2.1. Classification Acute Tox. 4 Skin Irrit. 2 Eye Irrit. 2 Carc. 2 Aquatic Chroni • 2.2. Label eler • Hazard pictog GHS07 GHS08 • Signal word W • Hazard-detern Tris(2-chloro-1: 2,2',6,6'-Tetrab | 2166 Members of the public Number (8am-10pm) 2566 Healthcare professional telephone Number (24hrs) Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 - GHS/CLP H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H351 Suspected of causing cancer. c 3 H412 Harmful to aquatic life with long lasting effects. nents rams Arning nining components of labelling: |
| +353 (0)1 809 +353 (0)1 809 SECTION 2: 2.1. Classification Acute Tox. 4 Skin Irrit. 2 Eye Irrit. 2 Carc. 2 Aquatic Chroni • 2.2. Label eler • Hazard pictog GHS07 GHS08 • Signal word W • Hazard-detern Tris(2-chloro-1 | 2166 Members of the public Number (8am-10pm) 2566 Healthcare professional telephone Number (24hrs) * Hazards identification tion of the substance or mixture according to Regulation (EC) No 1272/2008 - GHS/CLP H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H351 Suspected of causing cancer. c 3 H412 Harmful to aquatic life with long lasting effects. nents rams */ |

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time

Printing date 25.04.2025

Version-No. 7.0 (replaces version 6.0)

Revision: 24.04.2025

Trade name / Article-No: KLEIBERIT 535.0 A (Contd. of page 1) · Hazard statements H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H351 Suspected of causing cancer. H412 Harmful to aquatic life with long lasting effects. Precautionary statements Avoid release to the environment. P273 P280 Wear protective gloves / eye protection. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P302+P352 IF ON SKIN: Wash with plenty of water and soap. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor. · 2.3. Other hazards Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. · Determination of endocrine-disrupting properties 1244733-77-4 Tris(2-chloro-1-methylethyl) phosphate, reactionproducts: List II; III SECTION 3: Composition/information on ingredients · 3.2. Mixtures · Description: Mixture of substances listed below with nonhazardous additions. · Dangerous components: Identification / Classification GHS-CLP % **Registry-No's** CAS: 1244733-77-4 Tris(2-chloro-1-methylethyl) phosphate, reactionproducts 40-50% Reg.nr.: 01-2119486772-26-XXXX Carc. 2, H351; Acute Tox. 4, H302; Aquatic Chronic 3, H412 CAS: 1179964-22-7 2,2',6,6'-Tetrabromo-4,4'-isopropylidenediphenol, oligomeric 20-30% Reg.nr.: 01-2119971810-36-XXXX reaction products with Propylene oxide and n-butyl glycidyl ether Acute Tox. 4, H302 CAS: 111-46-6 diethylene glycol 3-5% Reg.nr.: 01-2119457857-21-XXXX Acute Tox. 4, H302 CAS: 25214-63-5 ethylenediamine, propoxylated 3-5% Reg.nr.: 01-2119471485-32-XXXX Eye Irrit. 2, H319 CAS: 112945-52-5 Silicon dioxide, amorphous ≤3% Reg.nr.: 01-2119379499-16-XXXX substance with a Community workplace exposure limit CAS: 2212-32-0 2-[2-(Dimethylaminoethyl)-methylamino]-ethanol ≥1-<2% Skin Corr. 1C, H314; Eye Dam. 1, H318 • Additional information: For the wording of the listed hazard phrases refer to section 16. **SECTION 4: First aid measures** · 4.1. Description of first aid measures

General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation: Supply fresh air; consult doctor in case of complaints.

(Contd. on page 3)

- EU -

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 25.04.2025

Version-No. 7.0 (replaces version 6.0)

Revision: 24.04.2025

(Contd. of page 2)

Trade name / Article-No: KLEIBERIT 535.0 A

· After skin contact:

Treat affected skin with cotton wool or cellulose. Then wash and rinse thoroughly with water and a mild cleaning agent.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Call for a doctor immediately.
- 4.2. Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3. Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

[·] 5.1. Extinguishing media

- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2. Special hazards arising from the substance or mixture No further relevant information available.
- [•] 5.3. Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- Particular danger of slipping on leaked/spilled product.
- 6.2. Environmental precautions:
- Do not allow to enter surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

- 6.3. Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.
- Dispose contaminated material as waste according to section 13.
- 6.4. Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1. Precautions for safe handling

Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the vapour concentration below the workplace limit, wear an adequate respiratory protective device.

Do not allow to reach ground water, water bodies or sewage system.

- Clean the pipe before decoupling
- General protective and hygienic measures: Keep good industrial hygiene.
- · 7.2. Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Keep container tightly closed.
- Information about storage in one common storage facility: Observe the national regulations.
- · Further information about storage conditions: None.
- · 7.3. Specific end use(s) No further relevant information available.

(Contd. on page 4)

FU

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 25.04.2025

Version-No. 7.0 (replaces version 6.0)

Revision: 24.04.2025

Trade name / Article-No: KLEIBERIT 535.0 A

(Contd. of page 3)

EU

SECTION 8: Exposure controls/personal protection 8.1. Control parameters · Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. 1244733-77-4 Tris(2-chloro-1-methylethyl) phosphate, reactionproducts Dermal DNEL long term 2.91 mg/kg (human being) Inhalative DNEL short term 22.6 mg/m3 (human being) DNEL long term 8.2 mg/m3 (human being) 111-46-6 diethylene glycol Dermal DNEL long term 43 mg/kg (human being) Inhalative DNEL long term 44 mg/m3 (human being) 2212-32-0 2-[2-(Dimethylaminoethyl)-methylamino]-ethanol Dermal DNEL long term 0.333 mg/kg (human being) **ECHA** Inhalative DNEL long term 1.175 mg/m3 (human being) **ECHA** · PNECs 1244733-77-4 Tris(2-chloro-1-methylethyl) phosphate, reactionproducts **PNEC-** Freshwater 0.32 mg/l (not specified) **PNEC-seawater** 0.032 mg/l (not specified) **PNEC-Freshwater sediment** 11.5 mg/kg (not specified) PNEC-Seawater sediment 1.15 mg/kg (not specified) PNEC-soil 0.34 mg/kg (not specified) PNEC-wastewater treatment plant 19.1 mg/l (not specified) 1179964-22-7 2,2',6,6'-Tetrabromo-4,4'-isopropylidenediphenol, oligomeric reaction products with Propylene oxide and n-butyl glycidyl ether PNEC-wastewater treatment plant 10 mg/l (not specified) 111-46-6 diethylene glycol **PNEC-** Freshwater 10 mg/l (not specified) **PNEC-seawater** 1 mg/l (not specified) **PNEC-periodic release** 10 mg/l (not specified) **PNEC-Freshwater sediment** 20.9 mg/kg (not specified) **PNEC-Seawater sediment** 2.09 mg/kg (not specified) PNEC-soil 1.53 mg/kg (not specified) PNEC-wastewater treatment plant 199.5 mg/l (not specified) 2212-32-0 2-[2-(Dimethylaminoethyl)-methylamino]-ethanol **PNEC-** Freshwater 0.054 mg/l (not specified) **PNEC-seawater** 0.0054 mg/l (not specified) **PNEC-Freshwater sediment** 0.222 mg/kg (not specified) PNEC-Seawater sediment 0.022 mg/kg (not specified) PNEC-soil 0.013 mg/kg (not specified) (Contd. on page 5)

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 25.04.2025

Version-No. 7.0 (replaces version 6.0)

Revision: 24.04.2025

| de name / Article-No: KLEIBERIT 535.0 A | | |
|---|--|----------------|
| | | (Contd. of pag |
| PNEC-wastewater treatment plant 1 mg/l (not specif | ied) | |
| CAS No. Designation of material % Type | Value Unit | |
| 112945-52-5 Silicon dioxide, amorphous MAK (Germany) Long-term value: 0.02A mg/m ³ | | |
| vgl. Abschn. V | | |
| 8.2. Exposure controls | | |
| limit the exposure to: | | |
| 8 hours | | |
| Appropriate engineering controls No further data; | ; see section 7. | |
| Individual protection measures, such as persona | al protective equipment | |
| General protective and hygienic measures: | | |
| The usual precautionary measures are to be adhere | d to when handling chemicals. | |
| Respiratory protection: Filter A | | |
| Hand protection | | |
| Protective gloves | los /faco protoction during work | |
| Wear suitable protective gloves and protective gogg Material of gloves A Nitrile rubber - NBR: AlphaTe | | |
| Eye/face protection Safety glasses | (~ 0,4 IIIII) | |
| Body protection: Protective work clothing | | |
| Environmental exposure controls The floor surface | ce in the facility has to be sealed | |
| • | , | |
| SECTION & Devoiced and shaming area | artiaa | |
| SECTION 9: Physical and chemical prop | | |
| | | |
| 9.1. Information on basic physical and chemical | | |
| General Information | properties | |
| General Information Physical state | properties Liquid | |
| General Information Physical state Colour: | properties Liquid Beige | |
| General Information Physical state Colour: Odour: | properties Liquid Beige Weak, characteristic | |
| General Information Physical state Colour: Odour: Odour threshold: | properties Liquid Beige Weak, characteristic Not determined. | |
| General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: | properties Liquid Beige Weak, characteristic | |
| General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling | properties Liquid Beige Weak, characteristic Not determined. Undetermined. | |
| General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range | properties Liquid Beige Weak, characteristic Not determined. Undetermined. Undetermined. | |
| General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability | properties Liquid Beige Weak, characteristic Not determined. Undetermined. | |
| General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range | properties Liquid Beige Weak, characteristic Not determined. Undetermined. Undetermined. Not applicable. | |
| General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: | properties Liquid Beige Weak, characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. | |
| General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: | properties Liquid Beige Weak, characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. Not determined. | |
| General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: | properties Liquid Beige Weak, characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. | |
| General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: | properties Liquid Beige Weak, characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. Not determined. 101 °C | |
| General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: | properties Liquid Beige Weak, characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. Not determined. 101 °C 385 °C | |
| General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH | properties Liquid Beige Weak, characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. Not determined. 101 °C 385 °C Not determined. | |
| General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: | properties Liquid Beige Weak, characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. Not determined. 101 °C 385 °C Not determined. | |
| General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity Dynamic: | properties Liquid Beige Weak, characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. 101 °C 385 °C Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. | |
| General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity Dynamic: Solubility | properties Liquid Beige Weak, characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. 101 °C 385 °C Not determined. Not determined. Not determined. Not determined. Not determined. | |
| General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity Dynamic: Solubility water: | properties Liquid Beige Weak, characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. 101 °C 385 °C Not determined. Not determined. Not determined. Not determined. Not determined. | |
| General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) | properties Liquid Beige Weak, characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. Not determined. | |
| General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Vapour pressure: | properties Liquid Beige Weak, characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. Not determined. | |
| General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Vapour pressure: Density and/or relative density | properties Liquid Beige Weak, characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. Not determined. | |
| General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Vapour pressure: Density and/or relative density Density at 20 °C: | properties Liquid Beige Weak, characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. Not determined. | |
| General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Vapour pressure: Density and/or relative density | properties Liquid Beige Weak, characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. Not determined. | |

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 25.04.2025

Version-No. 7.0 (replaces version 6.0)

Revision: 24.04.2025

| Trade name / Article-No: KLEIBERIT 535.0 A | |
|---|---|
| | (Contd. of page 5) |
| • 9.2. Other information | |
| · Appearance: | |
| Form: | Pasty |
| Important information on protection of health and environment, and on safety. | |
| Ignition temperature: | Product is not selfigniting. |
| Explosive properties: | Product does not present an explosion hazard. |
| · Change in condition | |
| Evaporation rate | Not determined. |
| Information with regard to physical hazard classes | 3 |
| Explosives | Void |
| Flammable gases | Void |
| Aerosols | Void |
| · Oxidising gases | Void |
| · Gases under pressure | Void |
| Flammable liquids | Void |
| Flammable solids | Void |
| Self-reactive substances and mixtures | Void |
| Pyrophoric liquids | Void |
| Pyrophoric solids | Void |
| • Self-heating substances and mixtures | Void |
| • Substances and mixtures, which emit flammable | |
| gases in contact with water | Void |
| · Oxidising liquids | Void |
| · Oxidising solids | Void |
| · Organic peroxides | Void |
| · Corrosive to metals | Void |
| · Desensitised explosives | Void |

SECTION 10: Stability and reactivity

10.1. Reactivity

see item 10.3

No further relevant information available.

- 10.2. Chemical stability Stable when stored and used properly.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3. Possibility of hazardous reactions No dangerous reactions known.
- · 10.4. Conditions to avoid No further relevant information available.
- 10.5. Incompatible materials: No further relevant information available.
- 10.6. Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Harmful if swallowed.

· LD/LC₅₀ values relevant for classification:

1244733-77-4 Tris(2-chloro-1-methylethyl) phosphate, reactionproducts

Oral LD₅₀ 500 mg/kg (rat)

Dermal LD₅₀ >2,000 mg/kg (rabbit) (OECD 402)

1179964-22-7 2,2',6,6'-Tetrabromo-4,4'-isopropylidenediphenol, oligomeric reaction products with Propylene oxide and n-butyl glycidyl ether

Oral LD₅₀ 732 mg/kg (rat) (OECD 401)

(Contd. on page 7)

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 25.04.2025

Version-No. 7.0 (replaces version 6.0)

Revision: 24.04.2025

(Contd. of page 6)

Trade name / Article-No: KLEIBERIT 535.0 A

Dermal LD₅₀ >2,000 mg/kg (rat) (OECD 402)

111-46-6 diethylene glycol

Oral LD₅₀ 16,500 mg/kg (rat) Dermal LD₅₀ 13,300 mg/kg (rabbit)

25214-63-5 ethylenediamine, propoxylated

 Oral
 LD₅₀ 2,001 mg/kg (rat)

 Dermal
 LD₅₀ 2,001 mg/kg (rabbit)

112945-52-5 Silicon dioxide, amorphous

Oral $LD_{50} > 5,000 \text{ mg/kg (rat)}$ Dermal $LD_{50} > 2,000 \text{ mg/kg (rabbit)}$

2212-32-0 2-[2-(Dimethylaminoethyl)-methylamino]-ethanol

Oral LD₅₀ >2,000 mg/kg (rat)

Dermal LD₅₀ >2,000 mg/kg (rabbit)

Primary irritant effect:

- Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Suspected of causing cancer.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2. Information on other hazards Unnecessary

Endocrine disrupting properties

1244733-77-4 Tris(2-chloro-1-methylethyl) phosphate, reactionproducts: List II; III

SECTION 12: Ecological information

· 12.1. Toxicity

· Aquatic toxicity:

1244733-77-4 Tris(2-chloro-1-methylethyl) phosphate, reactionproducts

LC₅₀ 51 mg / I / 96h (Pimephales promelas) EC₅₀ 131 mg / I / 48h (water flea - daphnia) EC₅₀ 82 mg / I / 72h (green algae-Ps.kirchneriella subcapitata)

1179964-22-7 2,2',6,6'-Tetrabromo-4,4'-isopropylidenediphenol, oligomeric reaction products with Propylene oxide and n-butyl glycidyl ether

 LC_{50} >100 mg / I / 96h (Zebrafish - Danio rerio) (OECD 203)

LC₅₀ >100 mg / I / 48h (water flea - daphnia) (67/548/EWG, App. V, C.2.)

IC₅₀ >100 mg / I / 72h (algae)

111-46-6 diethylene glycol

 LC_{50} 75,200 mg / I / 96h (gold orfw - Leuciscus idus) EC₅₀ >10,000 mg / I / 48h (water flea - daphnia) EC₅₀ 9,362 mg / I / 96h (algae)

25214-63-5 ethylenediamine, propoxylated

LC₅₀ >100 mg / I / 96h (Zebrafish - Danio rerio) (OECD 203)

FU

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 25.04.2025

Version-No. 7.0 (replaces version 6.0)

Revision: 24.04.2025

| Trade name / Article-No: KLEIBERIT 535.0 A | |
|---|---|
| | (Contd. of page 7) |
| LC_{50} >100 mg / I / 48h (water flea - daphnia) (OE) | CD 202) |
| 112945-52-5 Silicon dioxide, amorphous | |
| LC ₅₀ >10,000 mg / I / 96h (Zebrafish - Danio rerio |) (OECD 203) |
| 12.2. Persistence and degradability No further | relevant information available. |
| 12.3. Bioaccumulative potential No further rele 12.4. Mobility in soil No further relevant informa 12.5. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 12.6. Endocrine disrupting properties For information | |
| 12.7. Other adverse effects | |
| Additional ecological information: | |
| General notes: Water hazard class 2 (German Regulation) (Self- | -assessment): hazardous for water |
| Danger to drinking water if even small quantities | leak into the ground. |
| Do not allow product to reach sewage system or | any water course. |
| | |
| SECTION 13: Disposal considerations | |
| European waste catalogue 08 04 09* waste adhesives and sealants containi 08 04 10 waste adhesives and sealants other the Uncleaned packaging: Recommendation: Non contaminated packagings may be recycled. | arbage. Do not allow product to reach sewage system. ing organic solvents or other hazardous substances an those mentioned in 08 04 09 posal must be made according to official regulations. |
| | |
| SECTION 14: Transport information | |
| · 14.1. UN number or ID number | |
| · ADR, IMDG, IATA · 14.2. UN proper shipping name | Void |
| DOT, ADR, IMDG, IATA | Void |
| 14.3. Transport hazard class(es) | |
| Class | Void |
| · 14.4. Packing group | |
| ADR, IMDG, IATA | Void |
| 14.5. Environmental hazards: | Not applicable. |
| 14.6. Special precautions for user 14.7. Maritime transport in bulk according to I | Not applicable. |
| instruments | Not applicable. |
| | |
| SECTION 15: Regulatory information | |
| 15.1. Safety, health and environmental regulat See position no 2 - Hazards Identification | tions/legislation specific for the substance or mixture |
| • | |
| Directive 2012/18/EU - Seveso-III: Named dangerous substances - ANNEX I Non | a of the ingradients is included |

us substances - ANNEX I None of the ingredients is included. uangero Nameu

· Regulation (EC) No 1907/2006 - REACH, ANNEX XVII Conditions of restriction: 3

(Contd. on page 9)

⁻ EU -

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 25.04.2025

Version-No. 7.0 (replaces version 6.0)

Revision: 24.04.2025

(Contd. of page 8)

Trade name / Article-No: KLEIBERIT 535.0 A

· Regulation (EU) No 649/2012

None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

- Annex II REPORTABLE EXPLOSIVES PRECURSORS
- None of the ingredients is listed.
- Regulation (EC) No 273/2004 on drug precursors
- None of the ingredients is listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- D: Waterhazard class Water hazard class 2 (Self-assessment): hazardous for water.
- · Other regulations, limitations and prohibitive regulations: For professional users only.
- · VOC 2010/75/EU [g/L]: <1.0 g/l
- · VOC 2010/75/EU [%]: 0.50 %

· 15.2. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H351 Suspected of causing cancer.

H412 Harmful to aquatic life with long lasting effects.

· Department issuing SDS: Safety & Environment

· Version number of previous version: 6.0

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time

Version-No. 7.0 (replaces version 6.0)

Revision: 24.04.2025

Trade name / Article-No: KLEIBERIT 535.0 A

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Carc. 2: Carcinogenicity – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

Printing date 25.04.2025

(Contd. of page 9)

EU ·



Page 1/13

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 19.01.2024

Version-No. 4 (replaces version 3)

Revision: 19.01.2024

| SECTION 1: Identification of the substance/mixture and of the company/undertaking |
|---|
| 1.1. Product identifier |
| · Trade name / Article-No: KLEIBERIT 535.0 B |
| Component: B UFI: A77F-60U5-1006-7E9P 1.2. Relevant identified uses of the substance / mixture or uses advised against For professional users only. Application of the substance / the mixture Adhesives |
| • 1.3. Details of the supplier of the safety data sheet • Manufacturer/Supplier: KLEIBERIT SE & Co. KG Max-Becker-Str. 4 76356 Weingarten Germany |
| • Further information obtainable from: phone: +49 (0) 7244 62-0 FAX: +49 (0) 7244 700-0 E-Mail: hse@kleiberit.com |
| 1.4. Emergency telephone number: +44 1235 239670 European regional number (European languages) 112 Emergency telephone number for Malta 543 22 22 Icelandic University Hospital |
| SECTION 2: Hazards identification |
| · 2.1. Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 - GHS/CLP |
| Acute Tox. 4 H332 Harmful if inhaled. |
| Skin Irrit. 2 H315 Causes skin irritation. |
| Eye Irrit. 2 H319 Causes serious eye irritation. |
| Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| Skin Sens. 1 H317 May cause an allergic skin reaction. |
| Carc. 2 H351 Suspected of causing cancer. |
| STOT SE 3 H335 May cause respiratory irritation. |
| STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure. Route of exposure: Inhalation. |
| · 2.2. Label elements · Hazard pictograms |
| |
| GHS07 GHS08 |
| · Signal word Danger |
| · Hazard-determining components of labelling: |
| diphenylmethane-diisocyanate, isomers and homologous |
| diphenylmethane-4,4'-diisocyanate (Contd. on page 2) |



Page 2/13

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 19.01.2024

Version-No. 4 (replaces version 3)

Revision: 19.01.2024

| I I a a a 4 | (Contd. of page 1 |
|--|---|
| Hazard statements | |
| H332 Harmful if inhaled | |
| H315 Causes skin irritat | |
| H319 Causes serious ey | |
| | or asthma symptoms or breathing difficulties if inhaled. |
| H317 May cause an alle | |
| H351 Suspected of cause | |
| H335 May cause respira | |
| | ge to organs through prolonged or repeated exposure. <u>Route of exposure:</u> Inhalation. |
| Precautionary stateme | |
| | ot breathe mist/vapours/spray. |
| P280 Wea | r protective gloves / eye protection. |
| | N SKIN: Wash with plenty of water and soap. |
| P304+P340 IF IN | HALED: Remove person to fresh air and keep comfortable for breathing. |
| | EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if |
| | ent and easy to do. Continue rinsing. |
| | nedical advice/attention if you feel unwell. |
| Additional information | |
| | lay produce an allergic reaction. |
| | adequate training is required before industrial or professional use. |
| Information concernin | g particular hazards for human and environment: |
| contact, including derma - This product should no unless a protective mas according to standard E | a asthma, eczema or skin problems should avoid al contact, with this product. It be used under conditions of poor ventilation k with an appropriate gas filter (i.e. type A1 N 14387) is used. |
| Persons suffering from contact, including derma This product should no unless a protective mas according to standard E 2.3. Other hazards Results of PBT and vP PBT: Not applicable. | al contact, with this product. It be used under conditions of poor ventilation k with an appropriate gas filter (i.e. type A1 N 14387) is used. |
| Persons suffering from contact, including derma This product should no unless a protective mas according to standard E 2.3. Other hazards Results of PBT and vP | al contact, with this product. It be used under conditions of poor ventilation k with an appropriate gas filter (i.e. type A1 N 14387) is used. |
| Persons suffering from contact, including derma This product should no unless a protective mas according to standard E 2.3. Other hazards Results of PBT and vP PBT: Not applicable. vPvB: Not applicable. | al contact, with this product. to be used under conditions of poor ventilation k with an appropriate gas filter (i.e. type A1 N 14387) is used. PvB assessment |
| Persons suffering from contact, including derma This product should no unless a protective mas according to standard E 2.3. Other hazards Results of PBT and vP PBT: Not applicable. vPvB: Not applicable. SECTION 3: Comp | al contact, with this product. It be used under conditions of poor ventilation k with an appropriate gas filter (i.e. type A1 N 14387) is used. |
| Persons suffering from contact, including derma This product should no unless a protective mas according to standard E 2.3. Other hazards Results of PBT and vP PBT: Not applicable. vPvB: Not applicable. SECTION 3: Comp 3.2 Mixtures | al contact, with this product. t be used under conditions of poor ventilation k with an appropriate gas filter (i.e. type A1 N 14387) is used. PvB assessment |
| Persons suffering from contact, including derma This product should no unless a protective mas according to standard E 2.3. Other hazards Results of PBT and vP PBT: Not applicable. vPvB: Not applicable. SECTION 3: Comp 3.2 Mixtures | al contact, with this product. by be used under conditions of poor ventilation k with an appropriate gas filter (i.e. type A1 N 14387) is used. PvB assessment osition/information on ingredients substances listed below with nonhazardous additions. |
| Persons suffering from contact, including derma This product should no unless a protective masi according to standard E 2.3. Other hazards Results of PBT and vP PBT: Not applicable. vPvB: Not applicable. SECTION 3: Comp 3.2 Mixtures Description: Mixture of | al contact, with this product. by be used under conditions of poor ventilation k with an appropriate gas filter (i.e. type A1 N 14387) is used. PvB assessment osition/information on ingredients substances listed below with nonhazardous additions. |
| Persons suffering from contact, including derma This product should no unless a protective mas according to standard E 2.3. Other hazards Results of PBT and vP PBT: Not applicable. vPvB: Not applicable. SECTION 3: Component 3.2 Mixtures Description: Mixture of Dangerous component | al contact, with this product. to be used under conditions of poor ventilation k with an appropriate gas filter (i.e. type A1 N 14387) is used. tvB assessment osition/information on ingredients substances listed below with nonhazardous additions. ts: Identification / Classification GHS-CLP diphenylmethane-diisocyanate, isomers and homologous Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 ATE: LC ₅₀ /4 h inhalative: 11 mg/l Specific concentration limits: Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 % |
| Persons suffering from contact, including derma This product should no unless a protective mas according to standard E 2.3. Other hazards Results of PBT and vP PBT: Not applicable. vPvB: Not applicable. SECTION 3: Comp 3.2 Mixtures Description: Mixture of Dangerous componen Registry-No's | al contact, with this product. to be used under conditions of poor ventilation k with an appropriate gas filter (i.e. type A1 N 14387) is used. TVB assessment osition/information on ingredients substances listed below with nonhazardous additions. ts: Identification / Classification GHS-CLP diphenylmethane-diisocyanate, isomers and homologous Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 ATE: LC ₅₀ /4 h inhalative: 11 mg/l Specific concentration limits: Skin Irrit. 2; H315: C \geq 5 % Eye Irrit. 2; H319: C \geq 5 % Resp. Sens. 1; H334: C \geq 0.1 % |
| Persons suffering from contact, including derma This product should no unless a protective mas according to standard E 2.3. Other hazards Results of PBT and vP PBT: Not applicable. vPvB: Not applicable. SECTION 3: Comp 3.2 Mixtures Description: Mixture of Dangerous componen Registry-No's | al contact, with this product. to be used under conditions of poor ventilation k with an appropriate gas filter (i.e. type A1 N 14387) is used. tvB assessment osition/information on ingredients substances listed below with nonhazardous additions. ts: Identification / Classification GHS-CLP diphenylmethane-diisocyanate, isomers and homologous Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 ATE: LC ₅₀ /4 h inhalative: 11 mg/l Specific concentration limits: Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 % |





Page 3/13

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 19.01.2024

Version-No. 4 (replaces version 3)

Revision: 19.01.2024

Trade name / Article-No: KLEIBERIT 535.0 B

| | (Cor | td. of page 2) |
|--|---|----------------|
| CAS: 101-68-8 Reg.nr.: 01-2119457014-47-XXXX | diphenylmethane-4,4'-diisocyanate Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 ATE: LC_{50} /4 h inhalative: 11 mg/l Specific concentration limits: Skin Irrit. 2; H315: C \geq 5 % Eye Irrit. 2; H319: C \geq 5 % Resp. Sens. 1; H334: C \geq 0.1 % STOT SE 3; H335: C \geq 5 % | 20-30% |
| | Prepolymer consisting of (p) MDI and polyether polyol Resp. Sens. 1, H334; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 ATE: LC_{50} /4 h inhalative: 11 mg/l | 20-30% |
| CAS: 5873-54-1 Reg.nr.: 01-2119480143-45-XXXX | diphenylmethane-2,4'-diisocyanate Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 ATE: LC_{50} /4 h inhalative: 11 mg/l Specific concentration limits: Skin Irrit. 2; H315: C \geq 5 % Eye Irrit. 2; H319: C \geq 5 % Resp. Sens. 1; H334: C \geq 0.1 % STOT SE 3; H335: C \geq 5 % | ≥5-<10% |
| CAS: 2536-05-2 | 2,2'-methylenediphenyl diisocyanate Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 ATE: LC_{50} /4 h inhalative: 11 mg/l Specific concentration limits: Skin Irrit. 2; H315: C \geq 5 % Eye Irrit. 2; H319: C \geq 5 % Resp. Sens. 1; H334: C \geq 0.1 % STOT SE 3; H335: C \geq 5 % | ≥0.1-<1% |
| • Additional information: For the w | ording of the listed bazard phrases refer to section 16 | |

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1. Description of first aid measures

General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

• After skin contact:

Treat affected skin with cotton wool or cellulose. Then wash and rinse thoroughly with water and a mild cleaning agent.

Immediately wash with water and soap and rinse thoroughly.



Page 4/13

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 19.01.2024

Version-No. 4 (replaces version 3)

Revision: 19.01.2024

Trade name / Article-No: KLEIBERIT 535.0 B

(Contd. of page 3)

- If skin irritation continues, consult a doctor.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Call for a doctor immediately.
- 4.2. Most important symptoms and effects, both acute and delayed Asthma attacks

Allergic reactions

- 4.3. Indication of any immediate medical attention and special treatment needed No further relevant information available.
- No further relevant information available.

SECTION 5: Firefighting measures

[·] 5.1. Extinguishing media

- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2. Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Isocyanates

Nitrogen oxides (NOx) Traces: Hvdrogen cvanide (HCN)

• 5.3. Advice for firefighters

• **Protective equipment:** Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

• 6.1. Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Particular danger of slipping on leaked/spilled product.

Use respiratory protective device against the effects of fumes/dust/aerosol.

· 6.2. Environmental precautions: No special measures required.

• 6.3. Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Take up mechanically; cover residues with wet, liquidbinding material (saw dust, universal binder - diatomite, sand). Take up after 1 hour in receptacles, don't close tight (development of CO2 !). Be aware that sufficient moisture is present and keep outdoors for several days.

- 6.4. Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handle the substance preferably in closed system

Enclosure or extractor facilities are required.

Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the vapour concentration below the workplace limit, wear an adequate respiratory protective device.

Not less than 3-5 air exchanges per hour



Page 5/13

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 19.01.2024

Version-No. 4 (replaces version 3)

Revision: 19.01.2024

(Contd. of page 4)

Trade name / Article-No: KLEIBERIT 535.0 B

Appropriate regular employee training.

Skin contact and inhalation of aerosols/vapours of the preparation should be avoided.

Spraying: in vented cabin with laminar air flow

Wear protective gloves/protective clothing/eye protection/face protection.

Use only in well ventilated areas.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities. Avoid contact with skin and eyes.

It is advised against using the product if there is a sensitivity of the airways or skin (asthma, chronic bronchitis, chronic skin disease)

additional to professional application with multiple and/or significant contact limit the exposure to 4 hours

General protective and hygienic measures: Immediately remove all soiled and contaminated clothing

· 7.2. Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Keep container tightly closed.

· Information about storage in one common storage facility: Observe the national regulations.

• Further information about storage conditions: Protect from humidity and water.

• 7.3. Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1. Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

· DNELs

9016-87-9 diphenylmethane-diisocyanate, isomers and homologous

Dermal DNEL short term 50 mg/kg (human being)

DNEL long term 0.05 mg/kg (human being)

Inhalative DNEL short term 0.1 mg/m3 (human being)

101-68-8 diphenylmethane-4,4'-diisocyanate

Dermal DNEL short term 50 mg/kg (human being)

Inhalative DNEL short term 0.1 mg/m3 (human being)

DNEL long term 0.05 mg/m3 (human being)

5873-54-1 diphenylmethane-2,4'-diisocyanate

Dermal DNEL short term 50 mg/kg (human being) Inhalative DNEL short term 0.1 mg/m3 (human being) DNEL long term 0.05 mg/m3 (human being)

2536-05-2 2,2'-methylenediphenyl diisocyanate

Dermal DNEL short term 50 mg/kg (human being) Inhalative DNEL short term 0.1 mg/m3 (human being) DNEL long term 0.05 mg/m3 (human being)

(Contd. on page 6)



Page 6/13

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 19.01.2024

Version-No. 4 (replaces version 3)

Revision: 19.01.2024

(Contd. of page 5)

| PNECs | | (Conta. of pag |
|--|--|----------------|
| 9016-87-9 diphenylmethane-c | liisocyanate, isomers and homologous | |
| PNEC- Freshwater | >1 mg/l (not specified) | |
| PNEC-seawater | >0.1 mg/l (not specified) | |
| PNEC-soil | >1 mg/kg (not specified) | |
| PNEC-wastewater treatment pla | ant >1 mg/l (not specified) | |
| 101-68-8 diphenylmethane-4,4 | 4'-diisocvanate | |
| PNEC- Freshwater | 1 mg/l (not specified) | |
| PNEC-seawater | 0.1 mg/l (not specified) | |
| PNEC-periodic release | 10 mg/l (not specified) | |
| PNEC-Freshwater sediment | 1 mg/kg (not specified) | |
| PNEC-soil | 1 mg/kg (not specified) | |
| PNEC-wastewater treatment pla | | |
| 5873-54-1 diphenylmethane-2 | 2.4'-diisocvanate | |
| PNEC- Freshwater | 1 mg/l (not specified) | |
| PNEC-seawater | 0.1 mg/l (not specified) | |
| PNEC-soil | 1 mg/kg (not specified) | |
| PNEC-wastewater treatment pla | | |
| 2536-05-2 2,2'-methylenediph | envl diisocvanate | |
| PNEC- Freshwater | >1 mg/l (not specified) | |
| PNEC-seawater | >0.1 mg/l (not specified) | |
| PNEC-soil | >1 mg/kg (not specified) | |
| PNEC-wastewater treatment pla | o o (i) | |
| CAS No. Designation of ma | | |
| - | | |
| | liisocyanate, isomers and homologous | |
| AGW (Germany) Long-term val | lue: 0.05 E mg/m³ , H, Sah, Y, 12 | |
| | | |
| 101-68-8 diphenylmethane-4,4 | • | |
| AGW (Germany) Long-term val 1;=2=(I);DFG, | lue: 0.05 E mg/m³ , 11, 12, H, Sah, Y | |
| 5873-54-1 diphenylmethane-2 | ,4'-diisocyanate | |
| AGW (Germany) Long-term val | | |
| 1;=2=(I);AGS, | , 11, 12 | |
| 2536-05-2 2,2'-methylenediph | enyl diisocyanate | |
| AGW (Germany) Long-term val | | |
| 1;=2=(I);AGS, Additional information: May c | contain traces of phenyl isocyanates. | |
| 8.2. Exposure controls | | |
| limit the exposure to: | | |
| | | (Contd. on pa |



Page 7/13

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 19.01.2024

Version-No. 4 (replaces version 3)

Revision: 19.01.2024

| | | (Contd. of page 6) | |
|---|---|--------------------|--|
| 8 hours additional to professional application with multiple and/or significant contact | | | |
| limit the exposure to 4 hours | | | |
| • Appropriate engineering controls No further data; see section 7. | | | |
| Individual protection measures, such as personal protective equipment | | | |
| • • | • General protective and hygienic measures: Do not inhale gases / fumes / aerosols. | | |
| · Respiratory protection: | | | |
| Use suitable respiratory protective device in case of insufficient ventilation: | | | |
| Filter A/P2 | | | |
| At spray application respiratory protection must be we | orn. | | |
| Hand protection Protective gloves | | | |
| • Material of gloves <u>A</u> Nitrile rubber - NBR: AlphaTec | ® (> 0,4 mm) | | |
| Eye/face protection Safety glasses Body protection: Protective work clothing | | | |
| Body protection. Protective work clothing | | | |
| | | | |
| SECTION 9: Physical and chemical prope | erties | | |
| • 9.1. Information on basic physical and chemical p | properties | | |
| General Information | | | |
| Physical state | Fluid | | |
| · Colour: | Brown | | |
| Odour: Weak, characteristic | | | |
| | Odour threshold: Not determined. | | |
| ••• | • Melting point/freezing point: Undetermined. | | |
| Boiling point or initial boiling point and boiling range | 208 °C | | |
| | range 208 °C | | |
| · Lower and upper explosion limit | • Flammability Not applicable. | | |
| · Lower: | | | |
| · Upper: | Not determined. | | |
| Flash point: | | | |
| · Auto-ignition temperature: 400 °C | | | |
| • Decomposition temperature: Not determined. | | | |
| • pH Not determined. | | | |
| · Viscosity: | | | |
| · Kinematic viscosity Not determined. | | | |
| Dynamic at 20 °C: ca. 8.000 mPas | | | |
| Solubility | | | |
| • water: Not miscible or difficult to mix. | | | |
| · Partition coefficient n-octanol/water (log value) Not determined. | | | |
| | · Vapour pressure: Not determined. | | |
| · Density at 20 °C: | · Density and/or relative density | | |
| · Relative density | | | |
| · Vapour density Not determined. | | | |
| | · · · · · · · · · · · · · · · · · · · | | |
| • 9.2. Other information | | | |
| · Appearance: · Form: | Pasty | | |
| i viili. | i asty | (Contd. on page 8) | |
| | | EII | |



Page 8/13

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 19.01.2024

Version-No. 4 (replaces version 3)

Revision: 19.01.2024

Trade name / Article-No: KLEIBERIT 535.0 B

| | (Contd. of page |
|--|---|
| Important information on protection of health and | |
| environment, and on safety. | |
| Ignition temperature: | Product is not selfigniting. |
| Explosive properties: | Product does not present an explosion hazard. |
| Change in condition | |
| Evaporation rate | Not determined. |
| Information with regard to physical hazard classe | es |
| Explosives | Void |
| Flammable gases | Void |
| Aerosols | Void |
| Oxidising gases | Void |
| Gases under pressure | Void |
| Flammable liquids | Void |
| Flammable solids | Void |
| Self-reactive substances and mixtures | Void |
| Pyrophoric liquids | Void |
| Pyrophoric solids | Void |
| Self-heating substances and mixtures | Void |
| Substances and mixtures, which emit flammable | |
| gases in contact with water | Void |
| Oxidising liquids | Void |
| Oxidising solids | Void |
| Organic peroxides | Void |
| Corrosive to metals | Void |
| Desensitised explosives | Void |
| SECTION 10: Stability and reactivity | |
| 10.1. Reactivity | |
| see item 10.3 | |
| No further relevant information available. | |
| 10.2. Chemical stability Stable when stored and use | ed properly. |
| | d: No decomposition if used according to specifications. |
| 10.3. Possibility of hazardous reactions No dange | |
| 10.4. Conditions to avoid No further relevant inform | |
| 10.5. Incompatible materials: No further relevant in | |

• 10.6. Hazardous decomposition products: Isocyanates

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Harmful if inhaled.

LD/LC₅₀ values relevant for classification:

9016-87-9 diphenylmethane-diisocyanate, isomers and homologous

Oral LD₅₀ >10,000 mg/kg (rat)

Dermal LD_{50} >9,400 mg/kg (rabbit)

Inhalative LC₅₀ /4 h 11 mg/l (ATE)

(Contd. on page 9)



Page 9/13

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 19.01.2024

Version-No. 4 (replaces version 3)

Revision: 19.01.2024

(Contd. of page 8)

Trade name / Article-No: KLEIBERIT 535.0 B

| Oral LD ₅₀ Dermal LD ₅₀ Inhalative LC ₅₀ /4 | nylmethane-4,4'-diisocyanate >2,000 mg/kg (rat) (84/449/EWG, B.1) >9,400 mg/kg (rabbit) (OECD 402) 4 h 11 mg/l (ATE) nsisting of (p) MDI and polyether polyol | |
|---|--|--|
| Oral LD₅₀ Dermal LD₅₀ | >2,000 mg/kg (rat) (Calculation (ATE)) >9,400 mg/kg (rat) (Calculation (ATE)) 4 h 11 mg/l (ATE) | |
| Oral LD₅₀ Dermal LD₅₀ | enylmethane-2,4'-diisocyanate >2,000 mg/kg (rat) (84/449/EWG, B.1) >9,400 mg/kg (rabbit) (OECD 402) 4 h 11 mg/l (ATE) | |
| OralLD50DermalLD50InhalativeLC50 /4Note:Prepolymer constDiphenylmethaneThe test atmosphsubstance is placeresult cannot be ofweight of the eviceSkin corrosion/itSerious eye damRespiratory or stMay cause allergMay cause an allGerm cell mutageSTOT-single expSTOT-repeatedMay cause damaAspiration haza11.2 Information | where generated in the animal study is not repre- aced on the market, and how it can reasonably directly applied for the purpose of assessing h idence, a modified classification for acute inhal /irritation Causes skin irritation. mage/irritation Causes serious eye irritation. skin sensitisation gy or asthma symptoms or breathing difficulties llergic skin reaction. genicity Based on available data, the classific y Suspected of causing cancer. oxicity Based on available data, the classificat (posure May cause respiratory irritation. | esentative of workplace environments, how the be expected to be used. Therefore the test nazard. Based on expert judgment and the ation toxicity is justified. Is if inhaled. Eation criteria are not met. Stion criteria are not met. |
| None of the ingre | edients is listed. | (Contd. on page 1 |

(Contd. on page 10)



Page 10/13

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 19.01.2024

Version-No. 4 (replaces version 3)

Revision: 19.01.2024

| | (Contd. of page 9) |
|--|---------------------|
| | (Conta: of page 3) |
| SECTION 12: Ecological information | |
| · 12.1. Toxicity · Aquatic toxicity: | |
| 9016-87-9 diphenylmethane-diisocyanate, isomers and homologous $LC_{50} > 1,000 \text{ mg} / I / 96h (fish)$ $EC_{50} > 1,000 \text{ mg} / I / 24h (water flea - daphnia)$ $EC_{50} > 1,640 \text{ mg} / I / 72h (algae)$ | |
| 101-68-8 diphenylmethane-4,4'-diisocyanate $LC_{50} > 1,000 mg / I / 96h (fish)EC_{50} > 1,000 mg / I / 24h (water flea - daphnia)IC_{50} > 1,640 mg / I / 72h (algae)$ | |
| Prepolymer consisting of (p) MDI and polyether polyol LC ₅₀ >1,000 mg / I / 96h (fish) EC ₅₀ >1,000 mg / I / 24h (water flea - daphnia) | |
| 5873-54-1 diphenylmethane-2,4'-diisocyanate LC₅₀ >1,000 mg / I / 96h (Zebrafish - Danio rerio) EC₅₀ >1,000 mg / I / 24h (water flea - daphnia) IC₅₀ >1,640 mg / I / 72h (Chlorophyceae - Scenedesmus subspicatus) | |
| 2536-05-2 2,2'-methylenediphenyl diisocyanate LC ₅₀ >1,000 mg / I / 96h (fish) EC ₅₀ >1,000 mg / I / 24h (water flea - daphnia) EC ₅₀ >1,640 mg / I / 72h (Chlorophyceae - Scenedesmus subspicatus) • 12.2. Persistence and degradability No further relevant information available. | |
| 12.3. Bioaccumulative potential No further relevant information available. 12.4. Mobility in soil No further relevant information available. 12.5. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects | |
| Behaviour in sewage processing plants: Remark: At correct sewage disposal in small quantities to biological sewage plants failures of the activa not expected. Additional ecological information: General notes: | ted sludge are |
| Prepolymer consisting of (p) MDI and polyether polyol: Investigation of a comparable product Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water | (Contd. on page 11) |



Page 11/13

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 19.01.2024

Version-No. 4 (replaces version 3)

Revision: 19.01.2024

| SECTION 13: Disposal consideration | ons |
|---|---|
| 13.1. Waste treatment methods Recommendation Must not be disposed together with household European waste catalogue | d garbage. Do not allow product to reach sewage system. |
| 08 05 01* waste isocyanates Uncleaned packaging: Recommendation: | |
| Non contaminated packagings may be recycle | ed. Disposal must be made according to official regulations. |
| SECTION 14: Transport information | n |
| 14.1. UN number or ID number | |
| ADR, IMDG, IATA | Void |
| 14.2. UN proper shipping name | |
| DOT, ADR, IMDG, IATA | Void |
| · 14.3. Transport hazard class(es) · Class | Void |
| 14.4. Packing group | Volu |
| ADR, IMDG, IATA | Void |
| 14.5. Environmental hazards: | Not applicable. |
| 14.6. Special precautions for user | Not applicable. |
| 14.7. Maritime transport in bulk according | |
| instruments | Not applicable. |
| SECTION 15: Regulatory information | on |
| <u> </u> | ulations/legislation specific for the substance or mixture |
| Directive 2012/18/EU - Seveso-III: Named dangerous substances - ANNEX I Regulation (EC) No 1907/2006 - REACH, Al Regulation (EU) No 649/2012 | None of the ingredients is included. NNEX XVII Conditions of restriction: 3, 56, 74 |
| None of the ingredients is listed. DIRECTIVE 2011/65/EU on the restriction of electronic equipment – Annex II | of the use of certain hazardous substances in electrical an |
| None of the ingredients is listed. REGULATION (EU) 2019/1148 Annex I - RESTRICTED EXPLOSIVES PRED under Article 5(3)) | CURSORS (Upper limit value for the purpose of licensing |
| | |
| None of the ingredients is listed. Annex II - REPORTABLE EXPLOSIVES PR | ECURSORS |



Page 12/13

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 19.01.2024

Version-No. 4 (replaces version 3)

Revision: 19.01.2024

(Contd. of page 11)

Trade name / Article-No: KLEIBERIT 535.0 B

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

Information about limitation of use: ¤ For professional users only.

· D: Waterhazard class Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Other regulations, limitations and prohibitive regulations: For professional users only.

· VOC - 2010/75/EU [g/L]: <0.5 g/l

· VOC - 2010/75/EU [%]: <0.50 %

· 15.2. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.

EUH204 Contains isocyanates. May produce an allergic reaction.

- · Department issuing SDS: Safety & Environment
- · Version number of previous version: 3

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation
- IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent

- LC50: Lethal concentration, 50 p LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

- ATE: Acute toxicity estimate values
- Acute Tox. 4: Acute toxicity Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1



Page 13/13

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 19.01.2024

Version-No. 4 (replaces version 3)

Revision: 19.01.2024

(Contd. of page 12)

Trade name / Article-No: KLEIBERIT 535.0 B

Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

- EU -