

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from
time to time

Printing date 20.10.2023


Version-No. 12 (replaces version 11)

Revision: 19.10.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1. Product identifier**
- Trade name / Article-No: **KLEIBERIT 566**
- **Article number:** 566.0 = grey; .4 = black; .5 = white
- **UFI:** AFDU-50PF-U00Q-TET5
- **1.2. Relevant identified uses of the substance / mixture or uses advised against**
For professional users only.
- **Application of the substance / the mixture** Adhesives
- **1.3. Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
KLEIBERIT SE & Co. KG
Max-Becker-Str. 4
76356 Weingarten
Germany
- **Further information obtainable from:**
phone: +49 (0) 7244 62-0
FAX: +49 (0) 7244 700-0
E-Mail: hse@kleiberit.com
- **1.4. Emergency telephone number:**
+44 1235 239670 European regional number (European languages)
112 Emergency telephone number for Malta
543 22 22 Icelandic University Hospital

SECTION 2: Hazards identification

- **2.1. Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008 - GHS/CLP**
Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin Sens. 1 H317 May cause an allergic skin reaction.
- **2.2. Label elements**
- **Hazard pictograms**

GHS08
- **Signal word** Danger
- **Hazard-determining components of labelling:**
diphenylmethane-4,4'-diisocyanate
reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate
- **Hazard statements**
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317 May cause an allergic skin reaction.
- **Precautionary statements**
P260 Do not breathe vapours.
P280 Wear protective gloves / eye protection.
P302+P352 IF ON SKIN: Wash with plenty of water and soap.

(Contd. on page 2)

EU

Safety data sheet
according to Regulation (EC) No. 1907/2006 as amended from
time to time

Printing date 20.10.2023

Version-No. 12 (replaces version 11)

Revision: 19.10.2023

Trade name / Article-No: KLEIBERIT 566

(Contd. of page 1)

P304+P312 IF INHALED: Call a doctor if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Additional information:

Contains isocyanates. May produce an allergic reaction.

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Information concerning particular hazards for human and environment:

- Persons already sensitised to diisocyanates may develop allergic reactions when using this product.

- Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.

- This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

2.3. Other hazards**Results of PBT and vPvB assessment**• **PBT:** Not applicable.• **vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****3.2 Mixtures**• **Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

Registry-No's	Identification / Classification GHS-CLP	%
CAS: 9002-86-2	polyvinylchloride, homopolymer substance with a Community workplace exposure limit	20-50%
	reaction mass of ethylbenzene and xylene Flam. Liq. 3, H226; STOT RE 2, H373; Asp. Tox. 1, H304; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	3-8%
CAS: 1305-78-8 Reg.nr.: 01-211947-5325-36-XXXX	calcium oxide Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	<5%
Reg.nr.: 01-2119456620-43-0000	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, aromatics Asp. Tox. 1, H304, EUH066	0.5-2%
CAS: 1308-38-9	chromium(III) oxide substance with a Community workplace exposure limit	<2%
CAS: 101-68-8 Reg.nr.: 01-2119457014-47-XXXX	diphenylmethane-4,4'-diisocyanate Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 ATE: LC ₅₀ /4 h inhalative: 11 mg/l Specific concentration limits: Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 % Resp. Sens. 1; H334: C ≥ 0.1 % STOT SE 3; H335: C ≥ 5 %	0.1<1%
CAS: 1065336-91-5 Reg.nr.: 01-2119491304-40-xxxx	reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate Repr. 2, H361f; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1A, H317	<0.15%

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from time to time

Printing date 20.10.2023

Version-No. 12 (replaces version 11)

Revision: 19.10.2023

Trade name / Article-No: KLEIBERIT 566*(Contd. of page 2)*

CAS: 13463-67-7

titanium dioxide [$> 10 \mu\text{m}$]

<3%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures**· **4.1. Description of first aid measures**· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

· **After skin contact:**

Treat affected skin with cotton wool or cellulose. Then wash and rinse thoroughly with water and a mild cleaning agent.

If skin irritation continues, consult a doctor.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** Call for a doctor immediately.· **4.2. Most important symptoms and effects, both acute and delayed**

Asthma attacks

Allergic reactions

· **4.3. Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures· **5.1. Extinguishing media**· **Suitable extinguishing agents:**CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.· **5.2. Special hazards arising from the substance or mixture**

In case of fire, the following can be released:

Isocyanates

Nitrogen oxides (NO_x)

Traces: Hydrogen cyanide (HCN)

· **5.3. Advice for firefighters**· **Protective equipment:** Wear self-contained respiratory protective device.**SECTION 6: Accidental release measures**· **6.1. Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Particular danger of slipping on leaked/spilled product.

Use respiratory protective device against the effects of fumes/dust/aerosol.

· **6.2. Environmental precautions:** No special measures required.· **6.3. Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Take up mechanically; cover residues with wet, liquidbinding material (saw dust, universal binder - diatomite, sand). Take up after 1 hour in receptacles, don't close tight (development of CO₂ !). Be aware that sufficient moisture is present and keep outdoors for several days.· **6.4. Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from time to time

Printing date 20.10.2023

Version-No. 12 (replaces version 11)

Revision: 19.10.2023

Trade name / Article-No: **KLEIBERIT 566**

(Contd. of page 3)

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handle the substance preferably in closed system

Enclosure or extractor facilities are required.

Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the vapour concentration below the workplace limit, wear an adequate respiratory protective device.

Not less than 3-5 air exchanges per hour

Appropriate regular employee training.

Skin contact and inhalation of aerosols/vapours of the preparation should be avoided.

Spraying: in vented cabin with laminar air flow

Wear protective gloves/protective clothing/eye protection/face protection.

Use only in well ventilated areas.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Avoid contact with skin and eyes.

It is advised against using the product if there is a sensitivity of the airways or skin (asthma, chronic bronchitis, chronic skin disease)

additional to professional application with multiple and/or significant contact

limit the exposure to 4 hours

- **General protective and hygienic measures:** Immediately remove all soiled and contaminated clothing

- **7.2. Conditions for safe storage, including any incompatibilities**

- **Storage:**

· **Requirements to be met by storerooms and receptacles:** Keep container tightly closed.

- **Information about storage in one common storage facility:** Observe the national regulations.

- **Further information about storage conditions:** Protect from humidity and water.

- **7.3. Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1. Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

- **DNELs**

reaction mass of ethylbenzene and xylene

Dermal DNEL 212 mg/kg (human being)

Inhalative DNEL 221 mg/m³ (human being)

13463-67-7 titanium dioxide [$> 10 \mu\text{m}$]

Inhalative DNEL long term 10 mg/m³ (human being)

101-68-8 diphenylmethane-4,4'-diisocyanate

Dermal DNEL short term 50 mg/kg (human being)

Inhalative DNEL short term 0.1 mg/m³ (human being)

DNEL long term 0.05 mg/m³ (human being)

1065336-91-5 reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

Dermal DNEL long term 2.5 mg/kg (human being)

Inhalative DNEL short term 2.35 mg/m³ (human being)

DNEL long term 2.35 mg/m³ (human being)

(Contd. on page 5)

Safety data sheet
according to Regulation (EC) No. 1907/2006 as amended from
time to time

Printing date 20.10.2023

Version-No. 12 (replaces version 11)

Revision: 19.10.2023

Trade name / Article-No: KLEIBERIT 566

(Contd. of page 4)

· PNECs**reaction mass of ethylbenzene and xylene**

PNEC- Freshwater	0.327 mg/l (not specified)
PNEC-seawater	0.327 mg/l (not specified)
PNEC-Freshwater sediment	12.46 mg/kg (not specified)
PNEC-Seawater sediment	12.46 mg/kg (not specified)
PNEC-soil	2.31 mg/kg (not specified)
PNEC-wastewater treatment plant	6.58 mg/l (not specified)

13463-67-7 titanium dioxide [$> 10 \mu\text{m}$]

PNEC- Freshwater	0.127 mg/l (not specified)
PNEC-seawater	1 mg/l (not specified)
PNEC-Freshwater sediment	1,000 mg/kg (not specified)
PNEC-Seawater sediment	100 mg/kg (not specified)
PNEC-soil	100 mg/kg (not specified)
PNEC-wastewater treatment plant	100 mg/l (not specified)

101-68-8 diphenylmethane-4,4'-diisocyanate

PNEC- Freshwater	1 mg/l (not specified)
PNEC-seawater	0.1 mg/l (not specified)
PNEC-periodic release	10 mg/l (not specified)
PNEC-Freshwater sediment	1 mg/kg (not specified)
PNEC-soil	1 mg/kg (not specified)
PNEC-wastewater treatment plant	1 mg/l (not specified)

1065336-91-5 reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

PNEC-seawater	0.00022 mg/l (not specified)
PNEC-Seawater sediment	0.11 mg/kg (not specified)
PNEC-soil	0.21 mg/kg (not specified)

· Ingredients with biological limit values:**101-68-8 diphenylmethane-4,4'-diisocyanate**

BGW (Germany) 10 $\mu\text{g/g}$ Kreatinin
 Untersuchungsmaterial: Urin
 Probenahmezeitpunkt: Expositionsende bzw. Schichtende
 Parameter: 4,4'-Diaminodiphenylmethan

· CAS No. Designation of material % Type Value Unit**9002-86-2 polyvinylchloride, homopolymer**

AGW (Germany) Long-term value: $1.25 \cdot 10^{**} \text{ mg/m}^3$
 2(II);*alveolengängig**einatembar; AGS, DFG, Y

1308-38-9 chromium(III) oxide

IOELV (INT) Long-term value: 2 mg/m^3
 as Cr
 AGW (Germany) Long-term value: 2 E mg/m^3
 1(I);10, EU

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from
time to time

Printing date 20.10.2023

Version-No. 12 (replaces version 11)

Revision: 19.10.2023

Trade name / Article-No: **KLEIBERIT 566**

(Contd. of page 5)

101-68-8 diphenylmethane-4,4'-diisocyanateAGW (Germany) Long-term value: 0.05 E mg/m³
1;=2=(I);DFG, 11, 12, H, Sah, Y**8.2. Exposure controls**

limit the exposure to:

8 hours

additional to professional application with multiple and/or significant contact

limit the exposure to 4 hours

· **Appropriate engineering controls** No further data; see section 7.· **Individual protection measures, such as personal protective equipment**· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

· **Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation:

Filter ABEK (DIN EN 14 387)

At spray application respiratory protection must be worn.

· **Hand protection** Protective gloves· **Material of gloves** C Polyvinylalkohol - PVA: PVA® (Lamination strength not applicable)· **Eye/face protection** Safety glasses· **Body protection:** Protective work clothing**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties****General Information**· **Physical state**

Fluid

· **Colour:**

Different according to colouring

· **Odour:**

Aromatic

· **Odour threshold:**

Not determined.

· **Melting point/freezing point:**

Undetermined.

· **Boiling point or initial boiling point and boiling range**

137 °C

· **Flammability**

Not applicable.

· **Lower and upper explosion limit**· **Lower:**

0.6 Vol %

0.6 Vol-%

· **Upper:**

7 Vol %

7 Vol-%

· **Flash point:**

>75 °C

· **Auto-ignition temperature:**

>200 °C

>200 °C

· **Decomposition temperature:**

Not determined.

· **pH**

Not determined.

· **Viscosity:**· **Kinematic viscosity**

Not determined.

· **Dynamic:**

Not determined.

· **Solubility**· **water:**

Not miscible or difficult to mix.

· **Partition coefficient n-octanol/water (log value)**

Not determined.

· **Vapour pressure:**

Not determined.

· **Density and/or relative density**· **Density at 20 °C:**ca. 1.16 g/cm³· **Relative density**

Not determined.

· **Vapour density**

Not determined.

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from
time to time

Printing date 20.10.2023

Version-No. 12 (replaces version 11)

Revision: 19.10.2023

Trade name / Article-No: KLEIBERIT **566**

(Contd. of page 6)

· 9.2. Other information

· Appearance:

· Form:

Pasty

· Important information on protection of health and environment, and on safety.

· Ignition temperature:

Product is not selfigniting.

· Explosive properties:

Product does not present an explosion hazard.

· Change in condition

· Evaporation rate

Not determined.

· Information with regard to physical hazard classes

· Explosives

Void

· Flammable gases

Void

· Aerosols

Void

· Oxidising gases

Void

· Gases under pressure

Void

· Flammable liquids

Void

· Flammable solids

Void

· Self-reactive substances and mixtures

Void

· Pyrophoric liquids

Void

· Pyrophoric solids

Void

· Self-heating substances and mixtures

Void

· Substances and mixtures, which emit flammable gases in contact with water

Void

· Oxidising liquids

Void

· Oxidising solids

Void

· Organic peroxides

Void

· Corrosive to metals

Void

· Desensitised explosives

Void

SECTION 10: Stability and reactivity

· 10.1. Reactivity

see item 10.3

No further relevant information available.

· 10.2. Chemical stability

Stable when stored and used properly.

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3. Possibility of hazardous reactions

No dangerous reactions known.

· 10.4. Conditions to avoid

No further relevant information available.

· 10.5. Incompatible materials:

No further relevant information available.

· 10.6. Hazardous decomposition products:

Isocyanates

SECTION 11: Toxicological information

· 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity

Based on available data, the classification criteria are not met.

· LD/LC₅₀ values relevant for classification:

reaction mass of ethylbenzene and xylene

Oral LD₅₀ 3,523 mg/kg (rat)Dermal LD₅₀ >4,200 mg/kg (rabbit)Inhalative LC₅₀ /4 h 29 mg/l (rat)

1305-78-8 calcium oxide

Oral LD₅₀ >2,000 mg/kg (rat) (OECD 425)

(Contd. on page 8)

Safety data sheet
according to Regulation (EC) No. 1907/2006 as amended from
time to time

Printing date 20.10.2023

Version-No. 12 (replaces version 11)

Revision: 19.10.2023

Trade name / Article-No: KLEIBERIT 566*(Contd. of page 7)*

Dermal LDo >2,500 mg/kg (not specified)

13463-67-7 titanium dioxide [$> 10 \mu\text{m}$]Oral LD₅₀ >10,000 mg/kg (rat)Dermal LD₅₀ >10,000 mg/kg (rabbit)**Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics**Oral LD₅₀ >5,000 mg/kg (rat)Dermal LD₅₀ >2,000 mg/kg (rat)**1308-38-9 chromium(III) oxide**Oral LD₅₀ 10,000 mg/kg (rat)**101-68-8 diphenylmethane-4,4'-diisocyanate**Oral LD₅₀ >2,000 mg/kg (rat) (84/449/EWG, B.1)Dermal LD₅₀ >9,400 mg/kg (rabbit) (OECD 402)Inhalative LC₅₀ /4 h 11 mg/l (ATE)**1065336-91-5 reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate**Oral LD₅₀ 3,125 mg/kg (rat)Dermal LD₅₀ 3,170 mg/kg (rat)**Note:**

diphenylmethane-diisocyanate:

The test atmosphere generated in the animal study is not representative of workplace environments, how the substance is placed on the market, and how it can reasonably be expected to be used. Therefore the test result cannot be directly applied for the purpose of assessing hazard. Based on expert judgment and the weight of the evidence, a modified classification for acute inhalation toxicity is justified.

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.

- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.

- **Respiratory or skin sensitisation**

- May cause allergy or asthma symptoms or breathing difficulties if inhaled.

- May cause an allergic skin reaction.

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

- **Carcinogenicity** Based on available data, the classification criteria are not met.

- **Reproductive toxicity** Based on available data, the classification criteria are not met.

- **STOT-single exposure** Based on available data, the classification criteria are not met.

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.

- **Aspiration hazard** Based on available data, the classification criteria are not met.

- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1. Toxicity**

- **Aquatic toxicity:**

reaction mass of ethylbenzene and xyleneLC₅₀ 2.6 mg / l / 96h (Fathead minnow - Pimephales promelas)**1305-78-8 calcium oxide**LC₅₀ 158 mg / l / 96h (water flea - daphnia)EC₅₀ 49.1 mg / l / 48h (water flea - daphnia)*(Contd. on page 9)*

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from
time to time

Printing date 20.10.2023

Version-No. 12 (replaces version 11)

Revision: 19.10.2023

Trade name / Article-No: KLEIBERIT 566*(Contd. of page 8)***101-68-8 diphenylmethane-4,4'-diisocyanate**LC₅₀ >1,000 mg / l / 96h (fish)EC₅₀ >1,000 mg / l / 24h (water flea - daphnia)IC₅₀ >1,640 mg / l / 72h (algae)**1065336-91-5 reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate**LC₅₀ 0.9 mg / l / 96h (Zebrafish - Danio rerio) (OECD 203)

7.9 mg / l / 96h (Fathead minnow - Pimephales promelas) (OECD 203)

0.97 mg / l / 96h (Bluegill - Lepomis macrochirus) (OECD 203)

EC₅₀ 20 mg / l / 24h (water flea - daphnia) (OECD 202)

- **12.2. Persistence and degradability** No further relevant information available.
- **12.3. Bioaccumulative potential** No further relevant information available.
- **12.4. Mobility in soil** No further relevant information available.
- **12.5. Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Behaviour in sewage processing plants:**
- **Remark:**
At correct sewage disposal in small quantities to biological sewage plants failures of the activated sludge are not expected.
- **Additional ecological information:**
- **General notes:** Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

- **13.1. Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **European waste catalogue**
08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances
- **Uncleaned packaging:**
- **Recommendation:**
Non contaminated packagings may be recycled.
Empty contaminated packagings thoroughly. Disposal must be made according to official regulations.

SECTION 14: Transport information

- **14.1. UN number or ID number**
- **ADR, IMDG, IATA** Void
- **14.2. UN proper shipping name**
- **DOT, ADR, IMDG, IATA** Void
- **14.3. Transport hazard class(es)**
- **Class** Void
- **14.4. Packing group**
- **ADR, IMDG, IATA** Void
- **14.5. Environmental hazards:** Not applicable.
- **14.6. Special precautions for user** Not applicable.

(Contd. on page 10)

Safety data sheet
according to Regulation (EC) No. 1907/2006 as amended from
time to time

Printing date 20.10.2023

Version-No. 12 (replaces version 11)

Revision: 19.10.2023

Trade name / Article-No: **KLEIBERIT 566**

(Contd. of page 9)

- **14.7. Maritime transport in bulk according to IMO instruments** Not applicable.

SECTION 15: Regulatory information

- **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**
 See position no 2 - Hazards Identification
- **Directive 2012/18/EU - Seveso-III:**
- **Named dangerous substances - ANNEX I** None of the ingredients is included.
- **Regulation (EC) No 1907/2006 - REACH, ANNEX XVII** Conditions of restriction: 3, 56, 74
- **Regulation (EU) No 649/2012**
 None of the ingredients is listed.
- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**
 None of the ingredients is listed.
- **REGULATION (EU) 2019/1148**
- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**
 None of the ingredients is listed.
- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**
 None of the ingredients is listed.
- **Regulation (EC) No 273/2004 on drug precursors**
 None of the ingredients is listed.
- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**
 None of the ingredients is listed.
- **National regulations:**
- **Information about limitation of use:** ☒ For professional users only.
- **D: Waterhazard class** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Other regulations, limitations and prohibitive regulations:** For professional users only.
- **VOC - 2010/75/EU [g/L]:** <120.0 g/l
- **VOC - 2010/75/EU [%]:** <11.00 %
- **National Regulations (others than Germany or EU)**
- **French Regulation (Decree No. 2011-321):** class A+
- **15.2. Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

(Contd. on page 11)

Safety data sheet
according to Regulation (EC) No. 1907/2006 as amended from
time to time

Printing date 20.10.2023

Version-No. 12 (replaces version 11)

Revision: 19.10.2023

Trade name / Article-No: KLEIBERIT 566*(Contd. of page 10)*

H335 May cause respiratory irritation.
 H351 Suspected of causing cancer.
 H361f Suspected of damaging fertility.
 H373 May cause damage to organs through prolonged or repeated exposure.
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.
 EUH066 Repeated exposure may cause skin dryness or cracking.
 EUH204 Contains isocyanates. May produce an allergic reaction.

- **Department issuing SDS:** Safety & Environment

- **Version number of previous version:** 11

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Carc. 2: Carcinogenicity – Category 2

Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1