



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.08.2022

Version-No. 12 (replaces version 11)

Revision: 11.08.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name / Article-No: **KLEIBERIT 568.0**

UFI: 2GM1-S0MH-300Y-STA2

1.2. Relevant identified uses of the substance / mixture or uses advised against

For professional users only.

Application of the substance / the mixture Adhesives

1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier:

KLEIBERIT SE & Co. KG

Max-Becker-Str. 4

D - 76356 Weingarten / Baden

Germany

Further information obtainable from:

phone: +49 (0) 7244 62-0

FAX: +49 (0) 7244 700-0

E-Mail: hse@kleiberit.com

1.4. Emergency telephone number:

+44 1235 239670 European regional number (European languages)

112 Emergency telephone number for Malta

543 22 22 Icelandic University Hospital

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 - GHS/CLP

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 2 H351 Suspected of causing cancer.

STOT SE 3 H335 May cause respiratory irritation.

STOT RE 2 H373 May cause damage to the respiratory system through prolonged or repeated exposure.
Route of exposure: Inhalation.

2.2. Label elements

Hazard pictograms



GHS07 GHS08

Signal word Danger

Hazard-determining components of labelling:

methylendiphenyl diisocyanate, modified

diphenylmethane-diisocyanate, isomers and homologous

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

(Contd. on page 2)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 11.08.2022

Version-No. 12 (replaces version 11)

Revision: 11.08.2022

Trade name / Article-No: KLEIBERIT 568.0

(Contd. of page 1)

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

H373 May cause damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation.
· Precautionary statements

P260 Do not breathe mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves / eye protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

· Additional information:

Contains isocyanates. May produce an allergic reaction.

As from 24 August 2023 adequate training is required before industrial or professional use.

· Information concerning particular hazards for human and environment:

 - Persons already sensitised to diisocyanates may develop allergic reactions when using this product.

- Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.

- This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

· 2.3. Other hazards
· Results of PBT and vPvB assessment

 · **PBT**: Not applicable.

 · **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients
· 3.2 Mixtures

 · **Description**: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.08.2022

Version-No. 12 (replaces version 11)

Revision: 11.08.2022

Trade name / Article-No: KLEIBERIT **568.0**

(Contd. of page 2)

· **Dangerous components:**

Registry-No's	Identification / Classification GHS-CLP	%
Reg.nr.: 01-2119457015-45-XXXX	reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)phenyl isocyanate Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 % Resp. Sens. 1; H334: C ≥ 0.1 % STOT SE 3; C ≥ 5 %	≥5-<10%
CAS: 25686-28-6 Reg.nr.: 01-2119457013-49-XXXX	methylenediphenyl diisocyanate, modified Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 % Resp. Sens. 1; H334: C ≥ 0.1 % STOT SE 3; C ≥ 5 %	≥5-<10%
CAS: 108-32-7 Reg.nr.: 01-2119537232-48-XXXX	propylene carbonate Eye Irrit. 2, H319	3-5%
CAS: 101-68-8 Reg.nr.: 01-2119457014-47-XXXX	diphenylmethane-4,4'-diisocyanate Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 % Resp. Sens. 1; H334: C ≥ 0.1 % STOT SE 3; C ≥ 5 %	≥1-<5%
CAS: 9016-87-9	diphenylmethane-diisocyanate, isomers and homologous Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 % Resp. Sens. 1; H334: C ≥ 0.1 % STOT SE 3; C ≥ 5 %	≥3-<5%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1. Description of first aid measures**

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

(Contd. on page 4)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.08.2022

Version-No. 12 (replaces version 11)

Revision: 11.08.2022

Trade name / Article-No: KLEIBERIT 568.0*(Contd. of page 3)*

- **After skin contact:**
Treat affected skin with cotton wool or cellulose. Then wash and rinse thoroughly with water and a mild cleaning agent.
If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Call for a doctor immediately.
- **4.2. Most important symptoms and effects, both acute and delayed**
Asthma attacks
Allergic reactions
- **4.3. Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1. Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2. Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Isocyanates
Nitrogen oxides (NO_x)
Traces: Hydrogen cyanide (HCN)
- **5.3. Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- **6.1. Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Particular danger of slipping on leaked/spilled product.
Use respiratory protective device against the effects of fumes/dust/aerosol.
- **6.2. Environmental precautions:** No special measures required.
- **6.3. Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
Take up mechanically; cover residues with wet, liquidbinding material (saw dust, universal binder - diatomite, sand). Take up after 1 hour in receptacles, don't close tight (development of CO₂ !). Be aware that sufficient moisture is present and keep outdoors for several days.
- **6.4. Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1. Precautions for safe handling**
Appropriate regular employee training.
Handle the substance preferably in closed system

(Contd. on page 5)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.08.2022

Version-No. 12 (replaces version 11)

Revision: 11.08.2022

Trade name / Article-No: KLEIBERIT 568.0

(Contd. of page 4)

Enclosure or extractor facilities are required.

Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the vapour concentration below the workplace limit, wear an adequate respiratory protective device.

Not less than 3-5 air exchanges per hour

Contact with skin and inhalation of aerosols/ vapours of the preparation should be avoided.

Spraying: in vented cabin with laminar air flow

Wear protective gloves/protective clothing/eye protection/face protection.

Use only in well ventilated areas.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Avoid contact with skin and eyes.

It is advised against using the product if there is a sensitivity of the airways or skin (asthma, chronic bronchitis, chronic skin disease)

Use at room temperature

additional to professional application with multiple and/or significant contact

limit the exposure to 4 hours

· **General protective and hygienic measures:**

Immediately remove all soiled and contaminated clothing

Avoid contact with the skin.

· **7.2. Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** Keep container tightly closed.

· **Information about storage in one common storage facility:** Observe the national regulations.

· **Further information about storage conditions:** Protect from humidity and water.

· **7.3. Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1. Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

· **DNELs**

reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)phenyl isocyanate

Dermal DNEL short term 28.7 mg/kg (human being)

Inhalative DNEL short term 0.1 mg/m³ (human being)

DNEL long term 0.05 mg/m³ (human being)

25686-28-6 methylenediphenyl diisocyanate, modified

Dermal DNEL short term 28.7 mg/kg (human being)

Inhalative DNEL short term 0.1 mg/m³ (human being)

DNEL long term 0.05 mg/m³ (human being)

108-32-7 propylene carbonate

Dermal DNEL long term 20 mg/kg (human being)

Inhalative DNEL long term 70.5 mg/m³ (human being)

101-68-8 diphenylmethane-4,4'-diisocyanate

Dermal DNEL short term 50 mg/kg (human being)

Inhalative DNEL short term 0.1 mg/m³ (human being)

(Contd. on page 6)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.08.2022

Version-No. 12 (replaces version 11)

Revision: 11.08.2022

Trade name / Article-No: **KLEIBERIT 568.0***(Contd. of page 5)*DNEL long term 0.05 mg/m³ (human being)**9016-87-9 diphenylmethane-diisocyanate, isomers and homologous**

Dermal DNEL short term 50 mg/kg (human being)

DNEL long term 0.05 mg/kg (human being)

Inhalative DNEL short term 0.1 mg/m³ (human being)**PNECs****reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)phenyl isocyanate**

PNEC- Freshwater 1 mg/l (not specified)

PNEC-seawater 0.1 mg/l (not specified)

PNEC-soil 1 mg/kg (not specified)

PNEC-wastewater treatment plant 1 mg/l (not specified)

25686-28-6 methylenediphenyl diisocyanate, modified

PNEC- Freshwater 1 mg/l (not specified)

PNEC-seawater 0.1 mg/l (not specified)

PNEC-soil 1 mg/kg (not specified)

PNEC-wastewater treatment plant 1 mg/l (not specified)

108-32-7 propylene carbonate

PNEC- Freshwater 0.9 mg/l (not specified)

PNEC-seawater 0.09 mg/l (not specified)

PNEC-periodic release 9 mg/l (not specified)

PNEC-soil 0.81 mg/kg (not specified)

PNEC-wastewater treatment plant 7,400 mg/l (not specified)

101-68-8 diphenylmethane-4,4'-diisocyanate

PNEC- Freshwater 1 mg/l (not specified)

PNEC-seawater 0.1 mg/l (not specified)

PNEC-periodic release 10 mg/l (not specified)

PNEC-Freshwater sediment 1 mg/kg (not specified)

PNEC-soil 1 mg/kg (not specified)

PNEC-wastewater treatment plant 1 mg/l (not specified)

9016-87-9 diphenylmethane-diisocyanate, isomers and homologous

PNEC- Freshwater >1 mg/l (not specified)

PNEC-seawater >0.1 mg/l (not specified)

PNEC-soil >1 mg/kg (not specified)

PNEC-wastewater treatment plant >1 mg/l (not specified)

Ingredients with biological limit values:**101-68-8 diphenylmethane-4,4'-diisocyanate**

BGW (Germany) 10 µg/g Kreatinin

Untersuchungsmaterial: Urin

Probennahmezeitpunkt: Expositionsende bzw. Schichtende

Parameter: 4,4'-Diaminodiphenylmethan

(Contd. on page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.08.2022

Version-No. 12 (replaces version 11)

Revision: 11.08.2022

Trade name / Article-No: KLEIBERIT **568.0**

(Contd. of page 6)

- | CAS No. | Designation of material | % | Type | Value | Unit |
|------------------|--|---|------|-------|------|
| 108-32-7 | propylene carbonate | | | | |
| | AGW (Germany) Long-term value: 8.5 mg/m ³ , 2 ppm | | | | |
| | 1(l);DFG, Y, 11 | | | | |
| 101-68-8 | diphenylmethane-4,4'-diisocyanate | | | | |
| | AGW (Germany) Long-term value: 0.05 E mg/m ³ | | | | |
| | 1;=2=(l);DFG, 11, 12, H, Sah, Y | | | | |
| 9016-87-9 | diphenylmethane-diisocyanate, isomers and homologous | | | | |
| | AGW (Germany) Long-term value: 0.05 E mg/m ³ | | | | |
| | 1;=2=(l);DFG, H, Sah, Y, 12 | | | | |
- **8.2. Exposure controls**
limit the exposure to:
8 hours
additional to professional application with multiple and/or significant contact
limit the exposure to 4 hours
 - **Appropriate engineering controls** No further data; see item 7.
 - **Individual protection measures, such as personal protective equipment**
 - **General protective and hygienic measures:** Do not inhale gases / fumes / aerosols.
 - **Respiratory protection:**
Use suitable respiratory protective device in case of insufficient ventilation:
At spray application respiratory protection must be worn.
Filter A/P2 (EN 14387)
 - **Hand protection** Protective gloves
 - **Material of gloves** A Nitrile rubber - NBR: AlphaTec® (> 0,4 mm)
 - **Eye/face protection** Safety glasses
 - **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

- **9.1. Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Fluid
- **Colour:** Beige
- **Odour:** Weak, characteristic
- **Odour threshold:** Not determined.
- **Melting point/freezing point:** Undetermined.
- **Boiling point or initial boiling point and boiling range** Undetermined.
- **Flammability** Not applicable.
- **Lower and upper explosion limit**
- **Lower:** Not determined.
- **Upper:** Not determined.
- **Flash point:** Not applicable.
- **Ignition temperature:** Not applicable.
- **Decomposition temperature:** Not determined.
- **pH** Not determined.

(Contd. on page 8)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.08.2022

Version-No. 12 (replaces version 11)

Revision: 11.08.2022

Trade name / Article-No: KLEIBERIT **568.0***(Contd. of page 7)*

· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic at 20 °C:	ca. 80.000 mPas
· Solubility	
· water:	Not miscible or difficult to mix.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	ca. 1.6 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· 9.2. Other information	
· Appearance:	
· Form:	Pasty
· Important information on protection of health and environment, and on safety.	
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1. Reactivity**
see item 10.3
No further relevant information available.
- **10.2. Chemical stability** Stable when stored and used properly.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3. Possibility of hazardous reactions** No dangerous reactions known.
- **10.4. Conditions to avoid** No further relevant information available.

(Contd. on page 9)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.08.2022

Version-No. 12 (replaces version 11)

Revision: 11.08.2022

Trade name / Article-No: KLEIBERIT **568.0**

(Contd. of page 8)

- **10.5. Incompatible materials:** No further relevant information available.
- **10.6. Hazardous decomposition products:** Isocyanates

SECTION 11: Toxicological information

- **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **LD/LC₅₀ values relevant for classification:**

Inhalative LC₅₀ /4 h >20 mg/l (x00)
berechneter ATE Wert, Dämpfe

reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)phenyl isocyanate

Oral LD₅₀ >10,000 mg/kg (rat)
Dermal LD₅₀ >9,400 mg/kg (rabbit)
Inhalative LC₅₀ /4 h 11 mg/l (ATE)

25686-28-6 methylenediphenyl diisocyanate, modified

Oral LD₅₀ 5,001 mg/kg (rat)
Dermal LD₅₀ 9,401 mg/kg (rabbit)
Inhalative LC₅₀/4h_(dust,mist) 0.49 mg/l (rat)

108-32-7 propylene carbonate

Oral LD₅₀ 33,520 mg/kg (rat)
Dermal LD₅₀ >2,000 mg/kg (rabbit)

101-68-8 diphenylmethane-4,4'-diisocyanate

Oral LD₅₀ >2,000 mg/kg (rat) (84/449/EWG, B.1)
Dermal LD₅₀ >9,400 mg/kg (rabbit) (OECD 402)
Inhalative LC₅₀ /4 h 11 mg/l (x00) (Calculation (ATE))

9016-87-9 diphenylmethane-diisocyanate, isomers and homologous

Oral LD₅₀ >10,000 mg/kg (rat)
Dermal LD₅₀ >9,400 mg/kg (rabbit)
Inhalative LC₅₀ /4 h 11 mg/l (x00) (Calculation (ATE))

- **Note:**

diphenylmethane-diisocyanate:

The test atmosphere generated in the animal study is not representative of workplace environments, how the substance is placed on the market, and how it can reasonably be expected to be used. Therefore the test result cannot be directly applied for the purpose of assessing hazard. Based on expert judgment and the weight of the evidence, a modified classification for acute inhalation toxicity is justified.

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation**
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Suspected of causing cancer.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause respiratory irritation.

(Contd. on page 10)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.08.2022

Version-No. 12 (replaces version 11)

Revision: 11.08.2022

Trade name / Article-No: KLEIBERIT 568.0*(Contd. of page 9)***· STOT-repeated exposure**

May cause damage to the respiratory system through prolonged or repeated exposure. Route of exposure:
Inhalation.

· Aspiration hazard Based on available data, the classification criteria are not met.**· 11.2 Information on other hazards****· Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information**· 12.1. Toxicity****· Aquatic toxicity:****reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)phenyl isocyanate**

EC₅₀ >1,000 mg / l / 96h (fish)

EC₅₀ >1,000 mg / l / 24h (water flea - daphnia)

25686-28-6 methylenediphenyl diisocyanate, modified

LC₅₀ 1,001 mg / l / 96h (fish)

EC₅₀ 1,001 mg / l / 24h (water flea - daphnia)

EC₅₀ 1,641 mg / l / 72h (algae)

108-32-7 propylene carbonate

LC₅₀ >1,000 mg / l / 96h (fish)

EC₅₀ >1,000 mg / l / 48h (water flea - daphnia)

EC₅₀ >900 mg / l / 72h (algae)

101-68-8 diphenylmethane-4,4'-diisocyanate

LC₅₀ >1,000 mg / l / 96h (fish)

EC₅₀ >1,000 mg / l / 24h (water flea - daphnia)

IC₅₀ >1,640 mg / l / 72h (algae)

9016-87-9 diphenylmethane-diisocyanate, isomers and homologous

LC₅₀ >1,000 mg / l / 96h (fish)

EC₅₀ >1,000 mg / l / 24h (water flea - daphnia)

EC₅₀ >1,640 mg / l / 72h (algae)

· 12.2. Persistence and degradability No further relevant information available.**· 12.3. Bioaccumulative potential** No further relevant information available.**· 12.4. Mobility in soil** No further relevant information available.**· 12.5. Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.**· 12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 11)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.08.2022

Version-No. 12 (replaces version 11)

Revision: 11.08.2022

Trade name / Article-No: KLEIBERIT 568.0*(Contd. of page 10)*

- **12.6. Other adverse effects**
- **Behaviour in sewage processing plants:**
- **Remark:**
At correct sewage disposal in small quantities to biological sewage plants failures of the activated sludge are not expected.
- **Additional ecological information:**
- **General notes:** Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

- **13.1. Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **European waste catalogue**
08 05 01* waste isocyanates
- **Uncleaned packaging:**
- **Recommendation:**
Non contaminated packagings may be recycled.
Empty contaminated packagings thoroughly. Disposal must be made according to official regulations.

SECTION 14: Transport information

- **14.1. UN number or ID number**
- **ADR, IMDG, IATA** Void
- **14.2. UN proper shipping name**
- **DOT, ADR, IMDG, IATA** Void
- **14.3. Transport hazard class(es)**
- **Class** Void
- **14.4. Packing group**
- **ADR, IMDG, IATA** Void
- **14.5. Environmental hazards:** Not applicable.
- **14.6. Special precautions for user** Not applicable.
- **14.7. Maritime transport in bulk according to IMO instruments** Not applicable.

SECTION 15: Regulatory information

- **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**
See position no 2 - Hazards Identification
- **EU-Regulations**
25686-28-6 methylenediphenyl diisocyanate, modified: REACH, Annex XVII, No. 56a
101-68-8 diphenylmethane-4,4'-diisocyanate: REACH, Annex XVII, No. 56, 74
9016-87-9 diphenylmethane-diisocyanate, isomers and homologous: REACH, Annex XVII, No. 56
- **Directive 2012/18/EU - Seveso-III:**
- **Named dangerous substances - ANNEX I** None of the ingredients is included.
- **Regulation (EC) No 1907/2006 - REACH, ANNEX XVII** Conditions of restriction: 3

(Contd. on page 12)

**Safety data sheet**
according to 1907/2006/EC, Article 31

Printing date 11.08.2022

Version-No. 12 (replaces version 11)

Revision: 11.08.2022

Trade name / Article-No: KLEIBERIT 568.0*(Contd. of page 11)***· Regulation (EU) No 649/2012**

None of the ingredients is listed.

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148**· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:**· Information about limitation of use: For professional use only****· D: Waterhazard class** Water hazard class 1 (Self-assessment): slightly hazardous for water.**· Other regulations, limitations and prohibitive regulations:** Restricted to professional users.**· VOC - 2010/75/EU [g/L]:** 0.0 g/l**· VOC - 2010/75/EU [%]:** 0.00 %**· National Regulations (others than Germany or EU)****· French Regulation (Decree No. 2011-321):** class A+**· 15.2. Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

EUH204 Contains isocyanates. May produce an allergic reaction.

· Department issuing SDS: Safety & Environment**· Version number of previous version:** 11**· Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 13)

**Safety data sheet**
according to 1907/2006/EC, Article 31

Printing date 11.08.2022

Version-No. 12 (replaces version 11)

Revision: 11.08.2022

Trade name / Article-No: KLEIBERIT 568.0*(Contd. of page 12)*

IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Resp. Sens. 1: Respiratory sensitisation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Carc. 2: Carcinogenicity – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

EU