

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from
time to time

Printing date 20.02.2024

Version-No. 6 (replaces version 5)

Revision: 20.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1. Product identifier**
- Trade name / Article-No: **KLEIBERIT 575.8**
- Component: A
- UFI: T8R1-10YY-K00R-WTXW
- **1.2. Relevant identified uses of the substance / mixture or uses advised against**
For professional users only.
- **Application of the substance / the mixture** Adhesives
- **1.3. Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
KLEIBERIT SE & Co. KG
Max-Becker-Str. 4
76356 Weingarten
Germany
- **Further information obtainable from:**
phone: +49 (0) 7244 62-0
FAX: +49 (0) 7244 700-0
E-Mail: hse@kleiberit.com
- **1.4. Emergency telephone number:**
+44 1235 239670 European regional number (European languages)
112 Emergency telephone number for Malta
543 22 22 Icelandic University Hospital

SECTION 2: Hazards identification

- **2.1. Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008 - GHS/CLP**
Skin Sens. 1 H317 May cause an allergic skin reaction.
Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.
- **2.2. Label elements**
- **Hazard pictograms**
 
GHS07 GHS09
- **Signal word** Warning
- **Hazard-determining components of labelling:**
isophorone diamine
2-n-octyl-4-isothiazolin-3-one
- **Hazard statements**
H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.
- **Precautionary statements**
P273 Avoid release to the environment.
P280 Wear protective gloves.
P314 Get medical advice/attention if you feel unwell.

(Contd. on page 2)

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from
time to time

Printing date 20.02.2024

Version-No. 6 (replaces version 5)

Revision: 20.02.2024

Trade name / Article-No: KLEIBERIT 575.8*(Contd. of page 1)*

- **2.3. Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.
- **Dangerous components:**

Registry-No's	Identification / Classification GHS-CLP	%
CAS: 25322-69-4	polypropylene glycol Acute Tox. 4, H302	10-20%
CAS: 25322-68-3	polyethylene glycol substance with a Community workplace exposure limit	5-10%
CAS: 770-35-4	1-phenoxy-2-propanol Eye Irrit. 2, H319	3-5%
CAS: 68479-98-1 Reg.nr.: 01-2119486805-25-XXXX	diethyltoluenediamine STOT RE 2, H373; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Acute Tox. 4, H312; Eye Irrit. 2, H319	≥2.5-≤3%
CAS: 2855-13-2	isophorone diamine Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Sens. 1A, H317 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.001 %	≥0.1-<0.5%
CAS: 26530-20-1	2-n-octyl-4-isothiazolin-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071, EUH208U Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.025-<0.1%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1. Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Treat affected skin with cotton wool or cellulose. Then wash and rinse thoroughly with water and a mild cleaning agent.
If skin irritation continues, consult a doctor.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)

Safety data sheet
 according to Regulation (EC) No. 1907/2006 as amended from
 time to time

Printing date 20.02.2024

Version-No. 6 (replaces version 5)

Revision: 20.02.2024

Trade name / Article-No: KLEIBERIT 575.8*(Contd. of page 2)*

- **After swallowing:** Call for a doctor immediately.
- **4.2. Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3. Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1. Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2. Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3. Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- **6.1. Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Particular danger of slipping on leaked/spilled product.
- **6.2. Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
- **6.3. Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
- **6.4. Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1. Precautions for safe handling**
Handle the substance preferably in closed system
Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the vapour concentration below the workplace limit, wear an adequate respiratory protective device.
Appropriate regular employee training.
Wear protective gloves/protective clothing/eye protection/face protection.
regular check up, maintenance and cleaning of equipment and machines
have emergency plan in place, to minimize impact
- **General protective and hygienic measures:** Keep good industrial hygiene.
- **7.2. Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Provide floor trough without outlet.
- **Information about storage in one common storage facility:** Observe the national regulations.
- **Further information about storage conditions:** None.
- **7.3. Specific end use(s)** No further relevant information available.

(Contd. on page 4)

Safety data sheet
 according to Regulation (EC) No. 1907/2006 as amended from
 time to time

Printing date 20.02.2024

Version-No. 6 (replaces version 5)

Revision: 20.02.2024

Trade name / Article-No: KLEIBERIT 575.8*(Contd. of page 3)***SECTION 8: Exposure controls/personal protection**· **8.1. Control parameters**· **Ingredients with limit values that require monitoring at the workplace:**· **DNELs****25791-96-2 Glycerol, propoxylated**Dermal DNEL long term 13.9 mg/kg (human being)
systemische WirkungInhalative DNEL long term 98 mg/m³ (human being)
systemische Wirkung**68479-98-1 diethyltoluenediamine**

Dermal DNEL long term 1 mg/kg (human being)

Inhalative DNEL long term 0.13 mg/m³ (human being)· **PNECs****25791-96-2 Glycerol, propoxylated**

PNEC- Freshwater	0.2 mg/l (x00)
PNEC-seawater	0.02 mg/l (x00)
PNEC-Freshwater sediment	0.52 mg/kg (x00)
PNEC-Seawater sediment	0.052 mg/kg (x00)
PNEC-soil	0.0665 mg/kg (x00)
PNEC-wastewater treatment plant	1,000 mg/l (x00)

68479-98-1 diethyltoluenediamine

PNEC- Freshwater	0.0005 mg/l (not specified)
PNEC-seawater	0.00005 mg/l (not specified)
PNEC-Freshwater sediment	0.029 mg/kg (not specified)
PNEC-Seawater sediment	0.0029 mg/kg (not specified)
PNEC-soil	0.0056 mg/kg (not specified)
PNEC-wastewater treatment plant	17 mg/l (not specified)

2855-13-2 isophorone diamine

PNEC- Freshwater	0.06 mg/l (not specified)
PNEC-seawater	0.006 mg/l (not specified)
PNEC-Freshwater sediment	5.784 mg/kg (not specified)
PNEC-Seawater sediment	0.578 mg/kg (not specified)
PNEC-soil	1.121 mg/kg (not specified)
PNEC-wastewater treatment plant	3.18 mg/l (not specified)

(Contd. on page 5)

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from
time to time

Printing date 20.02.2024

Version-No. 6 (replaces version 5)

Revision: 20.02.2024

Trade name / Article-No: **KLEIBERIT 575.8**

(Contd. of page 4)

CAS No.	Designation of material	%	Type	Value	Unit
---------	-------------------------	---	------	-------	------

25322-68-3 polyethylene glycolAGW (Germany) Long-term value: 200 E mg/m³
2(II);DFG, Y**1318-02-1 zeolites**

MAK (Germany) synthetisch, nicht faserförmig, Abschn. IIb

770-35-4 1-phenoxy-2-propanol

MAK (Germany) als Dampf und Aerosol; vgl. Abschn. IIb und Xc

2855-13-2 isophorone diamine

MAK (Germany) als Dampf und Aerosol; vgl. Abschn. IIb

26530-20-1 2-n-octyl-4-isothiazolin-3-oneAGW (Germany) Long-term value: 0.05 E mg/m³
2(I);DFG, H, Y**8.2. Exposure controls**

limit the exposure to:

8 hours

- **Appropriate engineering controls** No further data; see section 7.

- **Individual protection measures, such as personal protective equipment**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

- **Respiratory protection:** Not necessary if room is well-ventilated.

- **Hand protection** Protective gloves

- **Material of gloves** A Nitrile rubber - NBR: AlphaTec® (> 0,4 mm)

- **Eye/face protection** Safety glasses

- **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

- **9.1. Information on basic physical and chemical properties**

- **General Information**

- **Physical state**

Fluid

- **Colour:**

According to product specification

- **Odour:**

Weak, characteristic

- **Odour threshold:**

Not determined.

- **Melting point/freezing point:**

Undetermined.

- **Boiling point or initial boiling point and boiling range**

>100 °C

- **Flammability**

Not applicable.

- **Lower and upper explosion limit**

- **Lower:**

Not determined.

- **Upper:**

Not determined.

- **Flash point:**

>200 °C

- **Auto-ignition temperature:**

Not applicable.

- **Decomposition temperature:**

Not determined.

(Contd. on page 6)

Safety data sheet
 according to Regulation (EC) No. 1907/2006 as amended from
 time to time

Printing date 20.02.2024

Version-No. 6 (replaces version 5)

Revision: 20.02.2024

Trade name / Article-No: KLEIBERIT 575.8*(Contd. of page 5)*

· pH	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic at 20 °C:	ca. 1.200 mPas Brookfield (3 / 20 rpm)
· Solubility	
· water:	Not miscible or difficult to mix.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	ca. 1.1 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· 9.2. Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1. Reactivity**
see item 10.3
No further relevant information available.
- **10.2. Chemical stability** Stable when stored and used properly.

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from
time to time

Printing date 20.02.2024

Version-No. 6 (replaces version 5)

Revision: 20.02.2024

Trade name / Article-No: **KLEIBERIT 575.8**

(Contd. of page 6)

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3. Possibility of hazardous reactions** No dangerous reactions known.
- **10.4. Conditions to avoid** No further relevant information available.
- **10.5. Incompatible materials:** No further relevant information available.
- **10.6. Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **LD/LC₅₀ values relevant for classification:**

8001-79-4 castor oil

Oral LD₅₀ >4,952 mg/kg (rat)

25322-69-4 polypropylene glycol

Oral LD₅₀ 1,000 mg/kg (not specified) (geschätzt / estimated)Dermal LD₅₀ >3,000 mg/kg (rabbit)

25791-96-2 Glycerol, propoxylated

Oral LD₅₀ >2,000 mg/kg (rat)Dermal LD₅₀ >2,000 mg/kg (rabbit)

25322-68-3 polyethylene glycol

Oral LD₅₀ >15,000 mg/kg (rat)Dermal LD₅₀ >20,000 mg/kg (rabbit)
>2,000 mg/kg (rat)

68479-98-1 diethyltoluenediamine

Oral LD₅₀ 738 mg/kg (rat) (OECD- Prüfrichtlinie 401)
OECD Prüfrichtlinie 401Dermal LD₅₀ >2,000 mg/kg (rat) (OECD- Prüfrichtlinie 402)
OECD Prüfrichtlinie 402

2855-13-2 isophorone diamine

Oral LD₅₀ 1,030 mg/kg (rat)Dermal LD₅₀ >3,100 mg/kg (rat)

26530-20-1 2-n-octyl-4-isothiazolin-3-one

Oral LD₅₀ >5,000 mg/kg (x00) (Calculation (ATE))Dermal LD₅₀ >5,000 mg/kg (x00) (Calculation (ATE))Inhalative LC₅₀ /4 h 0.5 mg/l (ATE)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from
time to time

Printing date 20.02.2024

Version-No. 6 (replaces version 5)

Revision: 20.02.2024

Trade name / Article-No: **KLEIBERIT 575.8**

(Contd. of page 7)

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1. Toxicity**
- **Aquatic toxicity:**

25322-69-4 polypropylene glycol

LC₅₀ >100 mg / l / 96h (guppy - Poecilia reticulata)EC₅₀ >100 mg / l / 48h (water flea - daphnia)EC₅₀ >100 mg / l / 72h (algae)

25791-96-2 Glycerol, propoxylated

LC₅₀ >1,000 mg / l / 96h (gold orfw - Leuciscus idus)EC₅₀ >100 mg / l / 48h (water flea - daphnia)

25322-68-3 polyethylene glycol

LC₅₀ >100 mg / l / 96h (fish)LC₅₀ >10,000 mg / l / 48h (water flea - daphnia)EC₅₀ >100 mg / l / 48h (water flea - daphnia)EC₅₀ >100 mg / l / 72h (algae)

68479-98-1 diethyltoluenediamine

LC₅₀ 194 mg / l / 48h (gold orfw - Leuciscus idus)EC₅₀ >0.1-<1 mg / l / 48h (water flea - daphnia)

EC50 (Spezies: Bakterien - pseudomonas putida): > 170 mg/l

Expositionszeit: 16h

Methode: DIN 38412

2855-13-2 isophorone diamine

LC₅₀ 110 mg / l / 96h (fish)EC₅₀ 23 mg / l / 48h (water flea - daphnia)EC₅₀ 44 mg / l / 24h (water flea - daphnia)EC₅₀ 37 mg / l / 72h (algae)

- **12.2. Persistence and degradability** No further relevant information available.

- **12.3. Bioaccumulative potential** No further relevant information available.

- **12.4. Mobility in soil** No further relevant information available.

- **12.5. Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 9)

Safety data sheet
 according to Regulation (EC) No. 1907/2006 as amended from
 time to time

Printing date 20.02.2024

Version-No. 6 (replaces version 5)

Revision: 20.02.2024

Trade name / Article-No: KLEIBERIT 575.8*(Contd. of page 8)*

- **12.7 Other adverse effects**
- **Remark:** Harmful to fish
- **Behaviour in sewage processing plants:**
- **Remark:**
At correct sewage disposal in small quantities to biological sewage plants failures of the activated sludge are not expected.
- **Additional ecological information:**
- **General notes:**
Avoid transfer into the environment.
Toxic for aquatic organisms
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

- **13.1. Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.
Liquid product must not be disposed of with household waste. Do not allow to reach sewers / water or soil.
- **European waste catalogue**
08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances
- **Uncleaned packaging:**
- **Recommendation:**
Non contaminated packagings may be recycled.
Empty contaminated packagings thoroughly. Disposal must be made according to official regulations.

SECTION 14: Transport information

- | | |
|---|---|
| · 14.1. UN number or ID number | |
| · ADR, IMDG, IATA | UN3082 |
| · 14.2. UN proper shipping name | |
| · DOT | Void |
| · ADR | 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (diethyltoluenediamine) |
| · IMDG | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (diethyltoluenediamine), MARINE POLLUTANT |
| · IATA | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (diethyltoluenediamine) |
| · 14.3. Transport hazard class(es) | |
| · Class | 9 Miscellaneous dangerous substances and articles. |
| · Label | 9 |
| · 14.4. Packing group | |
| · ADR, IMDG, IATA | III |
| · 14.5. Environmental hazards: | |
| · Marine pollutant: | Symbol (fish and tree) |
| · Special marking (ADR): | Symbol (fish and tree) |
| · Special marking (IATA): | Symbol (fish and tree) |

(Contd. on page 10)

Safety data sheet
 according to Regulation (EC) No. 1907/2006 as amended from
 time to time

Printing date 20.02.2024

Version-No. 6 (replaces version 5)

Revision: 20.02.2024

Trade name / Article-No: KLEIBERIT 575.8*(Contd. of page 9)*

· 14.6. Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
· Hazard identification number (Kemler code):	90
· EMS Number:	F-A,S-F
· Stowage Category	A
· 14.7. Maritime transport in bulk according to IMO instruments	Not applicable.
<hr/>	
· ADR	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
· Tunnel restriction code	(-)
<hr/>	
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

SECTION 15: Regulatory information

- **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**
 See position no 2 - Hazards Identification
- **Directive 2012/18/EU - Seveso-III:**
- **Named dangerous substances - ANNEX I** None of the ingredients is included.
- **Seveso category E2** Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **Regulation (EC) No 1907/2006 - REACH, ANNEX XVII** Conditions of restriction: 3
- **Regulation (EU) No 649/2012**
- None of the ingredients is listed.
- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**
- None of the ingredients is listed.
- **REGULATION (EU) 2019/1148**
- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**
- None of the ingredients is listed.
- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**
- None of the ingredients is listed.
- **Regulation (EC) No 273/2004 on drug precursors**
- None of the ingredients is listed.

(Contd. on page 11)

EU

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from
time to time

Printing date 20.02.2024

Version-No. 6 (replaces version 5)

Revision: 20.02.2024

Trade name / Article-No: KLEIBERIT 575.8
(Contd. of page 10)

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **National regulations:**

· **D: Waterhazard class** Water hazard class 1 (Self-assessment): slightly hazardous for water.

· **Other regulations, limitations and prohibitive regulations:** For professional users only.

· **VOC - 2010/75/EU [g/L]:** 0.9 g/l

· **VOC - 2010/75/EU [%]:** 0.08 %

· **15.2. Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

EUH208U Contains 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.

· **Department issuing SDS:** Safety & Environment

· **Version number of previous version:** 5

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

(Contd. on page 12)

Safety data sheet
according to Regulation (EC) No. 1907/2006 as amended from
time to time

Printing date 20.02.2024

Version-No. 6 (replaces version 5)

Revision: 20.02.2024

Trade name / Article-No: KLEIBERIT 575.8*(Contd. of page 11)*

Skin Corr. 1: Skin corrosion/irritation – Category 1
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

EU