

Page 1/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2021

Version-No. 5 (replaces version 4)

Revision: 19.05.2021

| SECTION 1: Identification of the substance/mixture and of the company/undertaking         1.1. Product identifier         Trade name / Article-No: KLEIBERIT 578.1         Component: A         UP: UDS1-MOY4-K006-GBHR         1.1. Distance / the substance / mixture or uses advised against         Asplication of the substance / the mixture Adhesives         1.1. Distais of the supplier of the safety data sheet         Manufacturer/Supplier:         KLEECHEMIE         M.G. Becker GmbH & Co. KG         Max-Becker-Str. 4         0 - 76356 Weilingarten / Baden         Germany         Further information obtainable from:         phone: +44 (125 20867)         European regional number (European languages)         +44 (125 20867)         Middle Eastern/African languages)         +44 (125 20 7061         Americas regional number (English, Spanish, Portuguese)         +55 3188 1412         Asia Pacific regional number (English, Spanish, Portuguese)         +55 3185 1412         Asia Pacific regional number (English, Spanish, Portuguese)         +55 1185 1412  |   |               |
|---|---|---------------|
| <ul> <li>Trade name / Article-No: KLEIBERT 578.1</li> <li>Component: A</li> <li>UFI: IUST-IMOV4-K006-GBHR</li> <li>12. Relevant identified uses of the substance / mixture or uses advised against<br/>Restricted to professional users.</li> <li>Application of the subplier of the safety data sheet</li> <li>Manual currer/Supplier:</li> <li>KLEBCHEME</li> <li>M.G. Becker GmbH &amp; Co. KG</li> <li>Max-Becker-Str. 4</li> <li>D. 76356 Weingarten / Baden</li> <li>Germany</li> <li>Further Information obtainable from:<br/>phone: 449 (0) 7244 62-0</li> <li>FAX: +49 (0) 7244 700-0</li> <li>E-Mail: hee@Kielbert.com</li> <li>14. Emergency telephone number:</li> <li>+44 123 239870</li> <li>European regional number (European languages)</li> <li>+44 123 239870</li> <li>European regional number (European languages)</li> <li>+42 123 239571</li> <li>Middle Eastern/African regional number (Middle Eastern/African languages)</li> <li>+1215 2309571</li> <li>Middle Eastern/African regional number (Middle Eastern/African languages)</li> <li>+1215 2309571</li> <li>Middle Eastern/African regional number (Middle Eastern/African languages)</li> <li>+1215 207 0061</li> <li>Americas regional number (English, Spanish, Portuguese)</li> <li>+65 3158 1412</li> <li>Asia Pacific regional number (English, Spanish, Portuguese)</li> <li>+65 14319 Causes serious eye irritation.</li> <li>2.1. Classification according to Regulation (EC) No 1272/2008 - GHS/CLP</li> <li>Eye Irrit. 2 H319 Causes serious eye irritation.</li> <li>2.2. Label elements</li> <li>Hazard statements</li> <li>Hazard statements</li> <li>Hazard statements</li> <li>Hazard statements</li> <li>H319 Causes serious eye irritation.</li> <li>P284 Wash thoroughly after handling, P284 Wash thoroughly after handling,</li></ul>   | SECTION 1: Identification of the substance/mixture and of the company   | y/undertaking |
| <ul> <li>Component: A</li> <li>UFI: UDS1-MUV4-K006-GBHR</li> <li>12. Relevant identified uses of the substance / mixture or uses advised against<br/>Restricted to professional users.</li> <li>Application of the substance / the mixture Adhesives</li> <li>13. Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier:<br/>KLEBCHEMIE</li> <li>M.G. Becker GmbH &amp; Co. KG</li> <li>Max-Becker-Str. 4</li> <li>D. 76356 Weingarten / Baden<br/>Germany</li> <li>Further information obtainable from:<br/>phone: +49 (0) 7244 82-0</li> <li>FAX: +49 (0) 7244 82-0</li> <li>FAX: +49 (0) 7244 82-0</li> <li>European regional number (European languages)</li> <li>+44 1235 239671</li> <li>Widdle Eastern/African languages)</li> <li>+44 1235 239671</li> <li>Widdle Eastern/African languages)</li> <li>+41 215 207 0061</li> <li>Americas regional number (English, Spanish, Portuguese)</li> <li>+65 3158 1412</li> <li>Asia Pacific regional number (English, Bahasa, Malaysia, Hindi, Japanese, Korean, Mandarin, Tagalog)</li> <li>SECTION 2: Hazards identification</li> <li>2.1. Classification according to Regulation (EC) No 1272/2008 - GHS/CLP</li> <li>Eye Irrit. 214319 Causes serious eye irritation.</li> <li>2.2. Label elements</li> <li>Hazard plategmass</li> <li>Ginsof</li> <li>Gussification series regulation (EC) No 1272/2008 - GHS/CLP</li> <li>Eye Irrit. 214319 Causes serious eye irritation.</li> <li>2.2. Label elements</li> <li>Hazard statements</li> <li>Haz</li></ul>  | · 1.1. Product identifier   |               |
| <ul> <li>UPI: UDS1-M0Y4-K006-G8HR</li> <li>12. Relevant identified uses of the substance / mixture or uses advised against<br/>Restricted to professional users.</li> <li>Application of the substance / the mixture Adhesives</li> <li>13. Details of the subplier of the safety data sheet</li> <li>Manufacturer/Supplier:<br/>KLEBCHEMIE</li> <li>M.G. Becker GmbH &amp; Co. KG<br/>Max-Becker Str. 4</li> <li>D. 76356 Weingarten / Baden<br/>Germany</li> <li>Further Information obtainable from:<br/>phone: +49 (0) 7244 62-0<br/>FAX: +49 (0) 7244 700-0<br/>E-Mail: hse@kleiberit.com</li> <li>14. Emergency teleptone number:<br/>+44 1235 239670</li> <li>European regional number (European languages)<br/>+44 1235 239670</li> <li>European regional number (European languages)<br/>+44 1235 239670</li> <li>European regional number (English, Spanish, Portuguese)<br/>+65 3158 1412</li> <li>Asia Pacific regional number (English, Bahasa, Malaysia, Hindi, Japanese, Korean, Mandarin, Tagalog)</li> <li>SECTION 2: Hazards identification</li> <li>2.1. Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008 - GHS/CLP</li> <li>Eye Irit. 2 H319 Causes serious eye irritation.</li> <li>2.2. Label elements</li> <li>Hazard pictograms</li> <li>Wash thoroughly after handling.</li> <li>Procautionary statements</li> <li>Pasard statements</li> <li>Pasard statements</li> <li>Pasard statements</li> <li>Pasard statements</li> <li>Pasard statements</li> <li>Pasare y totoclon / face protection.</li> <li>Point statements</li> <li>Pasare y totoclon / face protection.</li> <li>Pasi-Pasi II N EYES: Rinse cauliously with water for several minutes. Remove contact lenses, if<br/>present and easy to do. Continue rinsing.</li> <li>Past-Pasi I freye irritation persists: Get medical advice/attention.</li> <li>(Cont.on page 2)</li> </ul>   | · Trade name / Article-No: KLEIBERIT <b>578.1</b>   |               |
| <ul> <li>Manufacturer/Supplier:<br/>KLEBC/EEME<br/>M.G. Becker GmbH &amp; Co. KG<br/>Max-Becker-Str. 4<br/>D - 76356 Weingarten / Baden<br/>Germany<br/>Further information obtainable from:<br/>phone: +49 (0) 7244 62-0<br/>FAX: +49 (0) 7244 62-0<br/>FAX: +49 (0) 7244 70-0<br/>E-Mail: hse@kleberit.com<br/>1.4. Emergency telephone number:<br/>+44 1235 239670<br/>European regional number (European languages)<br/>+44 1235 239671<br/>Middle Eastern/African regional number (Middle Eastern/African languages)<br/>+1 215 207 0061<br/>Americas regional number (English, Spanish, Portuguese)<br/>+65 3158 1412<br/>Asia Pacific regional number (English, Bahasa, Malaysia, Hindi, Japanese, Korean, Mandarin, Tagalog)</li> <li>SECTION 2: Hazards identification<br/>• 2.1. Classification according to Regulation (EC) No 1272/2008 - GHS/CLP<br/>Eye Irrit. 2 H319 Causes serious eye irritation.<br/>• 2.2. Label elements<br/>• Hazard pictograms<br/><i>Gissification according to Regulation</i> (EC) No 1272/2008 - GHS/CLP<br/>Eye Irrit. 2 H319 Causes serious eye irritation.<br/>• 2.2. Label elements<br/>• Hazard pictograms<br/><i>Fication according to Regulation</i> (EC) No 1272/2008 - GHS/CLP<br/>Eye Irrit. 2 H319 Causes serious eye irritation.<br/>• 2.2. Label elements<br/>• Hazard pictograms<br/><i>Fication according to Regulation</i> (EC) No 1272/2008 - GHS/CLP<br/>Eye Irrit. 2 H319 Causes serious eye irritation.<br/>• 2.2. Label elements<br/>• Hazard pictograms<br/><i>Fication according to Regulation</i> (EC) No 1272/2008 - GHS/CLP<br/>Eye Irrit. 2 H319 Causes serious eye irritation.<br/>• 2.2. Label elements<br/>• Hazard pictograms<br/><i>Fication according to Regulation</i> (EC) No 1272/2008 - GHS/CLP<br/>Eye Irrit. 2 H319 Causes serious eye irritation.<br/>• 2.2. Label elements<br/>• Hazard pictograms<br/><i>Fication according to Regulation</i> (EC) No 1272/2008 - GHS/CLP<br/>Eye Irrit. 2 H319 Causes serious eye irritation.<br/>• 2.2. Label elements<br/>• 3.2. Label elements<br/>• 3.2. Label elements<br/>• 3.2. Label elements<br/>• 4.2. Label elements<br/>• 4.2. Label elements<br/>• 4.2. Label elements<br/>• 7.2. Label el</li></ul> | <ul> <li>• UFI: UDS1-M0Y4-K006-G8HR</li> <li>• 1.2. Relevant identified uses of the substance / mixture or uses advised against<br/>Restricted to professional users.</li> </ul>  |               |
| <ul> <li>2.1. Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008 - GHS/CLP</li> <li>Eye Irrit. 2 H319 Causes serious eye irritation.</li> <li>2.2. Label elements</li> <li>Hazard pictograms</li> <li></li></ul>  | <ul> <li>Manufacturer/Supplier:<br/>KLEBCHEMIE<br/>M.G. Becker GmbH &amp; Co. KG<br/>Max-Becker-Str. 4<br/>D - 76356 Weingarten / Baden<br/>Germany</li> <li>Further information obtainable from:<br/>phone: +49 (0) 7244 62-0<br/>FAX: +49 (0) 7244 700-0<br/>E-Mail: hse@kleiberit.com</li> <li>1.4. Emergency telephone number:<br/>+44 1235 239670<br/>European regional number (European languages)<br/>+44 1235 239671<br/>Middle Eastern/African regional number (Middle Eastern/African languages)<br/>+1 215 207 0061<br/>Americas regional number (English, Spanish, Portuguese)<br/>+65 3158 1412</li> </ul> | rin, Tagalog) |
| <ul> <li>2.1. Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008 - GHS/CLP</li> <li>Eye Irrit. 2 H319 Causes serious eye irritation.</li> <li>2.2. Label elements</li> <li>Hazard pictograms</li> <li></li></ul>  | SECTION 2: Hazards identification   |               |
| <ul> <li>Classification according to Regulation (EC) No 1272/2008 - GHS/CLP<br/>Eye Irrit. 2 H319 Causes serious eye irritation.</li> <li>2.2. Label elements</li> <li>Hazard pictograms</li> <li></li></ul>  |   |               |
| Eye Irrit. 2 H319 Causes serious eye irritation.<br>2.2. Label elements<br>Hazard pictograms  |   |               |
| <ul> <li>2.2. Label elements</li> <li>Hazard pictograms</li> <li> Figure 3 </li> <li> Signal word Warning GHS07 </li> <li> Signal word Warning Hazard statements H319 Causes serious eye irritation. Precautionary statements P264 Wash thoroughly after handling. P264 Wear eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. <i>(Contd. on page 2)</i></li></ul>  |   |               |
| <ul> <li>Hazard statements</li> <li>H319 Causes serious eye irritation.</li> <li>Precautionary statements</li> <li>P264 Wash thoroughly after handling.</li> <li>P280 Wear eye protection / face protection.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P337+P313 If eye irritation persists: Get medical advice/attention.</li> </ul>   | 2.2. Label elements<br>Hazard pictograms  |               |
|   | <ul> <li>Signal word Warning</li> <li>Hazard statements</li> <li>H319 Causes serious eye irritation.</li> <li>Precautionary statements</li> <li>P264 Wash thoroughly after handling.</li> <li>P280 Wear eye protection / face protection.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove conpresent and easy to do. Continue rinsing.</li> </ul>   |               |
|   |   | · · · · ·     |

Printing date 19.05.2021

Version-No. 5 (replaces version 4)

| 0.2 Other baseds   |   |                   |
|--|---|-------------------|
| <ul> <li>• 2.3. Other hazards</li> <li>• Results of PBT and vPv</li> <li>• PBT: Not applicable.</li> <li>• vPvB: Not applicable.</li> </ul>  | vB assessment   | (Contd. of page 1 |
| SECTION 3: Compo   | osition/information on ingredients  |                   |
| • 3.2 Mixtures<br>• Description: Mixture of  | substances listed below with nonhazardous additions.  |                   |
| • Dangerous component  | s:  |                   |
| · Registry-No's  | Identification / Classification GHS-CLP   | 9                 |
| ethylene dia<br>Eye Irrit. 2, F  | minethers (aminopolyols)<br>ł319  | 10-20%            |
| 25322-68-3 polyethylene<br>substance w   | glycol<br>ith a Community workplace exposure limit  | 20-30%            |
|  | glycol (isomer unspecified)<br>ith a Community workplace exposure limit   | <2%               |
| · Additional information:  | For the wording of the listed hazard phrases refer to section 1   | 6.                |
| SECTION 4: First a   |   |                   |
| After skin contact: Gen  | r fresh air; consult doctor in case of complaints.<br>erally the product does not irritate the skin.<br>e opened eye for several minutes under running water. Then co<br>or a doctor immediately.   | onsult a doctor.  |
| • 4.2. Most important syr<br>No further relevant inform  | nptoms and effects, both acute and delayed<br>nation available.<br>nmediate medical attention and special treatment needed  |                   |
| <ul> <li>4.2. Most important syr</li> <li>No further relevant inforr</li> <li>4.3. Indication of any in</li> </ul>   | nptoms and effects, both acute and delayed<br>nation available.<br>nmediate medical attention and special treatment needed<br>nation available.   |                   |
| <ul> <li>4.2. Most important syr<br/>No further relevant inforr</li> <li>4.3. Indication of any in<br/>No further relevant inforr</li> <li>SECTION 5: Firefig</li> <li>5.1. Extinguishing med</li> <li>Suitable extinguishing<br/>CO2, powder or water sp</li> <li>5.2. Special hazards ari</li> <li>5.3. Advice for firefight</li> </ul>                                | nptoms and effects, both acute and delayed<br>nation available.<br>nmediate medical attention and special treatment needed<br>nation available.<br>hting measures<br>ia<br>agents:<br>oray. Fight larger fires with water spray or alcohol resistant foan<br>ising from the substance or mixture No further relevant infor        |                   |
| <ul> <li>4.2. Most important syr<br/>No further relevant inform</li> <li>4.3. Indication of any in<br/>No further relevant inform</li> <li>SECTION 5: Firefig</li> <li>5.1. Extinguishing med</li> <li>Suitable extinguishing<br/>CO2, powder or water sp</li> <li>5.2. Special hazards and</li> <li>5.3. Advice for firefight</li> <li>Protective equipment:</li> </ul> | nptoms and effects, both acute and delayed<br>nation available.<br>nmediate medical attention and special treatment needed<br>nation available.<br>hting measures<br>ia<br>agents:<br>oray. Fight larger fires with water spray or alcohol resistant foan<br>ising from the substance or mixture No further relevant infor<br>ers |                   |

(Contd. on page 3)

Printing date 19.05.2021

#### Version-No. 5 (replaces version 4)

Revision: 19.05.2021

# Trade name / Article-No: KLEIBERIT 578.1

(Contd. of page 2)

## **SECTION 7: Handling and storage**

• 7.1. Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

#### · 7.2. Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Keep container tightly closed.
- · Information about storage in one common storage facility: Observe the national regulations.

· Further information about storage conditions: None.

· 7.3. Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

#### · 8.1. Control parameters

· Ingredients with limit values that require monitoring at the workplace:

#### CAS No. Designation of material % Type Value Unit

### 25322-68-3 polyethylene glycol

AGW (Germany) Long-term value: 200 E mg/m<sup>3</sup> 2(II);DFG, Y

WEEL (USA) Long-term value: 10 mg/m<sup>3</sup> (H); MW>200

#### 25265-71-8 Dipropylene glycol (isomer unspecified)

AGW (Germany) Long-term value: 100 E mg/m<sup>3</sup> 2(II);DFG, Y, 11

#### · 8.2. Exposure controls

limit the exposure to:

8 hours

• Appropriate engineering controls No further data; see item 7.

#### · Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

- The usual precautionary measures are to be adhered to when handling chemicals.
- · Respiratory protection: Not necessary if room is well-ventilated.
- Hand protection
- Protective gloves

Wear suitable protective gloves and protective goggles /face protection during work.

- Material of gloves Synthetic rubber gloves
- · Eye/face protection Safety glasses
- · Body protection: Protective work clothing

### **SECTION 9: Physical and chemical properties**

| Physical state                             | Fluid           |                    |
|--|-----------------|--------------------|
| Colour:                                    | Light yellow    |                    |
| Odour:                                     | Characteristic  |                    |
| Odour threshold:                           | Not determined. |                    |
| Melting point/freezing point:              | Undetermined.   |                    |
| Boiling point or initial boiling point and | boiling         |                    |
| range                                      | >100 °C         |                    |
| Flammability                               | Not applicable. |                    |
| Lower and upper explosion limit            |                 |                    |
| Lower:                                     | Not determined. |                    |
|  |                 | (Contd. on page 4) |

Printing date 19.05.2021

Version-No. 5 (replaces version 4)

Revision: 19.05.2021

# Trade name / Article-No: KLEIBERIT 578.1

| Upper   | (Contd. of page 3  |
|---|--|
| Upper:<br>Flash point:                            | Not determined.<br>>140 °C (25791-96-2 Glycerol, propoxylated) |
| Auto-ignition temperature:                        | Product is not selfigniting.                                   |
| Decomposition temperature:                        | Not determined.  |
| pH  | Not determined.  |
| יית<br>Viscosity:                                 | Not determined.  |
| Kinematic viscosity                               | Not determined.  |
| Dynamic at 20 °C:                                 | ca 350 mPas  |
| Solubility  | Ca 550 IIIF as   |
| water:  | Not miscible or difficult to mix.                              |
|   | Not determined.  |
| Partition coefficient n-octanol/water (log value) | Not determined.  |
| Vapour pressure:                                  | Not determined.  |
| Density and/or relative density                   | $a_2$ 107 $a/am^3$   |
| Density at 20 °C:<br>Bolativo donsity             | ca. 1.07 g/cm³<br>Not dotormined                               |
| Relative density                                  | Not determined.  |
| Vapour density                                    | Not determined.  |
| 9.2. Other information                            |  |
| Appearance:                                       |  |
| Form:   | Fluid  |
| Important information on protection of health an  | nd   |
| environment, and on safety.                       |  |
| Ignition temperature:                             | Not applicable.  |
| Explosive properties:                             | Product does not present an explosion hazard.                  |
| Change in condition                               |  |
| Evaporation rate                                  | Not determined.  |
| Information with regard to physical hazard class  | Ses  |
| Explosives  | Void   |
| Flammable gases                                   | Void   |
| Aerosols  | Void   |
| Oxidising gases                                   | Void   |
| Gases under pressure                              | Void   |
| Flammable liquids                                 | Void   |
| Flammable solids                                  | Void   |
| Self-reactive substances and mixtures             | Void   |
| Pyrophoric liquids                                | Void   |
| Pyrophoric solids                                 | Void   |
| Self-heating substances and mixtures              | Void   |
| Substances and mixtures, which emit flammable     |  |
| gases in contact with water                       | Void   |
| Oxidising liquids                                 | Void   |
| Oxidising solids                                  | Void   |
| Organic peroxides                                 | Void   |
| Corrosive to metals                               | Void   |
|   | Void   |
| Desensitised explosives                           | volu   |

## **SECTION 10: Stability and reactivity**

· 10.1. Reactivity

see item 10.3

No further relevant information available.

· 10.2. Chemical stability Stable when stored and used properly.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3. Possibility of hazardous reactions No dangerous reactions known.

· 10.4. Conditions to avoid No further relevant information available.

• **10.5. Incompatible materials:** No further relevant information available.

(Contd. on page 5)

Printing date 19.05.2021

Version-No. 5 (replaces version 4)

Revision: 19.05.2021

(Contd. of page 4)

## Trade name / Article-No: KLEIBERIT 578.1

• **10.6. Hazardous decomposition products:** No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

LD/LC<sub>50</sub> values relevant for classification:

### 25214-63-5 ethylenediamine, propoxylated

Oral LD<sub>50</sub> 2,001 mg/kg (rat)

Dermal LD<sub>50</sub> 2,001 mg/kg (rabbit)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

- · Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

· Endocrine disrupting properties

556-67-2 2,2,4,4,6,6,8,8-octamethylcyclotetrasiloxane: List II; III

540-97-6 Dodecamethylcyclohexasiloxane: List II

541-02-6 2,2,4,4,6,6,8,8,10,10-decamethylcyclopentasiloxane: List II

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

· Aquatic toxicity:

### 25214-63-5 ethylenediamine, propoxylated

LC<sub>50</sub> >100 mg / I / 96h (Zebrafish - Danio rerio) (OECD 203)

LC<sub>50</sub> >100 mg / I / 48h (water flea - daphnia) (OECD 202)

12.2. Persistence and degradability No further relevant information available.

· **12.3. Bioaccumulative potential** No further relevant information available.

- **12.4. Mobility in soil** No further relevant information available.
- 12.5. Results of PBT and vPvB assessment

• **PBT:** Not applicable.

**vPvB:** Not applicable.

• 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

12.6. Other adverse effects

· Behaviour in sewage processing plants:

· Remark:

At correct sewage disposal in small quantities to biological sewage plants failures of the activated sludge are not expected.

- · Additional ecological information:
- · General notes:

Not known to be hazardous to water.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 6)

INT

Printing date 19.05.2021

Version-No. 5 (replaces version 4)

Revision: 19.05.2021

## Trade name / Article-No: KLEIBERIT 578.1 (Contd. of page 5) **SECTION 13: Disposal considerations** · 13.1. Waste treatment methods Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system. · European waste catalogue 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09 · Uncleaned packaging: · Recommendation: Non contaminated packagings may be recycled. Empty contaminated packagings thoroughly. Disposal must be made according to official regulations. **SECTION 14: Transport information** · 14.1. UN number or ID number · ADR, IMDG, IATA Void 14.2. UN proper shipping name · DOT, ADR, IMDG, IATA Void · 14.3. Transport hazard class(es) · Class Void · 14.4. Packing group · ADR, IMDG, IATA Void <sup>14.5.</sup> Environmental hazards: Not applicable. · 14.6. Special precautions for user Not applicable. · 14.7. Maritime transport in bulk according to IMO instruments Not applicable. SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture See position no 2 - Hazards Identification · Directive 2012/18/EU - Seveso-III: · Named dangerous substances - ANNEX I None of the ingredients is included. · Regulation (EC) No 1907/2006 - REACH, ANNEX XVII Conditions of restriction: 3 · Regulation (EU) No 649/2012 None of the ingredients is listed. DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II None of the ingredients is listed. REGULATION (EU) 2019/1148 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) None of the ingredients is listed. Annex II - REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed. National regulations: D: Waterhazard class Water hazard class 1 (Self-assessment): slightly hazardous for water. • Other regulations, limitations and prohibitive regulations: Restricted to professional users. · 15.2. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)

Printing date 19.05.2021

Version-No. 5 (replaces version 4)

Revision: 19.05.2021

# Trade name / Article-No: KLEIBERIT 578.1

(Contd. of page 6)

| This information is based on our present knowledg specific product features and shall not establish a l   | e. However, this shall not constitute a guarantee for any egally valid contractual relationship. |
|---|--|
| <b>Relevant phrases</b><br>H319 Causes serious eye irritation.  |  |
| Department issuing SDS: Safety & Environment<br>Version number of previous version: 4<br>Abbreviations and acronyms:<br>ADR: Accord relatif au transport international des marchandise<br>International Carriage of Dangerous Goods by Road)<br>IMDG: International Maritime Code for Dangerous Goods<br>DOT: US Department of Transport Association<br>GHS: Globally Harmonised System of Classification and Labell<br>EINECS: European Inventory of Existing Commercial Chemica<br>ELINCS: European List of Notified Chemical Substances<br>CAS: Chemical Abstracts Service (division of the American Ch<br>LC50: Lethal concentration, 50 percent<br>LD50: Lethal dose, 50 percent<br>PBT: Persistent, Bioaccumulative and Toxic<br>vPvB: very Persistent and very Bioaccumulative<br>Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 | l Substances   |