

Page 1/7

EU

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time

Printing date 23.03.2023

Version-No. 2 (replaces version 1)

Revision: 23.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking
· 1.1. Product identifier
· Trade name / Article-No: KLEIBERIT 702.0.50 ME
 1.2. Relevant identified uses of the substance / mixture or uses advised against No further relevant information available. Application of the substance / the mixture Adhesives
• 1.3. Details of the supplier of the safety data sheet • Manufacturer/Supplier: KLEIBERIT SE & Co. KG Max-Becker-Str. 4 76356 Weingarten Germany
 Further information obtainable from: phone: +49 (0) 7244 62-0 FAX: +49 (0) 7244 700-0 E-Mail: hse@kleiberit.com 1.4. Emergency telephone number: +44 1235 239670 European regional number (European languages)
SECTION 2: Hazards identification · 2.1. Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 - GHS/CLP The product is not classified as hazardous to health or environment according to the CLP regulation.
 2.2. Label elements Hazard pictograms Void Signal word Void Hazard statements Void Additional information: Contains isocyanates. May produce an allergic reaction. Safety data sheet available on request. 2.3. Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.
SECTION 3: Composition/information on ingredients
3.2 Mixtures Description: Mixture of substances listed below with nonhazardous additions. (Contd. on page 2)

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 23.03.2023

Version-No. 2 (replaces version 1)

Revision: 23.03.2023

Trade name / Article-No: KLEI	BERIT 702.0.50 ME	
	(Contd.	of page 1)
 Dangerous components: 		
· Registry-No's	Identification / Classification GHS-CLP	%
CAS: 25322-69-4	polypropylene glycol Acute Tox. 4, H302	5-10%
Reg.nr.: 01-2119457015-45-	-XXXX reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p- isocyanatobenzyl)phenyl isocyanate Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 % Resp. Sens. 1; H334: C ≥ 0.1 % STOT SE 3; C ≥ 5 %	<0.1%
• Additional information: Fo	r the wording of the listed hazard phrases refer to section 16.	
 After skin contact: After contact with the molten Rinse with warm water. After eye contact: Rinse opened eye for severa After swallowing: Rinse out mouth with plenty Seek medical treatment. 4.2. Most important sympt No further relevant informati 	I measures becial measures required. sh air; consult doctor in case of complaints. in product, cool rapidly with cold water. al minutes under running water. If symptoms persist, consult a doctor. of water. of water. oms and effects, both acute and delayed on available. ediate medical attention and special treatment needed	
SECTION 5: Eirofighti		
5.2. Special hazards arisin 5.3. Advice for firefighters	ents: 7. Fight larger fires with water spray or alcohol resistant foam. g from the substance or mixture No further relevant information available ar self-contained respiratory protective device.	e.
	protective equipment and emergency procedures Not required.	
 6.2. Environmental precau 6.3. Methods and material 6.4. Reference to other sec See Section 7 for information 	tions: No special measures required. for containment and cleaning up: Pick up mechanically. ctions n on safe handling. n on personal protection equipment. information.	on page 3) ———— EU ——

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 23.03.2023

Version-No. 2 (replaces version 1)

Revision: 23.03.2023

Trade name / Article-No: KLEIBERIT 702.0.50 ME

(Contd. of page 2)

FU

SECTION 7: Handling and storage

· 7.1. Precautions for safe handling Prevent formation of dust.

- · 7.2. Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Keep container tightly closed.
- · Information about storage in one common storage facility: Observe the national regulations.
- · Further information about storage conditions: None.
- 7.3. Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.2. Exposure controls 8 hours
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- Respiratory protection: Not necessary if room is well-ventilated.
- Hand protection Protective gloves
- Heat resistant gloves
- · Material of gloves
- Leather gloves
- Synthetic rubber gloves
- Eye/face protection Safety glasses
- · Body protection: Protective work clothing
- · Thermal hazards Risk of burns during thermal processing.

SECTION 9: Physical and chemical properties

0.4. Information on basis abusised and showing burns which

General Information		
Physical state	Solid	
Colour:	According to product specification	
Odour:	Light	
Odour threshold:	Not determined.	
Melting point/freezing point:	Undetermined.	
Boiling point or initial boiling point and boiling		
range	Undetermined.	
Flammability	Not determined.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	>200 °C	
Auto-ignition temperature:	Not applicable.	
Decomposition temperature:	Not determined.	
pH	Not applicable.	
Viscosity:	At room temperature: not applicable	
Kinematic viscosity	Not applicable.	
Dynamic:	Not applicable.	
Solubility		
water:	Insoluble.	
Partition coefficient n-octanol/water (log value)	Not determined.	
Vapour pressure:	Not applicable.	
• • • • •		(Contd. on page 4

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time

Printing date 23.03.2023

Version-No. 2 (replaces version 1)

Revision: 23.03.2023

Trade name / Article-No: KLEIBERIT 702.0.50 ME (Contd. of page 3) · Density and/or relative density Density at 20 °C: ca. 1.1 g/cm³ · Relative density Not determined. · Vapour density Not applicable. Particle characteristics See item 3. · 9.2. Other information · Appearance: · Form: Solid · Important information on protection of health and environment, and on safety. · Ignition temperature: Product is not selfigniting. · Explosive properties: Product does not present an explosion hazard. · Change in condition · Evaporation rate Not applicable. Information with regard to physical hazard classes Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void Pvrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Void Oxidising solids Void · Organic peroxides Void · Corrosive to metals Void Desensitised explosives Void

SECTION 10: Stability and reactivity

10.1. Reactivity

see item 10.3

No further relevant information available.

• 10.2. Chemical stability Stable when stored and used properly.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3. Possibility of hazardous reactions No dangerous reactions known.
- 10.4. Conditions to avoid No further relevant information available.
- **10.5. Incompatible materials:** No further relevant information available.

• 10.6. Hazardous decomposition products: No dangerous decomposition products known.

· Additional information:

When hotmelt adhesives are melted and applied, vapours are set free and an unpleasant odour can occur, even if the recommended working temperature has been observed. Moreover if the prescribed working temperature is exceeded over a longer period, harmful decomposition products can develop. Precautions should be taken to eliminate the vapours, e.g. by using a suitable ventilation system.

Therefore measures for the elimination of the vapours have to be taken, e.g. by means of an appropriate ventilation/ exhaust device.

(Contd. on page 5)

- EU -

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 23.03.2023

Version-No. 2 (replaces version 1)

Revision: 23.03.2023

Trade name / Article-No: KLEIBERIT 702.0.50 ME

(Contd. of page 4)

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

LD/LC₅₀ values relevant for classification:

25322-69-4 polypropylene glycol

Oral LD₅₀ 1,000 mg/kg (not specified) (geschätzt / estimated)

- Dermal LD₅₀ >3,000 mg/kg (rabbit)
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1. Toxicity

• Aquatic toxicity:

25322-69-4 polypropylene glycol

LC₅₀ >100 mg / I / 96h (guppy - Poecilia reticulata)

- EC₅₀ >100 mg / I / 48h (water flea daphnia)
- EC₅₀ >100 mg / I / 72h (algae)
- 12.2. Persistence and degradability No further relevant information available.
- · 12.3. Bioaccumulative potential No further relevant information available.
- · 12.4. Mobility in soil No further relevant information available.
- 12.5. Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Behaviour in sewage processing plants:
- · Remark:

At correct sewage disposal in small quantities to biological sewage plants failures of the activated sludge are not expected.

· Additional ecological information:

- General notes:
- Not known to be hazardous to water.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

· 13.1. Waste treatment methods

· Recommendation Can be disposed of with household garbage in small quantities after curing.

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 23.03.2023

Version-No. 2 (replaces version 1)

Revision: 23.03.2023

(Contd. of page 5)

Trade name / Article-No: KLEIBERIT 702.0.50 ME

· European waste catalogue

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

- · Uncleaned packaging:
- · Recommendation:
- Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. Disposal must be made according to official regulations.

SECTION 14: Transport informatio		
14.1. UN number or ID number		
ADR, IMDG, IATA	Void	
14.2. UN proper shipping name		
DOT, ADR, IMDG, IATA	Void	
14.3. Transport hazard class(es)		
Class	Void	
14.4. Packing group		
ADR, IMDG, IATA	Void	
14.5. Environmental hazards:	Not applicable.	
14.6. Special precautions for user	Not applicable.	
14.7. Maritime transport in bulk according		
instruments	Not applicable.	

SECTION 15: Regulatory information

• **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture** See position no 2 - Hazards Identification

Directive 2012/18/EU - Seveso-III:

· Named dangerous substances - ANNEX I None of the ingredients is included.

- Regulation (EC) No 1907/2006 REACH, ANNEX XVII Conditions of restriction: 56, 74
- · Regulation (EU) No 649/2012

None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed. • Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed. • Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- D: Waterhazard class Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **15.2. Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 23.03.2023

Version-No. 2 (replaces version 1)

Revision: 23.03.2023

Trade name / Article-No: KLEIBERIT 702.0.50 ME

(Contd. of page 6)

FU

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- Harmful if swallowed. H302
- H315 Causes skin irritation.
- May cause an allergic skin reaction. H317
- Causes serious eye irritation. H319
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.
- EUH204 Contains isocyanates. May produce an allergic reaction.
- · Department issuing SDS: Safety & Environment
- · Version number of previous version: 1
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Acute Tox. 4: Acute toxicity Category 4
- Skin Irrit. 2: Skin corrosion/irritation Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation Category 2 Resp. Sens. 1: Respiratory sensitisation - Category 1
- Skin Sens. 1: Skin sensitisation Category 1
- Carc. 2: Carcinogenicity Category 2
- STOT SE 3: Specific target organ toxicity (single exposure) Category 3
- STOT RE 2: Specific target organ toxicity (repeated exposure) Category 2