

Page 1/8

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 26.09.2023

Version-No. 6 (replaces version 5)

Revision: 26.09.2023

		//3/011. 20.09.2025
SECTION 1: Identification of	f the substance/mixture and of the company/	undertaking
· 1.1. Product identifier		
• Trade name / Article-No: KLEIBER	RIT 706.0	
 • UFI: X8QE-20FA-2004-6WWP • 1.2. Relevant identified uses of the For professional users only. • Application of the substance / the 	e substance / mixture <u>or</u> uses advised against e mixture Adhesives	
 1.3. Details of the supplier of the s Manufacturer/Supplier: KLEIBERIT SE & Co. KG Max-Becker-Str. 4 76356 Weingarten Germany Further information obtainable from phone: +49 (0) 7244 62-0 FAX: +49 (0) 7244 700-0 E-Mail: hse@kleiberit.com 1.4. Emergency telephone numbe +44 1235 239670 European regiona 112 Emergency telephone number from 543 22 22 Icelandic University Hosp 	om: r: I number (European languages) or Malta	
SECTION 2: Hazards identif	ication	
 2.1. Classification of the substance Classification according to Regulation 	ce or mixture ation (EC) No 1272/2008 - GHS/CLP	
	rgy or asthma symptoms or breathing difficulties if inhaled.	
Skin Sens. 1 H317 May cause an a	allergic skin reaction.	
Carc. 2 H351 Suspected of c	ausing cancer.	
 2.2. Label elements Hazard pictograms 		
GHS08		
· Signal word Danger		
 Hazard-determining components diphenylmethane-4,4'-diisocyanate Hazard statements H334 May cause allergy or asthma s H317 May cause an allergic skin rea H351 Suspected of causing cancer. Precautionary statements P261 Avoid breathing vapours. P280 Wear protective gloves. P314 Get medical advice/attention if 	symptoms or breathing difficulties if inhaled. action.	
		(Contd. on page 2)
		EU

FU

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 26.09.2023

Version-No. 6 (replaces version 5)

Revision: 26.09.2023

Trade name / Article-No: KLEIBERIT 706.0 (Contd. of page 1) · Additional information: Contains isocyanates. May produce an allergic reaction. As from 24 August 2023 adequate training is required before industrial or professional use. Information concerning particular hazards for human and environment: - Persons already sensitised to diisocyanates may develop allergic reactions when using this product. - Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. - This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used. · 2.3. Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. SECTION 3: Composition/information on ingredients · 3.2 Mixtures · Description: Mixture of substances listed below with nonhazardous additions. · Dangerous components: Identification / Classification GHS-CLP % **Registry-No's** CAS: 101-68-8 diphenylmethane-4,4'-diisocyanate ≥1-<2.5% Reg.nr.: 01-2119457014-47-XXXX Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 ATE: oral: 11 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 % Resp. Sens. 1; H334: C ≥ 0.1 % STOT SE 3; H335: C ≥ 5 % • Additional information: For the wording of the listed hazard phrases refer to section 16. **SECTION 4: First aid measures** · 4.1. Description of first aid measures · After inhalation: Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation. Take affected persons into fresh air and keep quiet. After skin contact: After contact with the molten product, cool rapidly with cold water. Treat affected skin with cotton wool or cellulose. Then wash and rinse thoroughly with water and a mild cleaning agent Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. • After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Call for a doctor immediately. · 4.2. Most important symptoms and effects, both acute and delayed Asthma attacks Allergic reactions (Contd. on page 3)

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

Revision: 26.09.2023

(Contd. of page 2)

time to time Printing date 26.09.2023 Version-No. 6 (replaces version 5) Trade name / Article-No: KLEIBERIT 706.0 · 4.3. Indication of any immediate medical attention and special treatment needed No further relevant information available. **SECTION 5: Firefighting measures** 5.1. Extinguishing media · Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. 5.2. Special hazards arising from the substance or mixture In case of fire, the following can be released: Isocyanates Nitrogen oxides (NOx) Traces: Hydrogen cyanide (HCN) 5.3. Advice for firefighters · Protective equipment: Wear self-contained respiratory protective device. **SECTION 6: Accidental release measures** 6.1. Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Use respiratory protective device against the effects of fumes/dust/aerosol. 6.2. Environmental precautions: No special measures required. 6.3. Methods and material for containment and cleaning up: Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. 6.4. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. SECTION 7: Handling and storage · 7.1. Precautions for safe handling Handle the substance preferably in closed system Enclosure or extractor facilities are required. Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the vapour concentration below the workplace limit, wear an adequate respiratory protective device. Not less than 3-5 air exchanges per hour Appropriate regular employee training. Skin contact and inhalation of aerosols/vapours of the preparation should be avoided. Wear protective gloves/protective clothing/eye protection/face protection. Use only in well ventilated areas. Prevent formation of dust. Wear suitable respiratory protective device when decanting larger quantities without extractor facilities. Avoid contact with skin and eyes. It is advised against using the product if there is a sensitivity of the airways or skin (asthma, chronic bronchitis, chronic skin disease) additional to professional application with multiple and/or significant contact limit the exposure to 4 hours · General protective and hygienic measures: Immediately remove all soiled and contaminated clothing · 7.2. Conditions for safe storage, including any incompatibilities · Storage: • Requirements to be met by storerooms and receptacles: Keep container tightly closed. • Information about storage in one common storage facility: Observe the national regulations. • Further information about storage conditions: Protect from humidity and water.

(Contd. on page 4)

EU

FU-

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 26.09.2023

Version-No. 6 (replaces version 5)

Revision: 26.09.2023

Trade name / Article-No: KLEIBERIT 706.0 (Contd. of page 3) · 7.3. Specific end use(s) No further relevant information available. SECTION 8: Exposure controls/personal protection · 8.1. Control parameters · Ingredients with limit values that require monitoring at the workplace: Ingredients with biological limit values: 101-68-8 diphenylmethane-4,4'-diisocyanate BGW (Germany) 10 µg/g Kreatinin Untersuchungsmaterial: Urin Probennahmezeitpunkt: Expositionsende bzw. Schichtende Parameter: 4.4'-Diaminodiphenylmethan CAS No. Designation of material % Type Value Unit 101-68-8 diphenylmethane-4,4'-diisocyanate AGW (Germany) Long-term value: 0.05 E mg/m³ 1;=2=(I);DFG, 11, 12, H, Sah, Y · 8.2. Exposure controls limit the exposure to: 8 hours additional to professional application with multiple and/or significant contact limit the exposure to 4 hours · Appropriate engineering controls No further data; see section 7. · Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. · Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation: Filter A/P2 (EN 14387) At spray application respiratory protection must be worn. Hand protection Protective aloves Heat resistant gloves Material of gloves A Nitrile rubber - NBR: AlphaTec® (> 0,4 mm) Leather gloves · Eye/face protection Safety glasses · Body protection: Protective work clothing · Thermal hazards Risk of burns during thermal processing. **SECTION 9: Physical and chemical properties** 9.1. Information on basic physical and chemical properties · General Information · Physical state Solid · Colour: According to product specification · Odour: Light · Odour threshold: Not determined. Melting point/freezing point: Undetermined. Boiling point or initial boiling point and boiling Undetermined. range Flammability Not determined. (Contd. on page 5)

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time

Printing date 26.09.2023

Version-No. 6 (replaces version 5)

Revision: 26.09.2023

	(Contd. of page 4
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Auto-ignition temperature:	>300 °C
Decomposition temperature:	Not determined.
pH	Not applicable.
Viscosity:	At room temperature: not applicable
Kinematic viscosity	Not applicable.
Dynamic:	Not applicable.
Solubility	
water:	Insoluble.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not applicable.
Density and/or relative density	
Density at 20 °C:	ca. 1.1 g/cm³
Relative density	Not determined.
Vapour density	Not applicable.
Particle characteristics	
See section 3.	
9.2. Other information	
Appearance:	
Form:	Solid
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not applicable.
•	
Information with regard to physical hazard classe	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1. Reactivity

see item 10.3

No further relevant information available.

· 10.2. Chemical stability Stable when stored and used properly.

(Contd. on page 6)

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 26.09.2023

Version-No. 6 (replaces version 5)

Revision: 26.09.2023

Trade name / Article-No: KLEIBERIT 706.0

(Contd. of page 5) • Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3. Possibility of hazardous reactions No dangerous reactions known.
- 10.4. Conditions to avoid No further relevant information available.
- 10.5. Incompatible materials: No further relevant information available.
- · 10.6. Hazardous decomposition products: Isocyanates
- · Additional information:

When hotmelt adhesives are melted and applied, vapours are set free and an unpleasant odour can occur, even if the recommended working temperature has been observed. Moreover if the prescribed working temperature is exceeded over a longer period, harmful decomposition products can develop. Precautions should be taken to eliminate the vapours, e.g. by using a suitable ventilation system.

Therefore measures for the elimination of the vapours have to be taken, e.g. by means of an appropriate ventilation/ exhaust device.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity Based on available data, the classification criteria are not met.
- · Note:
- diphenylmethane-diisocyanate:

The test atmosphere generated in the animal study is not representative of workplace environments, how the substance is placed on the market, and how it can reasonably be expected to be used. Therefore the test result cannot be directly applied for the purpose of assessing hazard. Based on expert judgment and the weight of the evidence, a modified classification for acute inhalation toxicity is justified.

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

- May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Suspected of causing cancer.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1. Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2. Persistence and degradability No further relevant information available.
- 12.3. Bioaccumulative potential No further relevant information available.
- **12.4. Mobility in soil** No further relevant information available.
- 12.5. Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Behaviour in sewage processing plants:
- · Remark:

At correct sewage disposal in small quantities to biological sewage plants failures of the activated sludge are not expected.

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 26.09.2023

Version-No. 6 (replaces version 5)

Revision: 26.09.2023

Trade name / Article-No: KLEIBERIT 706.0

· Additional ecological information:

(Contd. of page 6)

· General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

· 13.1. Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. • European waste catalogue

08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

· Uncleaned packaging:

· Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. Disposal must be made according to official regulations.

SECTION 14: Transport information

•		
 14.1. UN number or ID number 		
· ADR, IMDG, IATA	Void	
¹ 14.2. UN proper shipping name		
· DOT, ADR, IMDG, IATA	Void	
 14.3. Transport hazard class(es) 		
· Class	Void	
[·] 14.4. Packing group		
· ADR, IMDG, IATA	Void	
• 14.5. Environmental hazards:	Not applicable.	
^{14.6.} Special precautions for user	Not applicable.	
 14.7. Maritime transport in bulk accordi 	ng to IMO	
instruments	Not applicable.	

SECTION 15: Regulatory information

• **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture** See position no 2 - Hazards Identification

Directive 2012/18/EU - Seveso-III:

· Named dangerous substances - ANNEX I None of the ingredients is included.

- Regulation (EC) No 1907/2006 REACH, ANNEX XVII Conditions of restriction: 56, 74
- · Regulation (EU) No 649/2012

None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

[•] REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed. • Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed. • Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 26.09.2023

Version-No. 6 (replaces version 5)

Revision: 26.09.2023

Trade name / Article-No: KLEIBERIT 706.0

(Contd. of page 7) • Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

· D: Waterhazard class Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Other regulations, limitations and prohibitive regulations: For professional users only.

· 15.2. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.
- EUH204 Contains isocyanates. May produce an allergic reaction.

· Department issuing SDS: Safety & Environment

- Version number of previous version: 5
- Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - DOT: US Department of Transportation
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Acute Tox. 4: Acute toxicity Category 4
- Skin Irrit. 2: Skin corrosion/irritation Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation Category 2
- Resp. Sens. 1: Respiratory sensitisation Category 1
- Skin Sens. 1: Skin sensitisation Category 1
- Carc. 2: Carcinogenicity Category 2
- STOT SE 3: Specific target organ toxicity (single exposure) Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2