



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.06.2022


Version-No. 4 (replaces version 3)

Revision: 01.06.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1. Product identifier**
- Trade name / Article-No: **KLEIBERIT 706.0.05**
- UFI: ADYF-V06A-Q00T-TKN3
- **1.2. Relevant identified uses of the substance / mixture or uses advised against**
For professional use only
- Application of the substance / the mixture Adhesives
- **1.3. Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
KLEIBERIT SE & Co. KG
Max-Becker-Str. 4
D - 76356 Weingarten / Baden
Germany
- **Further information obtainable from:**
phone: +49 (0) 7244 62-0
FAX: +49 (0) 7244 700-0
E-Mail: hse@kleiberit.com
- **1.4. Emergency telephone number:**
+44 1235 239670 European regional number (European languages)
112 Emergency telephone number for Malta
543 22 22 Icelandic University Hospital

SECTION 2: Hazards identification

- **2.1. Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008 - GHS/CLP**
Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin Sens. 1 H317 May cause an allergic skin reaction.
Carc. 2 H351 Suspected of causing cancer.
- **2.2. Label elements**
- **Hazard pictograms**
- 
- GHS08
- **Signal word** Danger
- **Hazard-determining components of labelling:**
diphenylmethane-4,4'-diisocyanate
- **Hazard statements**
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317 May cause an allergic skin reaction.
H351 Suspected of causing cancer.
- **Precautionary statements**
P261 Avoid breathing vapours.
P280 Wear protective gloves.
P314 Get medical advice/attention if you feel unwell.

(Contd. on page 2)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.06.2022

Version-No. 4 (replaces version 3)

Revision: 01.06.2022

Trade name / Article-No: KLEIBERIT 706.0.05

(Contd. of page 1)

- **Additional information:**

Contains isocyanates. May produce an allergic reaction.

As from 24 August 2023 adequate training is required before industrial or professional use.

- **Information concerning particular hazards for human and environment:**

- Persons already sensitised to diisocyanates may develop allergic reactions when using this product.

- Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.

- This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

- **2.3. Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**

- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

Registry-No's	Identification / Classification GHS-CLP	%
CAS: 101-68-8	diphenylmethane-4,4'-diisocyanate	≥1-<2.5%
Reg.nr.: 01-2119457014-47-XXXX	Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 % Resp. Sens. 1; H334: C ≥ 0.1 % STOT SE 3; C ≥ 5 %	

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1. Description of first aid measures**

- **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:**

After contact with the molten product, cool rapidly with cold water.

Treat affected skin with cotton wool or cellulose. Then wash and rinse thoroughly with water and a mild cleaning agent.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

- **After swallowing:** Call for a doctor immediately.

- **4.2. Most important symptoms and effects, both acute and delayed**

Asthma attacks

(Contd. on page 3)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.06.2022

Version-No. 4 (replaces version 3)

Revision: 01.06.2022

Trade name / Article-No: KLEIBERIT 706.0.05

(Contd. of page 2)

Allergic reactions

- **4.3. Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1. Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2. Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Isocyanates
Nitrogen oxides (NO_x)
Traces: Hydrogen cyanide (HCN)
- **5.3. Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- **6.1. Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Use respiratory protective device against the effects of fumes/dust/aerosol.
- **6.2. Environmental precautions:** No special measures required.
- **6.3. Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **6.4. Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1. Precautions for safe handling**
Appropriate regular employee training.
Handle the substance preferably in closed system
Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the vapour concentration below the workplace limit, wear an adequate respiratory protective device.
Enclosure or extractor facilities are required.
Not less than 3-5 air exchanges per hour
Contact with skin and inhalation of aerosols/ vapours of the preparation should be avoided.
Spraying: in vented cabin with laminar air flow
Wear protective gloves/protective clothing/eye protection/face protection.
Use only in well ventilated areas.
Prevent formation of dust.
Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.
Avoid contact with skin and eyes.
It is advised against using the product if there is a sensitivity of the airways or skin (asthma, chronic bronchitis, chronic skin disease)
additional to professional application with multiple and/or significant contact
limit the exposure to 4 hours

(Contd. on page 4)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.06.2022

Version-No. 4 (replaces version 3)

Revision: 01.06.2022

Trade name / Article-No: **KLEIBERIT 706.0.05**

(Contd. of page 3)

- **General protective and hygienic measures:** Immediately remove all soiled and contaminated clothing
- **7.2. Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Keep container tightly closed.
- **Information about storage in one common storage facility:** Observe the national regulations.
- **Further information about storage conditions:** Protect from humidity and water.
- **7.3. Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1. Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
- **DNELs**
- 101-68-8 diphenylmethane-4,4'-diisocyanate**
- Dermal DNEL short term 50 mg/kg (human being)
- Inhalative DNEL short term 0.1 mg/m³ (human being)
- DNEL long term 0.05 mg/m³ (human being)
- **PNECs**
- 101-68-8 diphenylmethane-4,4'-diisocyanate**
- PNEC- Freshwater 1 mg/l (not specified)
- PNEC-seawater 0.1 mg/l (not specified)
- PNEC-periodic release 10 mg/l (not specified)
- PNEC-Freshwater sediment 1 mg/kg (not specified)
- PNEC-soil 1 mg/kg (not specified)
- PNEC-wastewater treatment plant 1 mg/l (not specified)
- **Ingredients with biological limit values:**
- 101-68-8 diphenylmethane-4,4'-diisocyanate**
- BGW (Germany) 10 µg/g Kreatinin
- Untersuchungsmaterial: Urin
- Probennahmezeitpunkt: Expositionsende bzw. Schichtende
- Parameter: 4,4'-Diaminodiphenylmethan

CAS No.	Designation of material	%	Type	Value	Unit
---------	-------------------------	---	------	-------	------

- | | | | | | |
|---|---|--|--|--|--|
| 101-68-8 diphenylmethane-4,4'-diisocyanate | AGW (Germany) Long-term value: 0.05 E mg/m ³ | | | | |
| | 1;=2=(I);DFG, 11, 12, H, Sah, Y | | | | |

- **8.2. Exposure controls**
- limit the exposure to:
- 8 hours
- additional to professional application with multiple and/or significant contact
- limit the exposure to 4 hours
- **Appropriate engineering controls** No further data; see item 7.

(Contd. on page 5)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.06.2022

Version-No. 4 (replaces version 3)

Revision: 01.06.2022

Trade name / Article-No: KLEIBERIT **706.0.05**

(Contd. of page 4)

- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.
- **Respiratory protection:**
Use suitable respiratory protective device in case of insufficient ventilation:
Filter A/P2 (EN 14387)
At spray application respiratory protection must be worn.
- **Hand protection**
Protective gloves
Heat resistant gloves
- **Material of gloves**
A Nitrile rubber - NBR: AlphaTec® (> 0,4 mm)
Leather gloves
- **Eye/face protection** Safety glasses
- **Body protection:** Protective work clothing
- **Thermal hazards** Risk of burns during thermal processing.

SECTION 9: Physical and chemical properties

- **9.1. Information on basic physical and chemical properties**
- **General Information**
- **Colour:** According to product specification
- **Odour:** Light
- **Odour threshold:** Not determined.
- **Melting point/freezing point:** Undetermined.
- **Boiling point or initial boiling point and boiling range** Undetermined.
- **Flammability** Not determined.
- **Lower and upper explosion limit**
- **Lower:** Not determined.
- **Upper:** Not determined.
- **Flash point:** Not applicable.
- **Ignition temperature:** >300 °C
- **Decomposition temperature:** Not determined.
- **pH** Not applicable.
- **Viscosity:** At room temperature: not applicable
- **Kinematic viscosity** Not applicable.
- **Dynamic:** Not applicable.
- **Solubility**
- **water:** Insoluble.
- **Partition coefficient n-octanol/water (log value)** Not determined.
- **Vapour pressure:** Not applicable.
- **Density and/or relative density**
- **Density at 20 °C:** ca. 1.1 g/cm³
- **Relative density** Not determined.
- **Vapour density** Not applicable.
- **Particle characteristics** See item 3.

(Contd. on page 6)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.06.2022

Version-No. 4 (replaces version 3)

Revision: 01.06.2022

Trade name / Article-No: KLEIBERIT **706.0.05**

(Contd. of page 5)

· 9.2. Other information

· Appearance:

· Form: Solid

· Important information on protection of health and environment, and on safety.

· Auto-ignition temperature:

Product is not selfigniting.

· Explosive properties:

Product does not present an explosion hazard.

· Change in condition

· Softening temperature / range:

ca. 70 ° C

· Evaporation rate

Not applicable.

· Information with regard to physical hazard classes

· Explosives Void

· Flammable gases Void

· Aerosols Void

· Oxidising gases Void

· Gases under pressure Void

· Flammable liquids Void

· Flammable solids Void

· Self-reactive substances and mixtures Void

· Pyrophoric liquids Void

· Pyrophoric solids Void

· Self-heating substances and mixtures Void

· Substances and mixtures, which emit flammable gases in contact with water Void

· Oxidising liquids Void

· Oxidising solids Void

· Organic peroxides Void

· Corrosive to metals Void

· Desensitised explosives Void

SECTION 10: Stability and reactivity

· 10.1. Reactivity

see item 10.3

No further relevant information available.

· 10.2. Chemical stability Stable when stored and used properly.

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3. Possibility of hazardous reactions No dangerous reactions known.

· 10.4. Conditions to avoid No further relevant information available.

· 10.5. Incompatible materials: No further relevant information available.

· 10.6. Hazardous decomposition products: Isocyanates

· Additional information:

When hotmelt adhesives are melted and applied, vapours are set free and an unpleasant odour can occur, even if the recommended working temperature has been observed. Moreover if the prescribed working temperature is exceeded over a longer period, harmful decomposition products can develop. Precautions should be taken to eliminate the vapours, e.g. by using a suitable ventilation system.

Therefore measures for the elimination of the vapours have to be taken, e.g. by means of an appropriate ventilation/ exhaust device.

(Contd. on page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.06.2022

Version-No. 4 (replaces version 3)

Revision: 01.06.2022

Trade name / Article-No: KLEIBERIT **706.0.05**

(Contd. of page 6)

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

· **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC₅₀ values relevant for classification:**

101-68-8 diphenylmethane-4,4'-diisocyanate

Oral LD₅₀ >2,000 mg/kg (rat) (84/449/EWG, B.1)

Dermal LD₅₀ >9,400 mg/kg (rabbit) (OECD 402)

Inhalative LC₅₀ /4 h 1.5 mg/l (not specified) (Calculation (ATE))

· **Note:**

diphenylmethane-diisocyanate:

The test atmosphere generated in the animal study is not representative of workplace environments, how the substance is placed on the market, and how it can reasonably be expected to be used. Therefore the test result cannot be directly applied for the purpose of assessing hazard. Based on expert judgment and the weight of the evidence, a modified classification for acute inhalation toxicity is justified.

· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.

· **Serious eye damage/irritation** Based on available data, the classification criteria are not met.

· **Respiratory or skin sensitisation**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Suspected of causing cancer.

· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **STOT-single exposure** Based on available data, the classification criteria are not met.

· **STOT-repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

· **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

· **12.1. Toxicity**

· **Aquatic toxicity:**

101-68-8 diphenylmethane-4,4'-diisocyanate

LC₅₀ >1,000 mg / l / 96h (fish)

EC₅₀ >1,000 mg / l / 24h (water flea - daphnia)

IC₅₀ >1,640 mg / l / 72h (algae)

· **12.2. Persistence and degradability** No further relevant information available.

· **12.3. Bioaccumulative potential** No further relevant information available.

· **12.4. Mobility in soil** No further relevant information available.

· **12.5. Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 8)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.06.2022

Version-No. 4 (replaces version 3)

Revision: 01.06.2022

Trade name / Article-No: KLEIBERIT 706.0.05

(Contd. of page 8)

- **Regulation (EU) No 649/2012**

None of the ingredients is listed.

- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

- **REGULATION (EU) 2019/1148**

- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

- **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

- **National regulations:**

- **D: Waterhazard class** Water hazard class 1 (Self-assessment): slightly hazardous for water.

- **Other regulations, limitations and prohibitive regulations:** Restricted to professional users.

- **15.2. Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

EUH204 Contains isocyanates. May produce an allergic reaction.

- **Department issuing SDS:** Safety & Environment

- **Version number of previous version:** 3

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 10)

**Safety data sheet**
according to 1907/2006/EC, Article 31

Printing date 01.06.2022

Version-No. 4 (replaces version 3)

Revision: 01.06.2022

Trade name / Article-No: KLEIBERIT 706.0.05*(Contd. of page 9)*

DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Resp. Sens. 1: Respiratory sensitisation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Carc. 2: Carcinogenicity – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

EU