

Page 1/9

– INT

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.07.2021

Version-No. 7 (replaces version 1)

Revision: 22.07.2021

SECTION 1: Identification of the substance/mixture and of the company/u	ndertaking
· 1.1. Product identifier	
· Trade name / Article-No: KLEIBERIT <b>709.3</b>	
<ul> <li>• UFI: J9FP-70A8-E00U-QE72</li> <li>• 1.2. Relevant identified uses of the substance / mixture or uses advised against Restricted to professional users.</li> <li>• Application of the substance / the mixture Adhesives</li> </ul>	
<ul> <li>1.3. Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: KLEIBERIT SE &amp; Co. KG Max-Becker-Str. 4 D - 76356 Weingarten / Baden Germany</li> <li>Further information obtainable from: phone: +49 (0) 7244 62-0 FAX: +49 (0) 7244 700-0 E-Mail: hse@kleiberit.com</li> <li>1.4. Emergency telephone number: +44 1235 239670 European regional number (European languages) +44 1235 239671 Middle Eastern/African regional number (Middle Eastern/African languages) +1 215 207 0061 Americas regional number (English, Spanish, Portuguese) +65 3158 1412</li> </ul>	
Asia Pacific regional number (English, Bahasa, Malaysia, Hindi, Japanese, Korean, Mandarin, Tagalog)	
SECTION 2: Hazards identification	
2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No 1272/2008 - GHS/CLP	
Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
Skin Sens. 1 H317 May cause an allergic skin reaction. Carc. 2 H351 Suspected of causing cancer.	
Calc. 2 Proof outspected of causing called?      · 2.2. Label elements     · Hazard pictograms     GHS08	
· Signal word Danger	
<ul> <li>Hazard-determining components of labelling: diphenylmethane-4,4'-diisocyanate</li> <li>Hazard statements</li> <li>H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H351 Suspected of causing cancer.</li> </ul>	(Contd. on page 2)

INT

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.07.2021

Version-No. 7 (replaces version 1)

Revision: 22.07.2021

#### Trade name / Article-No: KLEIBERIT 709.3 (Contd. of page 1) Precautionary statements P261 Avoid breathing vapours. P280 Wear protective gloves. P314 Get medical advice/attention if you feel unwell. · Additional information: Contains isocyanates. May produce an allergic reaction. · Information concerning particular hazards for human and environment: - Persons already sensitised to diisocyanates may develop allergic reactions when using this product. - Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. - This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used. · 2.3. Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. **SECTION 3: Composition/information on ingredients** · 3.2 Mixtures · Description: Mixture of substances listed below with nonhazardous additions. · Dangerous components: **Registry-No's** Identification / Classification GHS-CLP % CAS: 101-68-8 diphenvlmethane-4.4'-diisocvanate ≥1-<2.5% Reg.nr.: 01-2119457014-47-XXXX Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Skin Irrit. 2; H315: $C \ge 5 \%$ Eve Irrit. 2; H319: $C \ge 5 \%$ Resp. Sens. 1; H334: C ≥ 0.1 % STOT SE 3; C ≥ 5 % • Additional information: For the wording of the listed hazard phrases refer to section 16. SECTION 4: First aid measures · 4.1. Description of first aid measures · After inhalation: Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation. Take affected persons into fresh air and keep quiet. After skin contact: Treat affected skin with cotton wool or cellulose. Then wash and rinse thoroughly with water and a mild cleaning agent. If skin irritation continues, consult a doctor. · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Call for a doctor immediately. · 4.2. Most important symptoms and effects, both acute and delayed Asthma attacks Allergic reactions (Contd. on page 3)

Printing date 22.07.2021

#### Version-No. 7 (replaces version 1)

(Contd. of page 2)

# Trade name / Article-No: KLEIBERIT 709.3

• **4.3. Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **SECTION 5: Firefighting measures**

#### · 5.1. Extinguishing media

#### Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• 5.2. Special hazards arising from the substance or mixture In case of fire, the following can be released:

Isocyanates

Nitrogen oxides (NOx)

Traces: Hydrogen cyanide (HCN)

5.3. Advice for firefighters

• **Protective equipment:** Wear self-contained respiratory protective device.

## **SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.

- Use respiratory protective device against the effects of fumes/dust/aerosol.
- **6.2. Environmental precautions:** No special measures required.
- 6.3. Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

- 6.4. Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Appropriate regular employee training.

Handle the substance preferably in closed system

Enclosure or extractor facilities are required.

Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the vapour concentration below the workplace limit, wear an adequate respiratory protective device.

Not less than 3-5 air exchanges per hour

Contact with skin and inhalation of aerosols/ vapours of the preparation should be avoided.

Spraying: in vented cabin with laminar air flow

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Use only in well ventilated areas.

Prevent formation of dust.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities. Avoid contact with skin and eyes.

It is advised against using the product if there is a sensitivity of the airways or skin (asthma, chronic bronchitis, chronic skin disease)

additional to professional application with multiple and/or significant contact

limit the exposure to 4 hours

General protective and hygienic measures: Immediately remove all soiled and contaminated clothing

· 7.2. Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Keep container tightly closed.

- · Information about storage in one common storage facility: Observe the national regulations.
- · Further information about storage conditions: Protect from humidity and water.

(Contd. on page 4)

Printing date 22.07.2021

Version-No. 7 (replaces version 1)

Revision: 22.07.2021

iue name / Article	No: KLEIBERIT <b>709.3</b>	
<sup>.</sup> 7.3. Specific end	<b>use(s)</b> No further relevant information available.	(Contd. of page 3)
SECTION 8: E	xposure controls/personal protection	
8.1. Control para	meters	
· Ingredients with · DNELs	limit values that require monitoring at the workplace:	
101-68-8 diphen	/Imethane-4,4'-diisocyanate	
Dermal DNEL	short term 50 mg/kg (human being)	
Inhalative DNEL s	short term 0.1 mg/m3 (human being)	
DNEL I PNECs	ong term  0.05 mg/m3 (human being)	
101-68-8 diphenv	/Imethane-4,4'-diisocyanate	
PNEC- Freshwate	• •	
PNEC-seawater	0.1 mg/l (not specified)	
PNEC-periodic re		
PNEC-Freshwate	r sediment 1 mg/kg (not specified)	
PNEC-soil	1 mg/kg (not specified)	
PNEC-wastewate	r treatment plant 1 mg/l (not specified)	
Ingredients with	biological limit values:	
101-68-8 dipheny	/Imethane-4,4'-diisocyanate	
BGW (Germany) BMGV (Great Brit	10 μg/g Kreatinin Untersuchungsmaterial: Urin Probennahmezeitpunkt: Expositionsende bzw. Schichtende Parameter: 4.4'-Diaminodiphenylmethan ain) 1 μmol creatinine/mol Medium: urine	
	Sampling time: At the end of the period od exposure Parameter: isocyanate-derived diamine	
· CAS No. Desig	nation of material % Type Value Unit	
	/Imethane-4,4'-diisocyanate	
AGW (Germany)	Long-term value: 0.05 E mg/m³ 1;=2=(I);DFG, 11, 12, H, Sah, Y	
WEL (Great Brita	n) Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³ Sen; as -NCO	
PEL (USA)	Ceiling limit: 0.2 mg/m³, 0.02 ppm	
REL (USA)	Long-term value: 0.05 mg/m³, 0.005 ppm Ceiling limit: 0.2* mg/m³, 0.02* ppm *10-min	
TLV (USA)	Long-term value: 0.005 ppm	
limit the exposure	to: essional application with multiple and/or significant contact	

Printing date 22.07.2021

Version-No. 7 (replaces version 1)

Trade name / Article-No: KLEIBERIT 709.3	
	(Contd. of page 4)
· Individual protection measures, such as personal	protective equipment
General protective and hygienic measures:	
The usual precautionary measures are to be adhered	to when handling chemicals.
<ul> <li>Respiratory protection:</li> <li>Use suitable respiratory protective device in case of in</li> </ul>	sufficient ventilation:
Filter A/P2 (EN 14387)	
At spray application respiratory protection must be wor	'n.
Hand protection	
Protective gloves Heat resistant gloves	
· Material of gloves Leather gloves	
Eye/face protection Safety glasses	
<ul> <li>Body protection: Protective work clothing</li> </ul>	
<ul> <li>Thermal hazards Risk of burns during thermal proces</li> </ul>	ssing.
SECTION 9: Physical and chemical proper	
• 9.1. Information on basic physical and chemical pr	operties
· General Information	Calid
· Physical state · Colour:	Solid According to product specification
· Odour:	Light
Odour threshold:	Not determined.
<ul> <li>Melting point/freezing point:</li> </ul>	Undetermined.
Boiling point or initial boiling point and boiling	
range Elementality	Undetermined.
<ul> <li>Flammability</li> <li>Lower and upper explosion limit</li> </ul>	Not determined.
· Lower:	Not determined.
· Upper:	Not determined.
Flash point:	Not applicable.
Auto-ignition temperature:	Product is not selfigniting.
<ul> <li>Decomposition temperature:</li> <li>pH</li> </ul>	Not determined. Mixture is non-soluble (in water).
· Viscosity:	At room temperature: not applicable
· Kinematic viscosity	Not applicable.
· Dynamic:	Not applicable.
Solubility	
· water:	Insoluble.
<ul> <li>Partition coefficient n-octanol/water (log value)</li> <li>Vapour pressure:</li> </ul>	Not determined. Not applicable.
· Density and/or relative density	
Density at 20 °C:	ca. 1.1 g/cm³
Relative density	Not determined.
· Vapour density	Not applicable.
· Particle characteristics	See item 3.
• 9.2. Other information	
· Appearance: · Form:	Salid
· Important information on protection of health and	Solid
environment, and on safety.	
· Ignition temperature:	>300 °C
Explosive properties:	Product does not present an explosion hazard.
Change in condition	Natonalizable
· Evaporation rate	Not applicable. (Contd. on page 6)
	(contai on page of int -

Printing date 22.07.2021

Version-No. 7 (replaces version 1)

Revision: 22.07.2021

(Contd. of page 5)

# Trade name / Article-No: KLEIBERIT 709.3

· Information with regard to physical hazard cl	asses
· Explosives	Void
· Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
• Pyrophoric liquids	Void
<ul> <li>Pyrophoric solids</li> </ul>	Void
Self-heating substances and mixtures	Void
<ul> <li>Substances and mixtures, which emit flamma</li> </ul>	able
gases in contact with water	Void
<sup>·</sup> Oxidising liquids	Void
<sup>.</sup> Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
· Desensitised explosives	Void

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

see item 10.3

No further relevant information available.

· 10.2. Chemical stability Stable when stored and used properly.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3. Possibility of hazardous reactions No dangerous reactions known.

• **10.4. Conditions to avoid** No further relevant information available.

• **10.5. Incompatible materials:** No further relevant information available.

10.6. Hazardous decomposition products: Isocyanates

• Additional information:

When hotmelt adhesives are melted and applied, vapours are set free and an unpleasant odour can occur, even if the recommended working temperature has been observed. Moreover if the prescribed working temperature is exceeded over a longer period, harmful decomposition products can develop. Precautions should be taken to eliminate the vapours, e.g. by using a suitable ventilation system.

Therefore measures for the elimination of the vapours have to be taken, e.g. by means of an appropriate ventilation/ exhaust device.

### **SECTION 11: Toxicological information**

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

LD/LC<sub>50</sub> values relevant for classification:

#### 101-68-8 diphenylmethane-4,4'-diisocyanate

Oral LD<sub>50</sub> >2,000 mg/kg (rat) (84/449/EWG, B.1)

Dermal  $LD_{50}$  >9,400 mg/kg (rabbit) (OECD 402)

Inhalative LC<sub>50</sub> /4 h 1.5 mg/l (not specified) (Calculation (ATE))

Note:

diphenylmethane-diisocyanate:

The test atmosphere generated in the animal study is not representative of workplace environments, how the substance is placed on the market, and how it can reasonably be expected to be used. Therefore the test result cannot be directly applied for the purpose of assessing hazard. Based on expert judgment and the weight of the evidence, a modified classification for acute inhalation toxicity is justified.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

(Contd. on page 7)

Printing date 22.07.2021

Version-No. 7 (replaces version 1)

Revision: 22.07.2021

(Contd. of page 6)

# Trade name / Article-No: KLEIBERIT 709.3

#### · Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Suspected of causing cancer.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

#### **SECTION 12: Ecological information**

#### · 12.1. Toxicity

#### · Aquatic toxicity:

#### 101-68-8 diphenylmethane-4,4'-diisocyanate

LC<sub>50</sub> >1,000 mg / I / 96h (fish)

EC<sub>50</sub> >1,000 mg / I / 24h (water flea - daphnia)

IC<sub>50</sub> >1,640 mg / I / 72h (algae)

12.2. Persistence and degradability No further relevant information available.

- · 12.3. Bioaccumulative potential No further relevant information available.
- 12.4. Mobility in soil No further relevant information available.
- 12.5. Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

· vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.6. Other adverse effects
- · Behaviour in sewage processing plants:
- · Remark:

At correct sewage disposal in small quantities to biological sewage plants failures of the activated sludge are not expected.

Additional ecological information:

· General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

#### **SECTION 13: Disposal considerations**

#### · 13.1. Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

08 04 09\* waste adhesives and sealants containing organic solvents or other hazardous substances

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

· Uncleaned packaging:

#### · Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. Disposal must be made according to official regulations.

### **SECTION 14: Transport information**

· 14.1. UN number or ID number

· ADR, IMDG, IATA

Printing date 22.07.2021

Version-No. 7 (replaces version 1)

Revision: 22.07.2021

#### Trade name / Article-No: KLEIBERIT 709.3 (Contd. of page 7) · 14.2. UN proper shipping name · DOT, ADR, IMDG, IATA Void · 14.3. Transport hazard class(es) · Class Void · 14.4. Packing group · ADR, IMDG, IATA Void · 14.5. Environmental hazards: Not applicable. · 14.6. Special precautions for user Not applicable. 14.7. Maritime transport in bulk according to IMO instruments Not applicable. **SECTION 15: Regulatory information** 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture See position no 2 - Hazards Identification EU-Regulations 101-68-8 diphenylmethane-4,4'-diisocyanate: REACH, Annex XVII, No. 56, 74 · Directive 2012/18/EU - Seveso-III: · Named dangerous substances - ANNEX I None of the ingredients is included. • Regulation (EC) No 1907/2006 - REACH, ANNEX XVII Conditions of restriction: 3 · Regulation (EU) No 649/2012 None of the ingredients is listed. DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II None of the ingredients is listed. · REGULATION (EU) 2019/1148 · Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) None of the ingredients is listed. Annex II - REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed. · National regulations: • D: Waterhazard class Water hazard class 1 (Self-assessment): slightly hazardous for water. • Other regulations, limitations and prohibitive regulations: Restricted to professional users. • 15.2. Chemical safety assessment: A Chemical Safety Assessment has not been carried out. SECTION 16: Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Relevant phrases H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. H334 May cause respiratory irritation. H335 Suspected of causing cancer. H351

H373 May cause damage to organs through prolonged or repeated exposure.

EUH204 Contains isocyanates. May produce an allergic reaction.

· Department issuing SDS: Safety & Environment

(Contd. on page 9)

INT -

Printing date 22.07.2021

Version-No. 7 (replaces version 1)

Revision: 22.07.2021

# Trade name / Article-No: KLEIBERIT 709.3

	(Contd. of page
Version number of previous version: 1	
Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agr	reement Concerning the
International Carriage of Dangerous Goods by Road)	6
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
DNEL: Derived No-Effect Level (REACH)	
PNEC: Predicted No-Effect Concentration (REACH)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Resp. Sens. 1: Respiratory sensitisation – Category 1	
Skin Sens. 1: Skin sensitisation – Category 1	
Carc. 2: Carcinogenicity – Category 2	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2	